

AUTUMN/WINTER 2026/27

YOU DON'T HAVE TO CHOOSE BETWEEN PERFORMANCE AND THE PLANET

THE WORLD'S FIRST CE/UKCA S5 CERTIFIED SAFETY BOOT TO USE



YULEX

From The Tree

BUCKBOOTZ®

ADVANCING SAFETY FOOTWEAR SINCE 1998

WE ARE THE WORK WE DO

DEALER NETWORK BROCHURE

CONTENTS

BBZ Buckbootz Safety.....	3-6
Buckshot	7-10
Bang Guardz	11-12
Tradez Wheelz.....	14
Tradez Kez	14
Tradez Blitz	13, 15-16
Tradez Blastz.....	15
Buckzviz	17-20
Wizardz	21-24
Dealerz/Lacerz	25
Nubuckz	26-27
Hard as Nails Goodyear Wetted Safety	28-30
BBZ 5020 & Walkerz Non-safety	31-32
Non-Safety Dealerz and Goodyear Wetted	33
Boot Socks, Hand Guardz and Accessories.	34
Sole Patterns & Specifications.....	35
Taking care of Buckbootz footwear ..	36
UKCA/CE Testing Standards and Codes	36-37
Dealer Point of Sale and Instore displays	38
Contacts Guide	39

FOR FULL INFORMATION ON UKCA/CE TESTING STANDARDS AND CODES FOR SAFETY FOOTWEAR PLEASE GO TO PAGE 37

Please note that unless otherwise advised to us by your business, Output VAT on applicable safety boots will be Zero Rated on the basis the products will be used for onward supply in retail or wholesale distribution. All other products including safety trainers, non-safety footwear, workwear and accessories will be charged at Standard Rated VAT. You must inform us immediately if safety boots are being purchased for use by your employees in which case Zero Rated VAT will not be permitted by HMRC guidance and Standard Rated VAT will apply accordingly instead.

OPTIMISM AND OPPORTUNITY

For Buckbootz merchants the 2026/27 autumn/winter seasons offer an outstanding opportunity to recoup the safety footwear sales which were snared by those hot, dry summer months. On top of that there is the big bonus of peak seasons' waterproof and insulated demand.

You will be familiar with our tradition of bringing refreshed impetus to your sales by way of introducing new product developments guaranteed to stimulate interest and business at your sales floors. Autumn/winter 2026/27 is no exception.

BACK FOR THE FUTURE

November 2026 sees the arrival of a Buckbootz BBZ product which is not only a UK/ Europe first, it's a global first. Buckbootz has collaborated with Yulex® to create the world's first S5 certified safety boot using Yulex®, a unique and ground breaking neoprene/geoprene replacement made from natural rubber from the Hevea rubber tree.

The Yulex® message that 'You don't have to choose between performance and the planet' will resonate with end users looking for an environmentally friendly alternative to petroleum derived polyurethane and pvc moulded products which proliferate in this sector - and not always at a cost saving. Yulex® also lays claim to its product performance matching and even out performing conventional neoprene/geoprene. See page opposite for more on the **BBZ7000 Yulex®** story. It's also the wellie that brings the great looking Stone colour to this product sector. Deliveries commence during first half November. You will not want to miss out on this one.

PREMIUM WITH PEDIGREE

Sometimes a great product oozes class in an understated way. No bling, just sheer quality in premium cowhide leather. That's what your customer gets with the **Buckbootz Buckshot range**, one of the first safety boots on the market to feature injection moulded sole construction with a rubber outsole. A pedigree which stretches back eighteen years.


A new generation of Buckshot is in the pipeline and the first shot fired in the roll out is **BSH016BR**, a truly impressive boot style which encapsulates Buckshot class with aplomb. BSH016BR is available from first half October onwards. See page 7 inside. The new Buckshot generation features a great looking new sole plus innovative weight saving components and will integrate with current Buckshot products on a rolling change basis.

DON'T FORGET

Buckbootz uses its extensive rubber/neoprene safety boot expertise to produce what are probably the best value most dependable non-safety wellies of their type on the market. Go to page 31 to see the great new **BBZ5020** and to page 32 for **BBZ Walkerz**.

Best wishes for great autumn/winter sales.

Kind regards,



Andrew Duncan
Chairman and Co-founder, Buckler Boots Ltd



BUCKZVIZ



BBZ 8000



BANG GUARDZ



BVIZ 5 & 6



WE SEE YOU®



BLASTZ

◀ BBZ® 7000 YULEX®

Signature
A Protected Design of Buckler Boots

NEW! Available from H1 November onwards

YOU DON'T HAVE TO CHOOSE BETWEEN PERFORMANCE AND THE PLANET

RSP
£115

WE SEE YOU
360° FOR 365

THE WORLD'S FIRST CE/UKCA S5 CERTIFIED SAFETY BOOT TO USE

YULEX From The Tree

We have been through an era when wellington type safety boots have been predominantly produced by injection moulding polyurethane and pvc, both fossil fuel derivatives. Buckbootz BBZ 7000 Yulex® takes Mother Nature right back to the forefront of waterproof safety footwear technology with a hand built boot made from real rubber compound which is bonded to deforestation free Yulex® foam rubber.

Yulex® is the world's first natural plant based replacement for neoprene and geoprene and it performs to the equivalent standard or better than both. The boot outsole is also rubber and the non-metallic safety toecap and anti-penetration Nail Stop midsole, the washable insole and the breathable aerospenser lining are all Global Recycle Standard (GRS) certified. Rubber is a natural and renewable resource. Yulex® has FSC sustainable forest and PEFC natural rubber supply chains certification.

Buying exceptional safety footwear and saving the planet won't cost you the earth. BBZ 7000 Yulex® is the same price as best sellers BBZ 8000 and BBZ 9000.

CE/UKA certified: **S5S HRO FO LG SR CI HI + ESD**

- Safety toecap
 - Anti-penetration NAIL STOP midsole
 - Antistatic (A)
 - Energy absorption of the seat region (E)
 - Heat (300°C/60 secs) resistant outsole (HRO)
 - Fuel Oil resistant outsole (FO)
 - Anti-slip, non-marking rubber outsole with Ladder Grips (LG SR)
 - Cold insulation certified to -17°C for 30 minutes (CI)
 - Heat insulation certified to 150°C for 30 minutes (HI)
 - Electrostatic Discharge Compliant (ESD)
- } S5S

360° reflective

Sizes: 3/37 - 13/47. Suitable for Vegans.

FEATURES

- 5mm neoprene with rubber protection and Aerspencer breathable lining
- Hi-viz colour contrasts with reflective enhancement giving 360° presence warning at 100 metres
- Ankle and achilles protection support
- **Waterproof**
- Non-metallic
- Chemical splash resistant properties
- Kick off heel spur
- Suitable for Vegans
- Detachable cushion insole
- Tested to 2 million continuous flexes
- Sizes 3/37 - 13/47
- Suggested sector use: Construction, Oil/Gas/Renewables, Agriculture, Utilities, Rail, General Industry, Mining, Engineering

SAFETY SPEC

- Tested to ISO 20345:2022 + A1:2024
- S5S HRO FO LG SR AN CI HI + ESD
- Super lightweight safety toecap
- Antistatic
- Anti-penetration NAIL STOP midsole
- Energy absorption of the seat region
- Heat -300°C (HRO), Fuel Oil (FO), slip resistant (SR) non-marking rubber outsole with ladder grips (LG)
- Cold Insulation Certified to -17°C (CI)
- Heat Insulation Certification to +150°C (HI)
- Ankle protection - both sides (10J impact) (AN)
- Electrostatic discharge compliant (ESD)

RSP
£115



Non-marking!



**BBZ 8000
BK OR**



**BBZ 8000
BK YL**



**BBZ 8000
BL OR**



**BBZ 8000
GY GR**



**BBZ 8000 GR
REFLECTIVE ONLY**



**S5S HRO FO LG SR M CI HI + ESD METATARSAL
PROTECTION/HI VIZ 360° REFLECTIVE/NON-METALLIC**

BBZ9000

BBZ®

BBZ 9000 GY OR



BBZ 9000 BK



FEATURES

- 5mm neoprene with rubber protection and Aerspencer breathable lining
- Reflective enhancement gives 360° presence warning at 100 metres.
- Metatarsal protection support (METZ)
- **Waterproof**
- Non-metallic
- Chemical splash resistant properties
- Unique slope collar incorporating signature reinforced lever-on openings. No more boot top roll in.
- Kick off heel spur
- Detachable cushion insole
- Tested to 2 million continuous flexes
- Suitable for Vegans
- Sizes 3/37 - 13/47
- Suggested sector use: Construction, Oil/Gas/Renewables, Agriculture, Utilities, Rail, General Industry, Mining, Engineering



BBZ 9000 WITH METATARSAL PROTECTION

**EVERY ACCIDENT NEEDS
A FIRST RESPONDER.
START WITH YOUR
SAFETY BOOTS.**

**METZ PROTECTZ
YOUR FIRST LINE OF DEFENCE**

SAFETY SPEC

- Tested to ISO 20345:2022 + A1:2024
- S5S HRO FO LG SR M CI HI + ESD
- Composite safety toecap (SB)
- Non-metallic NAIL STOP anti penetration midsole (PS)
- Antistatic (A)
- Energy absorption seat region (E)
- Heat -300°C (HRO), Fuel Oil (FO), slip resistant (SR) non-marking rubber outsole with ladder grips (LG)
- Metatarsal vamp protection (100J impact & 20KG mass) (M)
- Cold Insulation Certified to -17°C (CI)
- Heat Insulation Certification to +150°C (HI)
- Electrostatic discharge compliant (ESD)

RSP
£115

Non-marking!



FEATURES

- 360° safety reflective
- 100% Metal free
- Non marking rubber outsole
- Slip in heel support
- Comfort support insole for all day wear
- Chemical splash resistant properties
- Aerospencer breathable lining
- Kick off heel spur
- Detachable cushion insoles
- **Waterproof**
- Sizes 3/37 - 13/47
- Suitable for Vegans
- Tested to 2 million continuous flexes
- Suggested sector use: Construction, Oil/Gas/Renewables, Agriculture, Utilities, Rail, General Industry, Mining, Engineering

SAFETY SPEC

- Tested to ISO 20345:2022 + A1:2024
- S5S HRO FO LG SR CI HI + ESD
- Lightweight nano composite toecap
- Antistatic
- Energy absorption of seat region
- Heat -300°C (HRO), Fuel Oil (FO), slip resistant (SR) non-marking rubber outsole with ladder grips (LG)
- Cold Insulation Certified to -17°C (CI)
- Heat Insulation Certification to +150°C (HI)
- Electrostatic discharge compliant (ESD)



BBZ 6000 BL NM

RSP
£113



BBZ 6000 BK NM



Signature
A Protected Design of Buckler Boots

◀ **BUCKSHOT®**



NEW!

Available from H1 October onwards

RSP
£94.50

BSH016BR LAUNCHES NEW GENERATION BUCKSHOT

DESIGNED TO PROVIDE AN OUTSTANDING WEARER EXPERIENCE.

BSH016BR is the first product of the new generation of the Buckbootz **Buckshot** family and brings a new chapter in a story of exceptional waterproof safety footwear.

Using the Desma injection moulding process for bonding the uppers and soles, **Buckshot** combines strength and durability with exceptional weight saving without compromising **Buckshot's** renowned standards.

A SNAPSHOT OF WHAT A GREAT SAFETY BOOT LOOKS LIKE.

Designed and constructed for high performance in arduous outdoor and indoor working environments, **Buckshot** features premium cowhide leather, a completely new non-marking rubber outsole, the latest weight saving protection technology and 100% metal free.



IMPRESSIVE BY ANY STANDARDS.

Buckshot BSH016BR's CE/UKCA are:
S7S SC HRO FO LG SR WR + ESD

S7S: (composite) safety toecap and anti-penetration midsole (max test), antistatic, waterproof

SC: Anti-scuff protection of the toe area

Non-marking rubber outsole:

HRO: Heat (300°C/60 secs) and Oil resistant

FO: Fuel Oil resistant

LG: Ladder grips

SR: Slip resistant

WR: Waterproof membrane fitted
Electrostatic discharge compliant (ESD)

FEATURES

- **Waterproof**
- Comfort insole
- Supertough anti-scutt toe
- Achilles Clasp heel reinforcement
- Sizes 6/40 to 13/47
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- S3 HRO SRC
- Steel toecap
- Non-metallic anti-penetration midsole
- Antistatic
- Slip resistant
- Heat (300°C/60 secs) and Oil Resistant Non-marking Rubber Outsole

ROLLING CHANGE/ ENHANCED FEATURES

- Significant weight saving
- Enhanced breathability
- All enhanced spec styles have 'Signature' protected design status
- Super cushion plus insoles
- All new non-marking, slip resistant rubber outsole with ladder grips and intergrated PU anti-scutt toe protection

ROLLING CHANGE/ SAFETY SPEC

S7S SC HRO FO LG SR WR

- Lightweight nano composite toecap
- Antistatic
- Energy absorption of seat region
- Anti-penetration midsole/max test
- Water resistance whole footwear
- Toe scuff protection (SC)
- Heat (300°C/60 secs) and Oil Resistant Outsole (HRO)
- Fuel Oil Resistant Outsole (FO)
- Ladder grips (LG)
- Slip resistant Outsole (SR)
- Waterproof membrane (WR)



BSH006 BR

RSP
£84.55



ROLLING CHANGE!

Will integrate with same model, enhanced specification



BSH009 BR

RSP
£95.50



ROLLING CHANGE!

Will integrate with same model, enhanced specification



S3 HRO SRC WATERPROOF/INJECTION MOULDED

◀ **BUCKSHOT®**



Driver's heel
flex insert

BSH011 BR

RSP
£99.25

**ROLLING
CHANGE!**

Will integrate
with same
model,
enhanced
specification



BSH008

RSP
£109.25

**ROLLING
CHANGE!**

Will integrate
with same
model,
enhanced
specification



**ROLLING
CHANGE!**

Will integrate
with same
model,
enhanced
specification



HYBRIDZ BR

RSP
£90.05

FEATURES

- **Waterproof**
- Comfort insole
- Supertough anti-scutt toe
- Achilles Clasp heel reinforcement
- Sizes 6/40 to 13/47
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- S3 HRO SRC
- Steel toecap
- Non-metallic anti-penetration midsole
- Antistatic
- Slip resistant (SRC)
- Heat (300°C/60 secs) and Oil Resistant Non-marking Rubber Outsole (HRO)

} S3



BSH009 BK

RSP
£95.50

ROLLING RANGE CHANGE!

At changeover time replace with **BSH 009 BR** or **BSH 012 BK**

See pages 8 and 12



BSH002 BR

RSP
£92.15

ROLLING RANGE CHANGE!

At changeover time replace with

BSH 016 BR

See page 7



BSH1010 BR

RSP
£119.85

ROLLING RANGE CHANGE!

At changeover time replace with

B701 SMWP

See page 30

S3 HRO AN SRC

ANKLE IMPACT PROTECTION

BANG GUARDZ®

BSH014 BR

RSP
£90.90



FEATURES

- **Waterproof**
- Non-metallic
- Achilles clasp reinforcement
- Cowhide leather upper with stretch arch feature with built in ankle impact protection
- Reflective side flashes
- Oil/Gas Industries compliant
- Anti-scutt toe protection
- Sizes 6/40 - 13/47
- Suggested sector use:
Agriculture, Construction,
Engineering, Manufacturing,
Maintenance, Trades, Utilities

Signature
A Protected Design of Bang Guardz Boots

SAFETY SPEC

- S3 HRO AN SRC
- Composite toecap
- Anti-penetration NAILSTOP midsole/enhanced test
- Antistatic
- Ankle protection – both sides (AN)
- Slip resistant (SRC)
- Heat (300°C/60 secs) and Oil Resistant Non-marking Rubber Outsole (HRO)

} S3

BSH014 BR

RSP
£90.90



FEATURES

- **Waterproof**
- Non-metallic
- Achilles clasp reinforcement
- Cowhide leather upper with stretch arch feature with built in ankle impact protection
- Reflective side flashes
- Oil/Gas Industries compliant
- Anti-scutt toe protection
- Sizes 6/40 - 13/47
- Suggested sector use:
Agriculture, Construction,
Engineering, Manufacturing,
Maintenance, Trades, Utilities

SAFETY SPEC

- S3 HRO AN SRC
- Composite toecap
- Anti-penetration
NAILSTOP midsole/
enhanced test
- Antistatic
- Ankle protection – both sides (AN)
- Slip resistant (SRC)
- Heat (300°C/60 secs) and Oil
Resistant Non-marking Rubber
Outsole (HRO)



BSH012 BK

RSP
£90.90



BSH012 BR

RSP
£90.90



BSH012 HY

RSP
£90.90





WHEELZ FEATURES

- Fitgo® wheel and cable lacing system
- Black breathable mesh upper with KPU support
- Non-marking rubber outsole
- Buckbootz cushion insoles for day long comfort
- Reflective branding
- Sizes 6/40 to 13/47
- Suggested sector use: Light Engineering, Maintenance, Trades, Utilities, Warehouse, Logistics
- Suitable for Vegans

KEZ FEATURES

- Lace trainer
- KPU upper
- Buckbootz cushion insoles for day long comfort
- Non-marking rubber outsole
- Non-metallic
- Sizes 6/40 to 13/47
- Suggested sector use: Light Engineering, Maintenance, Trades, Utilities, Warehouse, Driving
- Suitable for Vegans

WHEELZ & KEZ SAFETY SPEC

- Tested to ISO 20345:2022 + A1:2024
- S1 PS SC FO SR + ESD
- Composite safety toecap (SB)
- Non-metallic NAIL STOP anti-penetration midsole (PS)
- Antistatic (A)
- Energy absorption seat region (E)
- Scuff cap abrasion resistance 8,000 abrasion cycles (SC)
- Fuel oil resistant (FO)
- Electrostatic discharge compliant (ESD)

Non-marking!



WHEELZ MID

RSP
£86.50



WHEELZ LOW

RSP
£83.10
+VAT



KEZ

RSP
£66.90
+VAT



S7S SC FO SR WR + ESD
WATERPROOF/NON-METALLIC

BLASTZ

TRADEZ®

BLASTZ STN



RSP
£86.90

BLASTZ BK



RSP
£86.90

BLITZ STN

TURN PAGE FOR BLITZ FEATURES, SAFETY SPEC AND COLOURS



RSP
£79.35

FEATURES

- Super lightweight Lace/zip boot
- Stone cowhide leather uppers with Buckbootz Tradez grid anti-scutt toe and heel protection
- Waterproof
- Non-metallic
- Oil/Gas Industries compliant
- Non-marking rubber outsole
- Buckbootz cushion insoles for day long comfort
- YKK No.10 Zip
- Reflective Drivers Flex Support
- Sizes 3/37 to 13/47
- Suggested sector use: Agriculture, All trades, Maintenance, Light Engineering, Utilities, Warehouse, Driving
- RSP £86.90

SAFETY SPEC

- Tested to ISO 20345:2022 + A1:2024
- S7S SC FO SR WR + ESD
- Composite safety toecap (SB) • Antistatic (A)
- Non-metallic NAIL STOP anti-penetration midsole (PS)
- Energy absorption seat region (E)
- Scuff cap abrasion resistance [8,000 abrasion cycles] (SC)
- Fuel oil resistant (FO)
- Electrostatic discharge compliant (ESD)
- Water resistant (waterproof membrane) (WR)



Non-marking!



FEATURES

- Super lightweight Lace boot
- Cowhide leather uppers with Buckbootz Tradez grid anti-scutt toe and heel protection
- **Waterproof**
- Oil/Gas Industries compliant
- Non-metallic
- Anti-scutt toe protection
- Non-marking rubber outsole
- Buckbootz cushion insoles for day long comfort
- Sizes 3/37 to 13/47
- Suggested sector use: Agriculture, All trades, Maintenance, Light Engineering, Utilities, Warehouse, Driving

SAFETY SPEC

- Tested to ISO 20345:2022 + A1:2024
- S7S SC FO SR WR + ESD
- Composite safety toecap (SB)
- Non-metallic NAIL STOP anti-penetration midsole (PS)
- Antistatic (A)
- Energy absorption seat region (E)
- Scuff cap abrasion resistance [8,000 abrasion cycles] (SC)
- Fuel oil resistant (FO)
- Slip Resistance (SR)
- Electrostatic discharge compliant (ESD)
- Water resistant (waterproof membrane) (WR)



Non-marking!



BLITZ HY

RSP
£79.35



BLITZ BR

RSP
£79.35



BLITZ BK

RSP
£79.35



Signature
A Protected Design of Buckler Boots

BUCKZVIZ®

WE SEE YOU
360° FOR 365



FEATURES

- **Waterproof**
- Oil/Gas Industries compliant
- Oiled nubuck leather with water resistant Cordura®
- Buckbootz cushion insoles for day long comfort
- Reflective inserts/piping
- 360° visibility
- Non-metallic
- Sizes 4/38 to 13/47
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- S7S SC SR HRO FO LG WR
- Anti-scuff toe (8,000 abrasion cycles) (SC)
- Composite safety toecap (SB)
- Anti-penetration NAILSTOP midsole/enhanced test (PS)
- Slip resistant (SR)
- Heat (300°C/60 secs) (HRO) and Oil Resistant (FO) Non-marking Rubber Outsole with Ladder Grips (LG)

EXTRAS

BVIZ7 BK OR

- Fitgo® wheel and cable lacing system
- TPU hi vis flank brace

BVIZ5 BK OR/BVIZ6 BK OR

- Drivers reflective flex support
- **AN certified ankle protection**



Non-marking!



BVIZ7 BK OR

RSP
£89.90



BVIZ5 BK OR

RSP
£99.25



BVIZ6 BK OR

RSP
£99.25



S7S SC SR HRO FO LG WR

HI VIZ 360° REFLECTIVE/NON-METALLIC/WATERPROOF

BUCKZVIZ®

BVIZI BK OR

RSP
£93.10



BVIZI BK YL

RSP
£93.10



BVIZ2 BK OR

RSP
£79.35



BVIZ2 BK YL

RSP
£79.35



BVIZ3 BK OR

RSP
£70.95



BVIZ3 BK YL

RSP
£70.95



FEATURES

- **Waterproof**
- Oil/Gas Industries compliant
- Oiled nubuck leather with water resistant Cordura®
- Buckbootz cushion insoles for day long comfort
- Reflective inserts/piping
- 360° visibility
- Non-metallic
- Sizes 4/38 to 13/47
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- S7S SC SR HRO FO LG WR
- Anti-scutt toe (8,000 abrasion cycles) (SC)
- Composite safety toecap (SB)
- Anti-penetration NAILSTOP midsole/enhanced test (PS)
- Slip resistant (SR)
- Heat (300°C/60 secs) (HRO) and Oil Resistant (FO)Non-marking Rubber Outsole with Ladder Grips



Non-marking!



BVIZ1 BR OR

RSP
£93.10



BVIZ2 BR OR

RSP
£79.35



BVIZ3 BR OR

RSP
£70.95

Signature
A Protected Design of Buckler Boots

WIZARDZ®



WIZD2 OK

**BEING SAFE NEVER
LOOKED THIS GOOD**

£55 RSP

SAFETY FIRST

A comprehensive UKCA/CE safety specification at an amazing price. With the look of Oz you love combining strength with light weight that redefines the notion that cheaper equates to lesser.

**A SOLE THAT WORKS AS
HARD AS YOU DO**

A rubber outsole that's tough, durable yet lightweight with anti-penetration 'Nail Stop' protection along with anti-slip and oil and heat resistance.

ALL DAY COMFORT

Wider fitting with breathable water resistant leather uppers and a premium comfort insole - this is a boot you can wear all day, every day.

The logo for WIZARDZ, featuring a yellow chevron pointing left followed by the word "WIZARDZ" in white and yellow capital letters with a registered trademark symbol.

WIZARDZ®

£55 RSP

Signature
A Protected Design of Buckler Boots

WIZ LI STN

Wizardz Lace in Stone Leather.

For features and safety spec see opposite page.

SB PS E SC SR FO HRO WPA
MORE MAGIC FROM BUCKBOOTZ

WIZARDZ®



WIZLI BLK

RSP
£55

FEATURES

- Action Leather
- Water resistant upper
- Sizes 6/40 to 13/47
- Suggested sector use: Less demanding Construction, Engineering, Maintenance, Trades, Utilities

Signature
A trusted name in Buck Boots

SAFETY SPEC

- Tested to ISO 20345:2022 + A1:2024
- SB PS E SC SR FO HRO WPA
- Safety toecap (SB)
- Anti-penetration NAIL STOP midsole/ enhanced test (PS)
- Energy absorption seat region (E)
- Anti scuff toe protection (SC)
- Fuel Oil, (FO) Heat (300°C) (HRO) and slip resistant non-marking rubber outsole (SR).

WIZD2 BLK

RSP
£55



WIZLI BRN

RSP
£55



Non-marking!



FEATURES

- Action Leather
- Water resistant upper
- Sizes 6/40 to 13/47
- Suggested sector use: Less demanding Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- Tested to ISO 20345:2022 + A1:2024
- SB PS E SC SR FO HRO WPA
- Safety toecap (SB)
- Anti-penetration NAIL STOP midsole/enhanced test (PS)
- Energy absorption seat region (E)
- Anti scuff toe protection (SC)
- Fuel Oil, (FO) Heat (300°C) (HRO) and slip resistant non-marking rubber outsole (SR).



Non-marking!



WIZD2 BRN

RSP
£55



WIZLI HNY

RSP
£55



WIZD2 HNY

RSP
£55



S7S HRO FO LG SR WR

DEALERZ/LACERZ - NON-METALLIC/WATERPROOF

NUBUCKZ®

DEALERZ

RSP
£79.95



FEATURES

- Brown Crazy Horse Leather
- Super lightweight
- Waterproof
- 100% metal free
- Removable washable cushion insole
- Sizes 6/40 to 13/47
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- S7S HRO FO LG SR WR
- Antistatic (A)
- Composite safety toecap (SB)
- Anti-penetration NAILSTOP midsole/enhanced test (PS)
- Heat (300°C/60 secs) (HRO) and Oil Resistant (FO), Slip resistant (SR) Non-marking Rubber Outsole with Ladder Grips (LG)

LACERZ

RSP
£74.95



Non-marking!



FEATURES

- Non-metallic
- Nubuck Leather
- Comfort insole
- Water resistant uppers
- Cleated (rubber) outsoles
- Sizes 6/40 to 13/47
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- S3S SC HRO FO LG SR WPA
- Composite toecap (SB)
- Antistatic (A)
- NAIL STOP anti-penetration midsole (max test) (S)
- Anti-scuff toe protection (SC)
- Heat (300°C/60 secs) (HRO), Fuel Oil (FO) and Slip resistant (SR) Non-marking Rubber Outsole with Ladder Grips (LG)



Non-marking!



NKZ102 BLK

RSP
£67.55

NKZ101 BRN



Also available
in sizes 4/38
and 5/39



RSP
£67.55

NKZ102 BRN



RSP
£67.55

S3S SC HRO FO LG SR WPA
NON-METALLIC

◀ NUBUCKZ®

NKZ101 BLK

RSP
£67.55



B1180 FEATURES

- Premium cow hide leather
- Lightweight Dealer boot
- **Waterproof**
- K11 dual density weight saving non-marking sole
- Wider fitting at toe area
- Cushion insole
- Snug fit heel counter design
- Buckflex three way stretch flex collar
- Sizes 6/40 to 13/47
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

B1180 SAFETY SPEC

- Tested to ISO 20345:2022
- SB PS HRO FO LG SR WR
- Aluminium safety toecap (SB)
- Non-metallic anti penetration NAIL STOP midsole/enhanced test (PS)
- Heat (300°C/60 secs) (HRO) and Oil Resistant (FO) Rubber Outsole with Ladder Grips (LG)
- Slip resistant (SR)

FEATURES AND SAFETY SPEC OF OTHER HARD AS NAILS® STYLES

FEATURES

- K3 Ultra Grip Rubber Sole
- Wider fitting at toe area
- Buckflex built-in shoe horn
- Sizes 4/38 to 13/47 (B1150SM Max)
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- SB P HRO SRC
- Steel toecap
- Anti penetration NAIL STOP midsole
- Heat (300°C/60 secs), Oil and Slip Resistant Rubber Outsole



B1180

RSP
£100.75



Non-marking!

B1150SM MAX BUCKFLEX

RSP
£91.90



**ROLLING
SAFETY
SPEC
CHANGE!**

Will update to
SB PS HRO FO





BI990SM BUCKFLEX

RSP
£104.35

**ROLLING
SAFETY SPEC
CHANGE!**
Will update to
SB PS SC
HRO FO

FEATURES

- Premium cow hide leather
- K3 Ultra Grip Rubber Sole
- Wider fitting at toe area
- Sizes 6/40 to 13/47
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- SB P HRO SRC
- Steel toecap
- Anti penetration NAIL STOP midsole
- Slip resistant
- Heat (300°C/60 secs) and Oil Resistant Rubber Outsole

EXTRAS

B1990SM Buckflex

- Buckflex built-in shoe horn
- Dual thickness rubber scuff toe

B1151SM Buckflex

- Buckflex built-in shoe horn

B1151SM BUCKFLEX

RSP
£93.75

**ROLLING
SAFETY SPEC
CHANGE!**
Will update to
SB PS HRO FO



B1555SM

RSP
£99.25

**ROLLING
SAFETY SPEC
CHANGE!**
Will update to
SB PS HRO FO



FEATURES

- Premium cow hide leather
- K3 Rubber Sole
- Wider fitting at toe area
- Sizes 6/40 to 13/47
- Suggested sector use: Agriculture, Construction, Engineering, Maintenance, Trades, Utilities

SAFETY SPEC

- SB P HRO SRC
- Steel toecap
- Anti penetration NAIL STOP midsole
- Slip resistant
- Heat (300°C/60 secs) and Oil Resistant Rubber Outsole

EXTRAS

B750SMWP

- Waterproof (WRU)
- Sizes 4/48 to 13/47

B30ISM

- Anti-Scuff toe protector

B70ISMWP

- Waterproof (WRU)
- Snug fit ankle cushion feature



B30ISM

RSP
£97.00

ROLLING SAFETY SPEC CHANGE!

Will update to
SB PS SC
HRO FO



B750SMWP

RSP
£105.80



ROLLING RANGE CHANGE!

At changeover
time replace
with **LACERZ**
See page 25

B70ISMWP

RSP
£126.40



ROLLING SAFETY SPEC CHANGE!

Will update to
SB PS HRO FO WR



NON-SAFETY NEOPRENE/RUBBER
OUTSTANDING COMFORT

BBZ5020

BBZ®



NEW!

See Rolling
Range Change
below

FEATURES

- 5mm neoprene with rubber knee boot
- **Waterproof**
- Bonded Buckbootz BBZ sole
- Detachable deep cushion insole
- Dark Spruce Green with Silver Reflective branding
- Sizes 5/39 to 13/47
- RSP £94.50 (+VAT)



Signature
A Protected Design of Buckbootz Boots

WE TARGET NIL RETURNS SO THAT YOU MAXIMISE YOURS.

BBZ 5020 is the non-safety boot of choice for those merchants who are familiar with its outstanding comfort and reliability with a miserly returns rate of only 1.64%*.

For other merchants, weary of repeat patterns of quality issues with leisure sector branded neoprene/rubber country wellie boot styles, your search is over. BBZ 5020 is not just another green neoprene wellie variant, it has carved out an enviable reputation for consumer and merchant satisfaction. We believe that no other brand can surpass the amount of research, development and testing required by Buckbootz to create its market-leading range of neoprene/rubber safety wellie styles. That's the expertise which transfers straight to all Buckbootz non-safety wellie boots. Like its Walkerz® stablemate (see next page) BBZ 5020 now features exactly the same weight saving sole and sole-bonding combination as our award winning BBZ 8000 and 9000 safety boots.

*Year to date at end June 2026

ROLLING RANGE CHANGE!

BBZ 5020
current spec
and BBZ 5020
new spec
will integrate
during
autumn/winter
2026



FEATURES

- 360° reflectivity
- Enhanced comfort and durability.
- Lever-off heel spurs
- Unique slope collar incorporating reinforced lever-on openings. No more boot top roll in.
- **Waterproof**
- Max grip/anti slip rubber outsole
- Super cushion insole
- Vegan friendly
- Dark Spruce Green or Black
- Sizes 3/37 to 13/47

Signature
A patented design of rubber boots



WALKERZ® GR

RSP
£99.95
+VAT



Non-marking!



WALKERZ® BK

RSP
£99.95
+VAT

TRADITIONAL PREMIUM QUALITY FOOTWEAR LEATHER

NON-SAFETY



BI300 BUCKFLEX

- Non-safety dealer boot
- Goodyear welted construction
- Dark Brown Crazy Horse Leather
- Fully lined in cowhide leather
- K3 Rubber outsole
- Sizes 6/40 to 13/47

Full
Cowhide
Lining

RSP
£94.85
+VAT

Take care

All Buckbootz® Non-Safety styles have permanent 'Non-Safety' tags attached to the boot uppers. If you stock Buckbootz® Safety and Non-Safety styles always make sure that your customer is selecting the correct specification.



BI500

- Non-safety dealer boot
- Goodyear welted construction
- Dark Brown Crazy Horse Leather
- K3 Rubber outsole
- Sizes 6/40 to 13/47

RSP
£89.20
+VAT



BI400 BUCKFLEX

- Non-safety dealer boot
- Goodyear welted construction
- Chocolate Oil Leather
- K3 Rubber outsole
- Sizes 6/40 to 13/47

RSP
£88
+VAT

DEALERZ® NON-SAFETY

If you love our Dealerz® boot's styling and would like a pair for wearing away from the workplace then Dealerz® Non-Safety will suit you right down to the ground.

- Non-Safety dealer boot
- Injection moulded sole construction
- Brown Crazy Horse Leather
- Super lightweight
- **Waterproof**
- Same rugged outsole as Dealerz Safety
- Removable washable cushion insole
- Sizes 6/40 to 13/47



Non-marking!

RSP
£71.95
+VAT



BOOT SOCKS AND ACCESSORIES

Add to the Buckbootz experience with these performance enhancing accessories

Buckbootz Boot Laces

- Buckbootz original boot laces in a display pack of 10 pairs
- Black or Brown
- 55"/140cms long
- Dealer pack: 10prs per pack
- RSP £3.50 (+VAT)



HandGuardz® HG1

- EN/UKCA certified for general use in construction and agriculture
- Palm grip and finger end protection
- Neoprene stretch over fist
- Elasticated cuff with Velcro tab adjustment
- Available in sizes L, XL and XXL
- RSP £16.95 (+VAT)



Buckbootz Leather Gel

- Ideal for cleaning and conditioning all footwear leathers without detracting from the natural leather look.
- Dealer pack: 6x50ml jars per carton.
- RSP £4.50 (+VAT)



Buckbootz Cool Socks

- A work sock for all seasons featuring Coolmax® yarn to optimise temperature control.
- Elastic shaft provides extra support and stimulates blood circulation
- Extra protection of the heel and extra reinforcement for even longer life
- Arch support at the forefoot to prevent the sock from sliding
- Supports the foot sole by absorbing the shocks
- 68% Coolmax 30% Polymide 2% Elastane Lycra
- Available Sizes S (5-8), M (9-12), L (13-16)
- Dealer pack: 6prs per size
- RSP £8.10 (+VAT)



Buckbootz Cordura® Socks

- Tough working boot socks built with Cordura® reinforcement at the heel and toe areas.
- Arch Support
- Leg Support
- Shock Absorption
- 53% Cotton, 22% Polymide, 11% Coolmax, 8% Cordura®, 6% Elastane Lycra
- Available Sizes S (5-8), M (9-12), L (13-16)
- Dealer pack: 6prs per size
- RSP £9.50 (+VAT)

Footbedz™ Insoles

- Footbedz™ are designed to make Buckbootz a joy to wear ensuring that wearers get optimum comfort and support. Footbedz™ are constructed in a triple layer format and bring new levels of comfort, freshness and deodorising.
- Sizes 6/40 to 13/47 in full sizes. No minimum quantity.
- RSP £7.10 (+VAT)



OUR HEART AND SOLES

There has never been a Buckbootz style which hasn't featured rubber outsoles

Tradez® Blitz, Blastz, Wheelz & Kez

This great looking rubber outsole is a fitting companion for our great looking Tradez® Blitz safety lace boot style and its higher leg with zipper companion, Blastz. The contemporary chunky wedge cleat design is complemented by sports footwear thermo polyurethane arch and heel inserts. UKCA/CE anti-slip certification, non-marking and Fuel Oil resistant.



BBZ S5/BBZ 8000 (rolling change)/BBZ 9000/BBZ 6000 NM, BBZ 5020 (rolling change)

New BBZ products deserve a great sole like our brand new BBZ S5. The very latest safety standards are incorporated: **enhanced slip resistance (SR)** and **ladder grips (LG)**, **fuel oil resistance (FO)** and **non-marking** in an eye catching sole design which also provides 300°C for 60 seconds heat resistance (HRO).



K12/BBZ 8000 (current spec)/WALKERZ®

BBZ 8000 is a great product from the soles upwards so it is vital that the soles incorporate the very latest tread design techniques to maximise grip, extend life and reduce weight. K12 does all of these plus it comes with UKCA/CE anti-slip certification and is non-marking. Heat (300°C) and Fuel Oil resistant.



Nubuckz, Buckviz®, Dealerz®, Lacerz®

For our injection moulded Nubuckz, Buckviz®, Dealerz® and Lacerz® styles we use a deep cleated rubber outsole specially designed to interact with the polyurethane top sole in which the anti scuff toe is an incorporated and defining feature. Slip, Heat (300°C) and Fuel Oil resistant and non-marking with Ladder Grips.



Wizardz®

The Buckbootz policy of using only tough, durable rubber outsoles extends to the Wizardz® budget range. A boot called Wizardz® has to have a wizard sole and that's what you get with this great looking chunky pattern with fuel oil, heat (300°C) and certified slip resistance. It's non-marking too.



K11/Goodyear welted B1180

An outstanding non-marking dual density sole complete with certified ladder grips. Amazing weight saving whilst retaining Buckbootz reputation for creating tough and durable rubber outsoles. Extra rubber at heel/ground contact area. Heat (300°C) and Fuel Oil resistant sole. Lock stitching at toe.



Buckshot®

The Buckshot® sole is featured on our injection moulded Buckshot boot range. It has some of the best anti-abrasion test results achievable. A great looking sole with wave effect sipes, deep cleats and all the outsole benefits which come with rubber plus UKCA/CE anti-slip certification and is non-marking. Heat (300°C) and Fuel Oil resistant.



K3/Goodyear welted

The renowned Buckbootz sole for most Buckbootz Goodyear welted leather styles and BBZ 6000 and BBZ 5020 neoprene/rubber footwear. Features weight saving wave effect sipes and inherits the rugged long life characteristics for which Buckbootz is renowned. UKCA/CE anti-slip certification. Heat (300°C) and Fuel Oil resistant. Lock stitching at toe on Goodyear Welted styles.



TAKING CARE OF BUCKBOOTZ FOOTWEAR

Buckbootz leather styles

Our **Beezwax Leather Gel** brings nourishment to the cowhide leather uppers on Buckbootz footwear. The gel brings the satisfaction of applying the leather treatment by rubbing goodness into the leather and restores the distinctive and unique look you get from quality leathers.



Boots used in tough working environments get rough treatment but their life can be greatly extended by making sure that muck, loose dirt, debris and grime are removed from the uppers at least once per week using no more than a brush and a small amount of water. Allow them to dry naturally then apply the gel treatment. There's no harm in applying a little gel to boots before their first wearing.

Never harsh dry leather!

Wet boots should be stuffed with dry newspaper and allowed to dry naturally before rubbing Buckbootz Leather Gel into the leather. Care should be taken not to use the gel too liberally. Over exposure to gel and other conditioners can cause the structure of leather to break down irreparably.

Harsh drying will cause the leather to shrink crack and go brittle. See opposite. This condition cannot be reversed.



BBZ Buckbootz Neoprene/Rubber Boots

Should be hosed down at the end of every day's wear. By virtue of their leg as well as foot protection, wellington type boots tend to be worn in environments where they come into contact with many external agents which can break down and weaken the structure of the rubber if not removed. This can lead to the rubber weakening and cracking.

Wash down with warm water after the boots have had contact with diesel, petrol, lubricants and other petroleum derivatives.

A spray called ReviveX® will help to restore the flexibility and appearance of the rubber areas but regular hosing down after use will go a long way towards extending the effective life of BBZs.



Buckzviz Hi-Viz Cordura® areas of the uppers

Use warm water with a soft brush, allow to dry then apply Nikwax Tent and Gear spray.



Watch
Product Care Video

UKCA/CE SAFETY STANDARDS

IMPORTANT!

The codes below only currently relate to Buckbootz product groups: **BANG GUARDZ, BUCKSHOT, HARD AS NAILS and BBZ 6000 OR**

Over the course of 2026 codes for these products will migrate to the codes system shown on page 37.

For all other Buckbootz products please go to page 37.

EN ISO 20345:2011

Toe protection tested with 200J impact and 15kN compression force. Fuel Oil resistant outsole. (SB)

A Antistatic Electrical resistance between 100kΩ and 1000MΩ

P Penetration resistant outsole of 1100 Newtons

E Heel energy absorption 20 Joules

HRO Heat Resistant to 300°C for 60 seconds

SRC Anti slip tested on ceramic tile wetted with dilute soap solution and smooth steel with glycerol

WRU Water resistant leather uppers

CI Cold Insulation Certified to -17°C for 30 minutes

AN 10J ankle impact protection

HI Heat Insulation Certified to +150°C for 30 minutes

Short code combinations:

S1 SB + A + E + Closed seat region

S2 As S1 + WRU

S3 As S2 + P + Cleated outsole

S5 As S3 except uppers are in rubber or all polymeric material

ESD Electrostatic Discharge EN 61340-4-3:2018

EN388 covering protective glove construction, abrasion and blade cut resistance, tear strength and puncture resistance.

NEW SAFETY TESTING STANDARD CODES

Table showing the old 2011 safety standard test requirements compared to the updated 2022 standards

MARKING CODES TO DEFINE LEVEL OF PROTECTION PROVIDED: EN ISO 20345:2011		MARKING CODES TO DEFINE LEVEL OF PROTECTION PROVIDED: EN ISO 20345:2022	
Class I	Footwear made from leather and other materials	Class I	Footwear made from leather and other materials
Class II	All entirely moulded footwear	Class II	All entirely moulded footwear
		SBH	HYBRID FOOTWEAR that cannot be classified as class I or II.
SB	Safety toe cap protection only, tested with 200 J impact and 15 kN compression force.	SB	Safety toe cap protection only, tested with 200 J impact and 15 kN compression force.
S1	Class 1 + Closed heel area + SB + A + E	S1	Class 1 + Closed heel area + SB + A + E
S2	As S1 + WRU	S2	As S1 + WPA
S3	As S2 + P + Cleated Outsoles	S3	(metal insert type P) as S2 + P + Cleated Outsoles
		S3L	(non-metal insert type PL) as S2 + PL + Cleated Outsole
		S3S	(non-metal insert type PS) as S2 + PS + Cleated Outsole
S4	Upper material of all Rubber or Polymeric as SB + Closed heel area + A + E	S4	Upper material of all Rubber or Polymeric as SB + Closed heel area + A + E
S5	As S4 + P + Cleated Outsole	S5	(metal insert type P) as S4 + P + Cleated Outsole
		S5L	(non-metal insert type PL) as S4 + PL + Cleated Outsole
		S5S	(non-metal insert type PS) as S4 + PS + Cleated Outsole
		S6	As S2 + WR
		S7	(metal insert type P) as S3 + WR
		S7L	(non-metal insert type PL) as S3 + WR
		S7S	(non-metal insert type PS) as S3 + WR
HRO	Heat resistant outsole compound: Shall withstand 300°C for 60 seconds	HRO	Heat resistant outsole compound: Shall withstand 300°C for 60 seconds
FO	Resistance to fuel oil	FO	Resistance to fuel oil
		LG	Ladder Grip
		SC	Scuff cap abrasion
P	Penetration resistant outsole: Lowest penetration value required shall not be less than 1100N	P	(metal insert type P) Penetration resistant outsole: Lowest penetration value required shall not be less than 1100N
		PL	(non-metal insert type PL) Penetration resistant outsole: Lowest penetration value required shall not be less than 1100N and no separation of the layers shall occur during all tests.
		PS	(non-metal insert type PS) Penetration resistant outsole: Average penetration value shall not be less than 1100N
A	Anti-static: Electrical resistance between foot and ground of between 0.1 and 1000 Mega Ohms*	A	Anti-static: Electrical resistance between foot and ground of between 0.1 and 1000 Mega Ohms*
		C	Partially conductive footwear. The electrical resistance shall not be greater than 0.1 Mega Ohms between foot and ground*
CI	Insulation against the cold: 30 minutes at -17°C, the decrease shall not be more than 10°C	CI	Insulation against the cold: 30 minutes at -17°C, the decrease shall not be more than 10°C
HI	Insulation against heat: 30 minutes at 150°C, the rise shall not be higher than 22°C	HI	Insulation against heat: 30 minutes at 150°C, the rise shall not be higher than 22°C
E	Energy absorption of the seat region: Energy absorbed to be not less than 20J	E	Energy absorption of the seat region: Energy absorbed to be not less than 20J
WRU	Water penetration and absorption (water-resistant and breathable)	WPA	Water penetration and absorption (water-resistant and breathable)
AN	Ankle protection: 10N impact mean transferred force shall not exceed 10 kN and no single value shall exceed 15kN.	AN	Ankle protection: 10N impact mean transferred force shall not exceed 10 kN and no single value shall exceed 15kN.
WR	Water resistant footwear (waterproof membrane)	WR	Water resistant footwear (waterproof membrane)
CR	Cut resistant upper: cut resistant index to exceed 2.5	CR	Cut resistant upper: cut resistant index to exceed 2.5
M	Metatarsal protection 100J impact energy	M	Metatarsal protection 100J impact energy
SRA	Slip resistance on ceramic tile floor with sodium lauryl sulphate solution		Slip resistance now been replaced by SR
SRB	Slip resistant on steel floor with glycerol		Slip resistance now been replaced by SR
SRC	Slip resistant for both SRA and SRB		Slip resistance now been replaced by SR
		SR	Slip test will feature glycerine on ceramic tile surface



To assist dealers in becoming familiar with the new coding we use **BVIZ 6** as an example of a product with a really comprehensive safety specification and carrying the new coding.

In this case the code reads:

S7S SC AN HRO LG WR

Please note that other Buckvizz styles now carry the new coding.

S7 is effectively the old S3 standard for leather (and/or textile) uppers but with waterproof specification ie safety toecap, anti-penetration midsole, anti static, heel energy absorption, cleated outsole, waterproof

S denotes anti penetration (Nail Stop) non-metallic midsole tested to maximum standard. Sometimes appears as PS and shown separate from S7 (for example)

SC Scuff cap abrasion resistance

AN Ankle impact protection

The slip resistant* rubber outsole is:

HRO Fuel oil resistant
LG Fitted with Ladder Grips
SR *New standard anti-slip testing completed and certified. Production pending.

Whole boot:

WR Waterproof membrane system fitted
 (as per BVIZ 6 spec)

Very Important! UKCA/CE test certificates showing the EN ISO 20345:2011 reference are valid for the duration of the certification period. The change to EN ISO 20345:2022 certification is a progressive one. EN 2011 styles promoted are backed by live & permitted UKCA certificates.