

INSPECTION & WORK LIGHTS



LUCECO
LIGHTING

Inspection & Work Lights

Luceco offers a comprehensive range of LED Inspection & Work Lights that deliver durable and high-output portable lighting solutions for trades, DIY projects, motoring, sports, and leisure activities. Whether you need temporary lighting options or portable lighting solutions, our Inspection and Work Light Range has something for everyone, including mains-powered tripods, work lights, rechargeable torches, clamps, and magnetic options.

Key Features:

Quality and Durability:

- Uncompromising Quality: Trustworthy and reliable
- Robust materials: Built to withstand demanding tasks

Power Options and Efficiency:

- Versatile Power Options: Battery or wired models
- Lightning-Fast USB-C Charging
- Maximum lumens without compromising battery life
- Smart Electronics: Consistent light output over time – reduced fade

Enhanced Functionality:

- Single source LED chip and frosted lens: Eliminate multi-shadows
- Hands-Free Operation: Motion sensor head torches


Innovation and Sustainability:

- Power-bank feature offer more than just illumination
- Sustainable, Economical, and Eco-friendly rechargeable solution
- Continuous Improvement: latest components

Versatility and Convenience:

- Versatile Mounting Options: Magnet, Clamp, Hook

By choosing Luceco's Inspection & Work Lights, you benefit from superior quality, durability, efficiency, functionality, innovation, sustainability, and convenience. Experience the difference today.



TRADE



MOTORING



OUTDOORS



DIY

Product icon key



Power Bank



USB Port



Strong Magnet



66W Herculous Open Area Work Light
04



30W Foldable Compact Work Light
06



20,30 & 50W Castra Slimline Work Light
08



30 & 50W Castra Tripod Work Light
09



50W 360° Open Area Tripanel Work Light
10



25W Twin Panel Folding Work Light
12



20W Telescopic Tripod Work Light
14



20W 360° Open Area Light Tube Work Light
16



Inspection Torch with Flexible Hose
17



10W USB Folding Clamp Work Light
18



10W USB Folding Magnetic Work Light with Power Bank
20



10W USB-C Rechargeable High Output Torch
21



6W Magnetic Clamp Fan Light with Power Bank
22



5W LED Rechargeable Mini Work Light with Magnetic Clamp
24



10W USB Multifunctional Cage Work Light
25



8W High Power Spot Light with Fold-Out Stand
26



7.5W USB Compact Magnetic Work Light
28



Multi-function Tilt Tripod Torch
29



LED Rechargeable Multi-Focus Hand Torch
30



5W USB Rechargeable Tilt Torch
32



3.5W Slim Foldable Torch with UV
33



3W USB Rechargeable Swivel Torch
34



1.5W USB Rechargeable Mini Tilt Torch
35



5W USB Rechargeable Flexible Torch
36



3W USB Rechargeable Inspection Head Torch
38

PROFESSIONAL AREA LIGHTING

7150
LUMENS

66W HERCULOUS OPEN AREA WORK LIGHT WITH 13A POWER SOCKET

- 2 working light modes
- USB-A and USB-C socket entry
- UK Socket input for on-site power extension
- Storable 3m HO7RN-F 3G 1.5mm cable with UK plug
- Easy grip carry handle and hanging hook

Cat No.	Lumens	Wattage	Lifespan
LWHA070G65UK	7150	66W	20,000 hours

Dimensions: 200mm x 277mm



HARD-WEARING
AND DURABLE
ALUMINIUM
DIE CAST
HOUSING

2 LIGHT
MODES:
MODE 1:
7150 LM
MODE 2:
3550 LM

2X USB
OUTLETS
(1X USB-A &
1X USB-C)

7150
LUMENS

13A
SOCKET
OUTLET

FOLD AWAY
SUSPENSION
HANGING
HOOK

INBUILT
CABLE
STORAGE



2400
LUMENS

30W FOLDABLE COMPACT WORK LIGHT

WITH 13A POWER SOCKET

- LED work light with foldable stand and cable storage
- IP54 with UK socket
- Material: aluminium body & plastic frame
- Beam angle: 110°
- Separate On/Off socket and light switch
- With 1.5m H05RN-F 3G1.5mm² cable and plug

Cat No.	Lumens	Wattage	Lifespan
EFLDS30B50UK	2400	30W	25,000 hours

Dimensions: 205mm x 277mm



CASTRA

**SUPER
EFFICIENT**
110LM/W
PERFORMANCE



IP65
Rating

220-240
Volt

5000K
NEUTRAL
WHITE

105°
Beam Angle



20, 30 & 50W SLIMLINE WORK LIGHT IP65 WEATHER PROOF

- Comfortable carry grip handle
- Corrosion resistance die cast aluminium housing
- 2m of H05RN-F rubber cable
- Tempered frosted glass – high strength, low glare
- Sturdy steel stand

Cat No.	Lumens	Wattage	Lifespan
LSW20G250	2200	20W	30,000 hours
LSW30G250	3300	30W	30,000 hours
LSW50G250	5500	50W	30,000 hours

LSW20G250
Dimensions:
176mm x 211mm

LSW30G250
Dimensions:
193mm x 222mm

LSW50G250
Dimensions:
230mm x 268mm

CASTRA

**SUPER
EFFICIENT**
110LM/W
PERFORMANCE

30, 50W CASTRA TRIPOD WORK LIGHT IP65 WEATHER PROOF

- LED portable tripod work light
- IP65 weather proof
- Corrosion resistance die cast aluminium housing
- Tempered frosted glass – high strength, low glare

Cat No.	Lumens	Wattage	Lifespan
LSWT230G350	2x3300	2x30W	30,000
LSWT250G350	2x5500	2x50W	30,000

Dimensions: 1080mm x 1710mm



IP65
Rating

220-240
Volt

5000K
NEUTRAL
WHITE

105°
Beam Angle



50W LED RECHARGEABLE 360° OPEN AREA TRIPANEL WORKLIGHT

- 2 side panels foldable and rotatable
- Hidden handle extendable
- USB Type-C charging cable supplied
- Can be mounted on the tripod
- 7.4V / 4400mAh, 18650
- 3 lighting modes:
 - Low 1 panel 1200lm @ 4hrs
 - Mid 2 panels 2000lm @ 1.5hrs
 - High All 3 panels 4000lm @ 1hr

Cat No.	Lumens	Wattage	Battery life	Battery Charge Time
LILA400S65	4000	50W	1-4 hours	8 hours

Dimensions: 354mm x 385mm



25W LED TWIN PANEL FOLDING WORK LIGHT

WITH MAGNETIC CLAMP AND POWER BANK

- Inbuilt USB power bank output 5V 1A max
- Fully rotating and tilting head
- Strong magnets base and clamp to attach to everything
- High Capacity Battery: 3.7V / 6000mAh
- 4 lighting modes up to 2500lm

Cat No.	Lumens	Wattage	Battery life (at max. output)	Battery Charge Time
LILC250G65	2500	25W	50 min	8-9 hours



Dimensions: 217mm x 201mm



CARRY HANDLE



CLAMP



FOLDABLE AND ROTATABLE PANELS



USB CHARGING PORT

COMPACT FOLDING

NEW





20W LED RECHARGEABLE TELESCOPIC TRIPOD WORK LIGHT

- Fully collapsible telescopic tripod – compact storage
- Quick setup folding design – easy to carry
- USB Type-C charging cable supplied
- 3 lighting modes:
 - Low 520lm @ 3hr 40min
 - Mid 1000lm @ 1hr 50mins
 - High 2000lm @ 1hr
- Size of folded: 950mm / Size of expanded: 1.6m
- Battery: 3.7V / 4000mAh, 18650

Cat No.	Lumens	Wattage	Battery life	Battery Charge Time
LILTP200S65	2000	20W	1-3.5 hours	8 hours

Dimensions: 300mm x 1630mm





20W LED RECHARGEABLE 360° OPEN AREA LIGHT TUBE WORK LIGHT

- Telescopic light tube – 360° light output
- Foldaway hanging hook and legs for compact storage
- USB Type-C charging cable supplied
- 3 lighting modes:
 - low 330lm @ 7hrs,
 - Mid 650lm @ 3.5hrs,
 - High 1500lm @ 1hr 40mins
- Battery: 3.7V / 6000 mAh, 18650

Dimensions: 300mm x 1130mm

Cat No.	Lumens	Wattage	Battery life	Battery Charge Time
LILA150S65	1500	20W	1.5-7 hours	8 hours



LED RECHARGEABLE INSPECTION TORCH WITH FLEXIBLE HOSE

WITH FLEXIBLE HOSE


- High quality LED Chip – 6500K
- Durable 2m drop resistance body: IK rating IK08
- 300mm Flexible hose design provides 360° rotation and easy access for narrow and difficult to reach spaces
- Strong magnetic base for handsfree attachment & 360° foldaway hanging hook
- High quality battery Li-ion 2500mAh

Dimensions: 76mm x 171mm

Cat No.	Lumens	Wattage	Battery life (at max. output)	Battery Charge Time
LILFLEX100G65	1000	10W	1.5 hours	3-5 hours



NEW






10W USB FOLDING CLAMP WORK LIGHT

RECHARGEABLE WITH POWER BANK

- Stand and carry handle
- Multiple stand positions
- Toughened IK07 ABS constructed body
- 1m USB charge cable
- 4400mAh inbuilt power bank



Cat No.	Lumens	Wattage	Battery Life	Battery Charge Time
LILC10G65	1000	10W	2.5 hours on max	6 hours





10W USB FOLDING MAGNETIC WORK LIGHT

RECHARGEABLE WITH POWER BANK

- Portable work light with magnetic function, stand and carry handle
- Robust polycarbonate construction for increased durability
- Supplied with charging adaptor and USB cable
- Variable light output and flashing mode
- 180° Vertical Adjustment

Cat No.	Lumens	Wattage	Battery life	Battery Charge Time
LILM13G65	1300	10	1.5 hours on max	5-6 hours



10W USB-C RECHARGEABLE HIGH OUTPUT INSPECTION TORCH

- Multi fixing – 360 degree folding hook and tilting magnetic base
- 2 working light modes and red flashing beacon
- Durable hard wearing housing
- Supplied with USB-C cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILW100U65UC	1000	2.5 hrs on max	Up to 5 hours charging

Dimensions: 50mm x 500mm

NEW



6W LED MAGNETIC CLAMP FAN LIGHT

WITH POWER BANK

- Durable hard wearing housing
- Inbuilt 4000mAh power bank
- Big clamp with strong magnet base
- Mode of fan: Slow / Middle / Fast / Nature / OFF
- Run time: 10hrs / 5hrs / 2.5hrs / 4hrs
- Mode of light: Low bright / High bright / OFF
- Run time: 10hrs / 5hrs
- Supplied with USB C charging cable
- Light head 360° vertical and 360° horizontal rotatable

Cat No.	Lumens	Wattage	Battery life (at max. output)	Battery Charge Time
LILFL25G65	250	6W	Fan 2.5 hours / Light 5 hours	5-6 hours

Dimensions: 216mm x 251mm



NEW



3
LIGHT
MODES

IP44
Rating

6500K
COOL
WHITE

STRONG
Magnet

USB
Charged

Long
Battery Life

5W
LED



5W LED RECHARGEABLE MINI WORK LIGHT

WITH MAGNETIC CLAMP

- Clamp with magnetic base rotatable
- 3 Working light modes including red warning light
- IP44 waterproof for the work lights
- Durable hard wearing housing
- Supplied with USB C charging cable

Cat No.	Lumens	Wattage	Battery life (at max. output)	Battery Charge Time
LILC50G65	500	5W	approx. 1 hour	2-3 hours

Dimensions: 67mm x 99mm, Ø60mm

10W USB MULTIFUNCTIONAL CAGE WORK LIGHT

RECHARGEABLE

- 360° handheld lamp with tripod
- Metal cage protection net around the lamp
- 2 light modes – 600lm work light & 80lm top torch
- Including hook, hidden in tripod leg
- Battery: 3.7V 3000mAh 18650 Li-ion rechargeable battery
- Working time: 7-8 hours for torch light, 2-3 hours for work light
- With USB input 5V 1A max
- Including 60cm USB cable, stored in tripod

Cat No.	Lumens	Battery Life	Battery Charge Time
LILTP60S65	600	2-3 hours	3.5 hours

Dimensions: 90mm x 360mm



2
LIGHT
MODES



IP20
Rating

2.5Hrs
On Max

USB
Charged

360°
Beam Angle

6500K
COOL
WHITE

10W
LED

8W LED HIGH POWER SPOT LIGHT WITH FOLD-OUT STAND

- Focused long distance spot or wide area light modes
- Durable ABS and Rubber material
- Fold out stand for focused floor mounting
- High Capacity Battery: 3.7V / 2400mAh
- 9 lighting modes:
 - High, Low, Flash in Spot, Wide and all LED's
 - COB+LED 850lm – 270lm
 - COB 600lm-180lm – LED280lm-90lm
- Compact folding for easy storage
- Hidden foldaway carry handle
- USB Type-C Cable 60cm included
- Can be mounted on tripod

Cat No.	Lumens	Wattage	Battery life	Battery Charge Time
LILSP60G65	600	8W	1-8 hours	3-4 hours

Dimensions: 176mm x 187mm



FOLD OUT STAND
FOR FOCUSED
FLOOR MOUNTING



BATTERY
INDICATOR

USB
CHARGING
PORT




SPOT
LIGHT
(LED)

FLOOD
LIGHT
(COB)

COMPACT
FOLDING FOR
EASY STORAGE

FOCUSED LONG
DISTANCE SPOT OR
WIDE AREA LIGHT
MODES

FIRM GRIP
HANDLE



NEW

9
LIGHT
MODES






5W LED RECHARGEABLE MULTI-FUNCTION TILT TRIPOD TORCH WITH POWER BANK

- 3 lighting modes including Red Warning
- Fully adjustable handle with fold out tripod legs
- USB Type-C charging cable supplied
- Power bank function
- IP44 rated for external use
- 3 lighting modes: 300lm / 150lm / Red
- Working time: 2 hours on max output
- Battery: 3.7V/2400mAh 18650

Cat No.	Lumens	Wattage	Battery life (at max. output)	Battery Charge Time
LILTP33S65	330	5W	2 hours	4 hours

Dimensions: 203mm x 158mm



7.5W USB COMPACT MAGNETIC WORK LIGHT RECHARGEABLE

- Compact design with stand/carry handle, hook and magnetic function
- USB charging port and charging indicator
- High and low power modes
- 2 mode Weatherproof power switch
- Toughened IK07 ABS constructed body with rubber trim for added protection

Cat No.	Lumens	Battery Life	Battery Charge Time
LWR7G65	750	3/10 hours	3 hours

Dimensions: 116mm x 130mm



NEW

NEW

LED RECHARGEABLE MULTI-FOCUS HAND TORCH

- High quality LED Chip – 6500K
- Durable die-cast aluminium body
- Tactical grip with helpful pocket clip
- Adjustable head for short and long distance focus beam control
- 3 light modes: 100%, 50%, 25%
- High quality 18650 Li-ion battery for long life
- Built-in USB-C charging port
- Circuit Protection prevents battery from over-charging or discharging
- Fast 1A USB-C charging: USB-C charging cable included



Cat No.	Lumens	Wattage	Battery life on max output
LILHT40B65	400 / 210 / 110	4W	100%: 1hr 40mins / 50%: 3hrs 20min / 25%: 6hrs
LILHT60B65	600 / 300 / 150	6W	100%: 1hr 30mins / 50%: 3hrs / 25%: 5hrs 30mins
LILHT100B65	1000 / 475 / 275	9W	100%: 1hr / 50%: 2hrs / 25%: 3hrs 30min



LILHT40B65
Dimensions:
151mm x Ø36mm

LILHT60B65
Dimensions:
162mm x Ø36mm

LILHT100B65
Dimensions:
165mm x Ø36mm



2
LIGHT
MODES



3.5W SLIM FOLDABLE TORCH WITH UV & POWER BANK

- USB Power bank
- 4 light output modes including UV light
- 180° rotating for easy storage
- Strong magnetic base for hands free operation
- Retractable metal hanging hook
- USB Type-C charging cable supplied
- IK07 impact rating
- 2.5hrs Battery life on Max output
- 500lm, 200lm and 150lm light output modes

Cat No.	Lumens	Wattage	Battery life	Battery Charge Time
LILT50UV65	500	3.5W	2.5-13 hours	2.5 hours

Dimensions: 1080mm x 1710mm



3
LIGHT
MODES





5W USB RECHARGEABLE TILT TORCH WITH POWER BANK

- Multi fixing – 360 degree folding hook and tilting magnetic base
- Red flashing beacon
- Durable hard wearing housing
- Inbuilt 2000mAh USB powerbank for charging devices
- Supplied with USB charging cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILT45T65	450	2hr (On Max)	Up to 3.5 hours charging

Dimensions: 77mm x 320mm





300 LUMENS



3W USB RECHARGEABLE SWIVEL TORCH WITH POWER BANK

- Single source light source prevents multi shadowing – ideal for professionals
- Inbuilt 2000 mAh USB power bank for charging devices
- 2 working light modes
- Durable hard wearing housing
- Multi fixing – 360° folding hook
- 360° rotate and tilt magnetic base
- Supplied with USB charging cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILT30R65	300	3hr (On Max)	Up to 3.5 hours charging

Dimensions: 58mm x 245mm



1.5W USB RECHARGEABLE MINI TILT TORCH

- Single source light source prevents multi shadowing – ideal for professionals
- USB Rechargeable Tilt Torch
- 2 working light modes
- Durable hard wearing housing
- Multi fixing – 180° tilting magnetic base
- Supplied with USB charging cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILT15T65	150	2hr (On Max)	Up to 2 hours charging

Dimensions: 28mm x 178mm



2 LIGHT MODES



MOTION
SENSOR
CONTROL

4X Hardhat clips included

5W USB FLEXIBLE TORCH

WITH MOTION SENSOR

- Switch or PIR motion sensing on/off function for hands free operation
- Wide light beam angle
- Type-C USB rechargeable – 1200mA battery
- Durable & Lightweight
- Working time: 3-6 hours
- Charging time: 3.5 hours

Cat No.	Lumens	Battery Life	Battery Charge Time
LILHF35P65	350+150lm	3-6 hours	3.5 hours

FEATURES



4
LIGHT
MODES



3Hrs
On Max

USB
Charged

6500K
COOL
WHITE

5W
LED

3W USB INSPECTION HEAD TORCH WITH MOTION SENSOR

- USB rechargeable
- Durable & lightweight
- Switch or PIR motion sensing on/off function for hands free operation
- Adjustable up to 60° for multiple applications
- 5 lighting settings – 100%, 50%, Flash, Red Light, Red Flash

Cat No.	Lumens	Battery Life	Battery Charge Time
LILH15P65	150	3-20 hours	2.5 hours

FEATURES



UK:**HEAD OFFICE:**

Email: info@luceco.com

Luceco plc, Caparo House
103 Baker Street, London
England, W1U 6LN

DISTRIBUTION CENTRE:

Tel: +44 (0) 1952 238 100

Email: uk_sales@luceco.com

Luceco plc
Luceco Distribution Centre
Stafford Park 1, Telford
Shropshire, England, TF3 3BD

IRELAND:

Email: sales@luceco.ie

FRANCE:

Email: fr_sales@luceco.com

ITALY:

Email: it_sales@luceco.com

SPAIN:

Tel: +34 93 829 55 75

Email: es_sales@luceco.com

Luceco Southern Europe S.L.
C/ Bobinadora 1-5
08302 Mataró
Barcelona, Spain

MIDDLE EAST & AFRICA:

Tel: +971 4 609 1867

Email: mea_sales@luceco.com

Luceco Middle East FZCO
Bldg. 5EB, Office 342
PO Box 371128, DAFZA
Dubai, UAE

ASIA PACIFIC:**JIAXING:**

Tel: +86 (0) 573 8357 0200

Email: asia_sales@luceco.com

No 1438, Jiachuang Road
Xiuzhou Industrial Park, Jiaxing
Zhejiang, China, P.C. 314031

HONG KONG:

Email: hk_sales@luceco.com

UNITED STATES:

Email: us_sales@luceco.com

MEXICO & LATIN AMERICA:

Tel: +52 (81) 5000 9437

Email: ventas@luceco.com

Luceco México
AV Lázaro Cárdenas #318 int 201
Col Real San Agustín
San Pedro Garza García
N.L. Mexico CP 66278

TECHNICAL SUPPORT:

Tel: 01952 238 128

Email: technical@luceco.com

Lines open Monday to Friday
8.30am to 5pm, with answer phone
service outside these hours.

LUCECO
GROUP

