

YOUR TRUSTED PARTNER IN SAFETY SOLUTIONS

spectrum industrial

A trading division of CENTURION

We aim to dispatch all in stock orders the very same day.

Depending on the size and value of the order, we will dispatch using a next-day courier service or by registered post.

UK Mainland Carriage Charges:

Orders over £50	Free of Charge
Orders under £50	£5.00
Timed deliveries	On Request

For deliveries outside mainland UK, please contact the sales office.

Payment Options

- To open an account please contact our sales team. Our standard account terms are 30 days end of month and are subject to standard credit checks.
- Cheques should be made payable to Centurion Europe Ltd.
- We also accept the following payment methods:

MasterCard Maestro VISA

Spectrum Industrial
welcomes international customers

We provide businesses with solutions to help identify, manage and reduce safety risks and hazards in the workplace. We can supply our full product brochure and work closely with our international customers to ensure clear translations on products relevant to your market.

If you wish to discuss further or if you are interested in opening an account or becoming a distributor, please don't hesitate to contact us.

"Since adding Spectrum safety products to our range we have been able to provide customers with an extended range which has had a positive impact on revenue for our business."

Keith Fisher, Product Manager **Beaumanor Fluid Power Products**

Why become a Distributor?

- Excellent distributor margins
- Extensive range of products
- Site Survey support from our in-house safety experts
- Marketing and training support
- POS and Merchandising support
- Delivery direct to your customer
- A trusted and recognisable brand

Marketing Support


Our products are backed by a marketing program covering all aspects of PR including advertising, trade exhibitions, direct mail and online marketing. All aimed at raising the awareness of tradespeople and safety professionals.

Through our approved network of distributors we supply organisations large and small including:

BAE SYSTEMS INSPIRED WORK · 2 sisters · Balfour Beatty · YorkshireWater · isg · NHS · PRINCES · KERRY · Unilever · AGRICULTURE · nationalgrid · KP SNACKS

Corporate Social Responsibility
Our Promise

- *To minimise the consumption of natural resources and energy*
- *Monitor our suppliers for ethical trading*
- *We will be committed to a greener environment and aim to instil good practices to our employees to recycle and reuse*
- *Comply with environmental legislation*
- *Conduct residential surveys to monitor our impact on our local community*
- *Work in partnership with our local adult day care centre to provide work opportunities for those with disabilities*
- *Champion Health & Safety*
- *We are ISO9001:2015 and ISO:14001 accredited and are committed to maintaining the highest quality standards and minimising our impact on the environmental*
- *100% of our waste cardboard is recycled or reused*
- *100% of our sign waste material is collected and recycled by our Waste Management Supplier*



Spectrum Services

Site Surveys . Training . Custom Design . Eagle-ID

SPECTRUM SERVICES JOINS SEAMLESSLY WITH YOUR BUSINESS

At Spectrum Industrial we are not just about product, we pride ourselves on offering expertise when it comes to the products we sell and our commitment towards safety has led us to create Spectrum Services. Our expert teams are constantly keeping up to date with safety legislation allowing us to provide much more than just a product. We can help strengthen your current site, your teams and your premises management with Spectrum Services. We free up your time and give you the resources to concentrate on what's important to you.

SPECTRUM SERVICES IS JUST AN EMAIL OR CALL AWAY.
01302 800273 OR SALES@SPECTRUM-INDUSTRIAL.CO.UK

Spectrum Services
Site Surveys

OUR TEAM OF EXPERTS ARE ON HAND TO OFFER A SITE SURVEY FOR SAFETY SIGNAGE AND MACHINERY / EQUIPMENT LOCK OUT SAFETY.

By law the correct safety signage should be displayed in the appropriate locations and to current legal standards. If you are unsure of your legal obligations or have been notified by a regulatory body that your current signage is not adequate, our team of experts are on hand to offer a Safety Signage Survey for your Premises.

Machinery / Equipment Safety Survey. According to hse.gov there are hundreds of machinery and industrial equipment accidents every year. Our surveys will review your lock out tag out process for when machinery is undergoing repair or maintenance and provide advice on the process and products required to ensure when your machinery is safely isolated during repair or routine maintenance.

Spectrum Services
Training

OUR EXPERIENCED TEAM IS ON HAND TO DELIVER TRAINING ACROSS THE FULL BREADTH OF OUR RANGE.

Our programmes are not only designed to train our resellers sales teams, but also to support our resellers in providing training their Business customers, especially in more niche areas such as Lock Out Tag Out.

In addition to our training programmes, we can also offer our resellers our Mobile Training Unit. Free to use, it is ideal for staff training, events or open days, providing the opportunity to get hands on with our products.

Spectrum Services
Custom Design

OUR SIGN MANUFACTURING TEAM HAVE MANY YEARS OF EXPERIENCE DESIGNING, PRODUCING AND INSTALLING SIGNAGE.

Our sign manufacturing team have many years of experience designing, producing and installing safety signs and stencils worldwide. From the smallest one -off vinyl sign to large hoarding boards and larger print runs of many thousands, we can be depended upon to provide a fast and efficient service.

If you have a specific requirement for your signs, we can work closely with you to provide a design service or alternatively you can send us your own artwork. The diversity of our production facilities is second to none, why not give us a call and see how we can help you.

Spectrum Services
Eagle-ID

OUR UNIQUE KEY RECORDING SYSTEM DESIGNED TO GUARANTEE THE ONSITE SAFETY ISSUES SURROUNDING DUPLICATE KEYS.

The Eagle-ID scheme can be implemented on any of the Lockout Tagout padlocks we supply and will provide an ironclad guarantee that your site is free from key duplications and the safety implications this can present.

Every padlock supplied has its unique key reference recorded on our internal system, and subsequent orders are cross-referenced against this database to ensure no duplications can ever be issued to the user, regardless of site location or company organisational structure.
For further details and help on implementing the Eagle-ID please contact our sales office.

FROM CONCEPT TO COMPLETION OUR TEAM IS HERE TO HELP CUSTOMERS. **FOR MORE INFORMATION CONTACT OUR SALES TEAM.**


We can produce what you want, how you want it, any size and any material. We can work with you to bring your ideas into reality, from the initial concept design through to the final production and installation.

SERVICES

- ***Design***
- ***In situ concept artwork***
- ***Appropriate materials***
- ***Legal requirements***
- ***Manufacturing***
- ***Installation***

From Health & Safety Signs through to advertising, commercial or LED building signs our experienced custom manufacturing team is here to help.

SOME EXAMPLES OF OUR MANUFACTURING TECHNIQUES ARE LISTED BELOW:



Large Format Digital Printing


Our digital flatbed printers use the very latest technology to enable us to print extremely high quality graphics onto substrates up to 3m x 2m. Using the latest hardware and software, these machines combine both speed and quality and provide the ultimate in flexibility.

With multiple machines available these are ideal for printing one-off high quality prints through to production runs of many thousands.



Digital Cutting

Our state of the art digital cutters use optical recognition software to accurately cut a range of materials. We have a range of different cutting methods available depending on the substrate to be cut, varying from the high-tensile strength knife blades through to diamond cut routers and oscillating blades. The substrates are placed on a tough cut-resistant conveyor bed to increase productivity and ease the job of the operator. This is the ideal partner to our digital print machines.



Laser Cutting and Engraving

We have multiple laser machines onsite utilising both CO2 and YAG lasers, providing us with the ability to cut or engrave various materials. Vector artwork is imported and the computer carefully controls the position and power of the laser to cut or engrave materials as required. Different laser types are needed for different materials, and the accuracy provided exceeds router based cutting or engraving.

THIS IS A SMALL SELECTION OF THE EQUIPMENT AND PRODUCTION TECHNIQUES AVAILABLE TO OUR TRAINED STAFF. OTHERS METHODS INCLUDE SCREEN, PAD AND LABEL PRINTING, 3D LETTER FORMING, LED SIGN PRODUCTION AND MANY MORE.

WE UNDERSTAND HOW IMPORTANT THE VISUAL REPRESENTATION OF YOUR BUSINESS IS, FROM EXTERIOR BUILDING SIGNAGE, INTERIOR SIGNAGE OR BANNERS WE CAN OFFER A SOLUTION TO SUIT.

Custom Signage & Graphics

- Bespoke Builds
- Built-up Letters
- Flat Cut Letters
- Sign Trays
- LED Illumination
- Light Boxes
- Hoarding
- Event Signage
- Merchandising & POS
- Large Format Printing
- Solar Films
- Window Graphics

Our technology capabilities allow us to provide a full range of signage solutions for a variety of businesses.


In-house manufacturing enables fast and effective service.

From small signs to large billboard / hoarding boards our technology and experienced craftsmen allows us to offer solutions for most applications.

Project management from design, manufacture through to installation.







MERCHANDISING MADE EASY

We have various options available when it comes to displaying signs for retail.
Please ask for details

Jumbo Unit
1000 x 800 x 240mm (HxWxD)
Contains:
8 types of 400 x 600mm signs
1 type of 800 x 600mm sign

12 Tier Unit
1460 x 320mm (HxW)
Contains:
12 types of 200 x 300mm signs

40 Unit
1860 x 390 x 420mm (HxWxD)
Contains:
40 types of 200 x 300mm signs Optional side panel

Combi Unit
1940 x 780 x 440mm (HxWxD)
Contains:
51 types of 200 x 300mm signs
20 types of 600 x 400mm signs



Safety Signs 9

Fire Safety and Safe Condition 14 - 21

Fire Exit and Evacuation 16
Refuge Fire Exit 17
Double Sided Hanging Signs 18
Safety Instruction 18
Fire Assembly 19
First Aid and Treatment 20
First Aid Kits 21
Eyewash Stations and Products 21

Fire Extinguishers and Equipment 22 - 29

Fire Extinguisher Signs 24
Fire Safety Signs 25
Fire Alarm Signs 25
Fire Equipment Sign 26
Projection Signs 27
Fire Extinguishers 28
Fire Alarms 29
Armbands and Lanyards 29

Mandatory 30 - 43

Personal Protective Equipment 32
Multi-Message 34
Machinery 34
Fire Door Strips and Discs 35
Fire Action and First Aid Procedure 35
Fire Door and Access 36
General Mandatory 38
Food Preparation 39
Hygiene 40
Hand Sanitiser Boards 41
Barrier Cream Boards 42

No Smoking and Prohibition 44 - 51

Smoking Prohibition 46
Electronic Cigarettes 47
Desk Signs 47
Smoking Permitted 48
Restricted Access 48
Mobile Phone 50
Machine Safety 50
Parking 51
General 51

Hazard Warning 52 - 65

Electrical Safety 54
Chemical Safety 56
Flammable and Gaseous 57
Access and Situational Awareness 58
CCTV Security 60
Temperature 61
Noise 61
Asbestos 61
Hospital and Radiology 62
Cleaning 62
Parking 62
Agricultural 63
Multi-Message 64
Lorry Halt 65

Taktyle Braille Signs 66 - 75

Fire Exit and Safe Condition 69
Fire Extinguishers and Equipment 70
Mandatory 70
Prohibition 70
Hazard Warning 70
Finger Plates 71
General Information and Wayfinding 72

Photoluminescent 76 - 81

Fire Exit and Evacuation 78
Safe Condition 79
Mandatory 79
Fire Exit and Evacuation 80
Safety Light Sticks 81
Tape and Floor Markings 81

Interior Signs 82 - 89

Interior Signs 84
Finger Plates 88
Door Sign Discs 88
Door Slider and Plates 89

Safety Posters 90 - 95

Regulation and Safety Guidance 92
Hygiene 93
Workplace and General Safety 93
First Aid and Emergency 94
Official Health and Safety Posters 95

Recycling Signs 96 - 99

Recycling Signs 98
Racking Aisle Sacks 99

A-Boards 100 - 103

Heavy Duty A-Boards 102
Retail Box Deals 103
Economy A-Boards 103
Custom A-Boards 103

Floor Markings 104 - 111

Floor Graphics 106
Floor Signalling 109
Photoluminescent Tape & Floor Markings 110
Reflective Tape 110
Non-slip Floor Treads 110
Non-Slip Floor Tape 110
Aqua Floor Tape 110
Floor Marking Tape 111

Stencils 112 - 117

Stencils 114
Stencil Letter and Number Kits 115
Industrial Stencil Spray 115
Letters and Numbers 116
EV Charging Stencils 117

Pipeline Identification 118 - 123

Construction 124 - 137

Site Safety Notices 126
Build Your Own - Site Safety Notice 127
Construction Site Sign Pack 128
Fire Safety and Safe Condition 130
Fire Extinguishers and Equipment 130
Mandatory 131
Prohibition 132
Hazard Warning 132
Highway / Motorway Maintenance 133
Acrylic Linemarker 133
Construction and General 134
Underground Tapes 135
Quarry Signs 136

Road and Traffic Signs 138 - 153

UKCA / CE Marked Permanent Road Signs 140
Supplementary Road Signs 142
Permanent Road Signs 143
Road Sign Fixings and Posts 144
Temporary Road Signs 145
Supplementary Plates 146
Road Sign Frames (Stanchions) 147
Acrylic Linemarker 147
Lollipop Signs and Banksman Paddles 148
Roll-up Signs 149
Non-Reflective Road Signs 150
Speed Control 151
MOT Signs 152
Safety Mirrors 152
Grit Bins 153

Covid Risk Management 154 - 161

Floor Graphics 156
Traffic Light Floor Graphic Pack 157
Floor & Wall Graphics 158
Self Adhesive Floor Distance Chevrons 158
Self Adhesive Stickers 159
Entrance Signs 159
Premises Management Poster 159
Hygiene Posters 159
Site Rules Safety Sign 160
Temporary Signs 160
Cleaning Inspection Insert 160
Banner 161
Economy A-Boards 161

6S Lean Manufacturing 162 - 175

Cleaning Stations 166
Multi-purpose frames 168
Shadow Board Accessories 170
Site Safety Notice Board 172
Accident Free Day Signs 174

Labels 176 - 187

Electrical Labels 178
Electrical Safety Signs 180
PAT Testing Labels 181
Quality Control Labels 182
Packaging Labels 183
Door Labels 183
Asbestos Labels 183
Hazardous Substances Labels 184
Labels On A Roll / Label Packs 185
Hazardous Substances Sheets 186
UN Placards to IMDG Code 186
Globally Harmonised System (GHS) Labels 187
Label Rolls 187

Lockout Tagout 190

Safety Lockout Padlocks 192
Long Shackle Padlock 192
Di-electric Padlock 192
Brass Lockout Padlocks 193
Wire Padlock 194
Padlock Caddy 194
Padlock Cabinet 195
Padlock Station 195
Ladder Lockout 195
Security Padlocks 196
Lockboxes 197
Hasps 198
Gate Valve Lockout 200
Ball Valve Lockout 202
Cable Lockout 204
Electrical Lockout 206
Lockout Stations 214
Tag Station 221
Lockout Kits 222
Plug and Hoist Control Cover 225
Premium Lockout Bag 225
Premium Lockout Pouch 225
Lockout Satchel 225
Lockout Toolbox 225
Lockout Tags 226
Lockout Signs 228

Tagging Systems 230

Scaffold Tagging System 232
Ladder Tagging System 233
Tower Scaffold Tagging System 234
Scaffold / Tower Tagging System 234
Scaffold Prohibition 235
LOLER Safety 235
Racking Safety 236
MEWP Safety 236
Forklift Safety 237
Chemical Safety 237
Universal Equipment Inspection 238
Isolation Tags 238
Flange Tags 238
Mini Inserts 239
Asset Tag Holder 240
AssetTag Medium 242
AssetTag Flex 243
Valve Tags 244
Car Seals 245

Workplace Supplies 248

Report Books 250
Magnetic Sweepers 252
Safety Mirrors 254
Steering Wheel Covers 255
Temporary Barriers 255
Wallets 255
Literature Holder 256
Magnetic Pockets 256
Ticket Holder 257
Magnetic Letters & Numbers 258
Tapes 259
Hand Sanitiser Boards 260
Fire Extinguishers 262
Safety Light Sticks 264
Acrylic Linemarker 264
Eyewash Stations and Products 265
Grit Bins 265
Snap Frames 266
Hardware 269



WELCOME TO IN THE KNOW

with Spectrum Industrial

The knowledge centre from Spectrum Industrial keeps you "In The Know" with exclusive content, tools and resources for subscribers only.


The knowledge centre provide a library of resources including:

- Ebooks
- Infographics
- Guides

and much more.

This ever growing library will provide up to date resources including legislative and policy updates, guidance and best practice.

Simply register at ***spectrum-industrial.co.uk*** and click on The Knowledge Centre to gain unlimited access.





SAFETY SIGNS & LABELS

Creating a safer workplace with thousands of stocked safety signs and labels.



"YOUR PARTNER IN SAFETY SOLUTIONS"

As a specialist manufacturer of safety signs, all Spectrums signs conform to the BS EN ISO 7010 regulation, ensuring that all graphical safety symbols are consistent and compliant. With over 25 years' experience of manufacturing and supplying safety signs, we offer a comprehensive range of safety signs to cover every conceivable customer requirement, all manufactured at our 90,000 sq ft site in Doncaster.

Understanding the catalogue

Size, Material & Code

Underneath each sign image there is a set of details which refers to the product above. Each line refers to one version of the product. For non sign products the order code is clearly marked next to the item. If you cannot find the exact design, size or material you require please contact our sales team who are always happy to help.



In these cases the size shown refers to an individual sign, Crop marks are included for easy cutting and separation.

Make a note of the code number. This code is unique to that product and to the size and material.

Please state this when ordering.

300 x 100 PVC 1512

Choose the size from beneath the sign image ***Note:*** This is always w x h in millimetres

Choose the material you require. The materials are abbreviated, please refer to the material key

ICON KEY

- 2 — The number seen in a black circle in the top right of any sign indicates the number of signs per sheet.
- This symbol indicates the sign has a moving part.
- An arrow in a black circle indicates products which have an additional SAV arrow included.
- 10 PACK — The number seen in a black square in the top right corner indicates the number of signs per pack.
- This image means this signs is double sided.
- This sign image has been enlarged to show detail, the actual size is listed underneath the image.

SAFETY SIGN SYMBOL GUIDE

Health and Safety signs can be broken down into the following categories, as specified by British and European standards.


Safe Condition
A green rectangle or square with a symbol or text in white providing information about first aid, escape or other safe conditions.



Mandatory Signs
A blue circle containing a white image denoting that a specific course of action must be taken.



Hazard Warning Signs
A yellow triangle with a black border and symbol denoting a hazard in the environment.



Prohibition Signs
A red circular band with a diagonal bar on a white background. The black symbol behind indicates the prohibited action.



Fire Equipment
A red rectangle or square with a symbol or text in white providing information about the location and use of fire fighting equipment.



What is BS EN ISO 7010

The BS EN ISO 7010 regulation ensures that all graphical safety symbols are consistent and compliant. It is a design directive and is a list of compliant symbols.

ROAD TRAFFIC SIGNAGE

Road and Traffic signs are commonly erected at the side or above roads to give instructions or provide information to road users. These are generally separated into permanent and temporary categories.

All permanent road signs must be manufactured by an audited and registered company by law, and have the appropriate labelling attached to the reverse. As manufacturers we are fully accredited to the relevant standards.

The UKCA (UK Conformity Assessed) marking is a new UK product marking that is used for goods being placed on the market in Great Britain (England, Wales and Scotland). It covers most goods which previously required the CE marking.

All permanent roads signs manufactured for installation within Great Britain will be supplied with a UKCA Mark, whereas signs destined for the European market will have the CE Mark.

Class Ref 1

Sometimes referred to as Engineering grade, this has a lower grade of retro-reflectivity and is commonly used on temporary road signage.

Class Ref 2

This is a high intensity prismatic (HIP) retro-reflective sheet, specifically designed for use on permanent road signs. Engineered to give good reflectivity at all angles critical to the driver, it is more durable with a longer lifespan.

Class Ref R3B

This is the highest grade retro-reflective sheet available, and is specified for permanent signs where the ultimate visibility and legibility is required such as motorway signs. This material is available on request.

MATERIAL KEY

SAV	Self Adhesive Vinyl	CLG	Window Cling Vinyl	PYC	2mm Vandal Resistant Polycarbonate
RPVC	Rigid 1mm PVC Board (Non Adhesive)	CRU	Classic Roll-up Sign	QSN	Q-Sign (Temporary Moulded Plastic Sign)
PP	1.2mm Recyclable Polypropylene	CRX	Lightweight Corrugated Plastic	SAA	Satin Anodised Aluminium
PVC	Self Adhesive Semi Rigid PVC	ACP	Aluminium Composite Panel	SAP	Paper (Self Adhesive)
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)	ACPC	Aluminium Composite Panel with Channel	SSE	Stainless Steel Effect Laminate
PHS	Flexible Photoluminescent Vinyl	FLR(Ph)	Anti-Slip Laminated Floor Sign (Photoluminescent)	SSS	1.2mm Satin Stainless Steel
STN	Polyester Unprinted Stencil Sheet	FMX	3mm Foamed PVC Board	TAKPh	Taktyle Photoluminescent
TAK	Reverse Printed and Moulded Plastic	LAM	Laminated Paper	TRU	Triflex Roll-up Sign
BAN	Flexible Banner PVC	PAP	Paper	ZFM	Mild Steel Sheet (in a mild Steel frame)
BRG	Brushed Gold Effect Laminate (Self Adhesive)	PB	1.5mm Polished Brass	ZIN	Mild Steel Sheet (without frame)
BRS	Brushed Silver Effect Laminate (Self Adhesive)	POL	Polished Gold Effect Laminate (Self Adhesive)	ELAM	Engraving Laminate
CHR	Polished Chrome Effect (Self Adhesive)	PSS	1.2mm Polished Stainless Steel	EGR	Rigid Engraved

Polypropylene - PP

This fully recyclable plastic is suitable for both internal and external use. Only available without adhesive.

Self Adhesive Vinyl - SAV

Thin and flexible, ideal for indoor use and in low traffic areas. Application to clean, smooth surfaces.

Foamed PVC Board - FMX

A versatile, lightweight rigid PVC foam sheet, durable and with low water absorption making it suitable for indoor and outdoor use.

Aluminium Composite - ACP

Strong and lightweight, ideal for long term outdoor use. Resistant to inclement weather conditions, it is commonly used for fabrication and road traffic signs.

Rigid PVC - RPVC / PVC

Available with or without adhesive, durable, strong & weather resistant a great option for outdoor or indoor.

Stencil - STN

Specially modified flexible polyester which is laser cut for accuracy. Can be reused multiple times.

Laminated Floor Vinyl - FLR

Permanent vinyl floor graphics with an hard wearing laminate face, rated to R9 grade for its anti-slip properties. Suitable for dry, Indoor sealed surfaces.

Photoluminescent - PHS / PHO

This material glows in dark or low light areas in the event of a power failure or fire. Often specified for Fire Exit signs so that the exit route remains visible.

RECYCLABLE POLYPROPYLENE

Alongside the internal measures we have in place to reduce our environmental impact, we have recently started manufacturing signs on 1.2mm rigid polypropylene. This material is fully recyclable and is suitable for both internal and exterior signage.


Attributes:

- ✓ ***Fully recyclable***
- ✓ ***UV Resistant***
- ✓ ***Impact and stress crack resistant***
- ✓ ***Does not fade or yellow over time***






VIEWING DISTANCES



These are suggested maximum viewing distances in the latest simplified draft format.

This is a guide only and other factors may need to be considered.

Distance	*Examples of Use*
17m	Small offices, small shops and factories.
22m	Large offices, large factories, warehouses and shopping centres.
30m	Large warehouses, distribution centres and exhibition halls.



Smaller or more text characters and symbols(s) in sign will require an increase in size to be legible at distance.

NOTE: SIGNS IN POOR LIGHTING CONDITIONS THAT ARE NOT LIKELY TO FALL WITHIN OBSERVER'S LINE OF SIGHT WILL NEED TO INCREASE IN SIZE BY 50%

SPECIALIST TRADE SUPPLIERS | FOR OVER 25 YEARS

Our products are under continual development and /or are determined by legislation requirements, as such we reserve the right to modify them as we deem necessary. Product sizes, materials and colours are subject to standard commercial tolerances and are shown in nominal form. Where possible all signs are manufactured to the latest symbols detailed in BS ISO EN 7010. In cases where an ISO symbol has not been specified then the sign will be manufactured to BS 5499 standards until one has been published, at which point the stock will be updated and supplied in lieu of the design shown in the catalogue.

This catalogue is protected by the Laws of Copyright, no part may be reproduced, transmitted in any form or stored in a retrieval system without prior written permission from the Manufacturer.



Fire Safety and Safe Condition

Fire Exit and Evacuation 16
Refuge Fire Exit 17
Double Sided Hanging Signs 18
Safety Instruction 18
Fire Assembly 19
First Aid and Treatment 20
First Aid Kits 21
Eyewash Stations and Products 21

FIRE SAFETY AND SAFE CONDITION

What are they

A Safe Condition sign provides vital information about an action to keep you safe. These include signs that indicate escape routes or emergency exits and the location of safety equipment such as first aid kits.

Defining characteristics

A green rectangle or square covering with a white border. A suitable symbol is centrally placed on the sign. Both the symbol and any supplementary text should be in white.

When to use them

Signs for safety equipment should be placed in a visible area to enable someone in need to locate and identify the equipment quickly and correctly.

For Fire Exit signs, these should be placed in a visible location and indicate the safe route to follow in case of a fire or other emergency, with directional arrows in place if the environment dictates extra clarification is necessary.

Things to consider

Some of our signs are available manufactured on a photoluminescent substrate, which (when 'charged up' by natural or artificial light) will glow for a length of time. Although there is no legal requirement to use photoluminescent versions of Fire Exit signs, these are often requested as part of a comprehensive safety way guidance system (SWGS). Note that photoluminescent signs are not to be used as a replacement for emergency lighting or luminaires, but rather as a supplementary offering.

IS YOUR SIGNAGE CORRECT?



Before 2013 the traditional emergency sign used above doorways to identify the escape route, pictured a DOWN arrow. Under BS EN ISO 7010 the ***DOWN arrow should be used to identify a change of level going down.***





Following the introduction of BS EN ISO 7010 the directional arrow above a ***corridor doorway or exit door, should be the UP arrow.*** This is to inform the occupants that they need to carry straight on or exit through here.



Custom Design
by **Spectrum** Services
CONTACT US TO SEE HOW WE CAN CREATE BESPOKE SAFETY SIGNS TO SUIT YOUR NEEDS.

Fire Exit and Evacuation



300 x 200	PVC	1505
300 x 200	RPVC	13965
600 x 400	PVC	4202
300 x 200	PHS	17091
300 x 200	PHO	1582



300 x 200	PVC	1503
300 x 200	RPVC	13967
600 x 400	PVC	4203
300 x 200	PHS	17088
300 x 200	PHO	1580



300 x 200	PVC	1506
300 x 200	RPVC	13968
600 x 400	PVC	4201
300 x 200	PHS	17090
300 x 200	PHO	1583



300 x 200	PVC	1504
300 x 200	RPVC	13966
600 x 400	PVC	4200
300 x 200	PHS	17089
300 x 200	PHO	1581



300 x 200	PVC	1540
450 x 200	SAV	12132
450 x 200	RPVC	12133
600 x 200	SAV	12134
600 x 200	RPVC	12135
300 x 200	PHS	17097
300 x 200	PHO	0203



300 x 100	PVC	1512



300 x 100	PVC	1511



300 x 100	PVC	1510



300 x 100	PVC	1509



300 x 200	PVC	1507



300 x 100	SAV	12578
400 x 150	SAV	12104
400 x 150	RPVC	12105
400 x 150	PVC	1684
600 x 200	SAV	12106
600 x 200	RPVC	12107
400 x 150	PHS	17084
400 x 150	PHO	12414



300 x 100	SAV	12579
400 x 150	SAV	12096
400 x 150	RPVC	12097
400 x 150	PVC	1683
600 x 200	SAV	12098
600 x 200	RPVC	12099
400 x 150	PHS	17080
400 x 150	PHO	12413



300 x 100	SAV	12576
400 x 150	SAV	12092
400 x 150	RPVC	12093
400 x 150	PVC	1685
600 x 200	SAV	12094
600 x 200	RPVC	12095
400 x 150	PHS	17082
400 x 150	PHO	12411



300 x 100	SAV	12577
400 x 150	SAV	12000
400 x 150	RPVC	12001
400 x 150	PVC	1686
600 x 200	SAV	12002
600 x 200	RPVC	12003
400 x 150	PHS	17086
400 x 150	PHO	12410



300 x 150	SAV	14009
300 x 150	RPVC	14010
300 x 150	PVC	1691
400 x 200	SAV	14011
400 x 200	RPVC	14012



400 x 150	SAV	12108
400 x 150	RPVC	12109
400 x 150	PVC	1687
600 x 200	SAV	12110
600 x 200	RPVC	12111
400 x 150	PHS	17081
400 x 150	PHO	13368



400 x 150	SAV	12004
400 x 150	RPVC	12005
400 x 150	PVC	1688
600 x 200	SAV	12006
600 x 200	RPVC	12007
400 x 150	PHS	17085
400 x 150	PHO	12412



400 x 150	SAV	12008
400 x 150	RPVC	12009
400 x 150	PVC	1689
600 x 200	SAV	12010
600 x 200	RPVC	12011
400 x 150	PHS	17083
400 x 150	PHO	12415



400 x 150	SAV	12100
400 x 150	RPVC	12101
400 x 150	PVC	1690
600 x 200	SAV	12102
600 x 200	RPVC	12103
400 x 150	PHS	17087
400 x 150	PHO	13367



300 x 100	SAV	12581
300 x 150	SAV	12128
300 x 150	RPVC	12129
300 x 150	PVC	1692
400 x 200	SAV	12130
400 x 200	RPVC	12131
600 x 200	RPVC	12580



300 x 200	PVC	1502



300 x 200	PVC	1513



300 x 200	PVC	1508



300 x 200	PVC	1516



300 x 200	PVC	1514



200 x 50	PVC	5205*



200 x 50	PVC	5206



200 x 50	PVC	5201



200 x 50	PVC	5200



750 x 150	SAV	12020
750 x 150	RPVC	12021



300 x 100	SAV	14404
300 x 100	RPVC	14405



200 x 50	PVC	5204*



200 x 50	PVC	5202



200 x 50	PVC	5203



750 x 150	SAV	12022
750 x 150	RPVC	12023

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PHS	Flexible Photoluminescent Vinyl
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

***THIS SIGN SHOULD BE ACCOMPANIED BY AN APPROPRIATE RUNNING MAN SYMBOL**



300 x 100 PVC 1520



300 x 100 PVC 1517



300 x 100 PVC 1518



300 x 100 PVC 1519



450 x 150 SAV 17391



300 x 200 PVC 1530
600 x 400 PVC 4206



300 x 200 PVC 1531
600 x 400 PVC 4207



300 x 200 PVC 1528
600 x 400 PVC 4204



300 x 200 PVC 1529
600 x 400 PVC 4205



450 x 150 RPVC 15032



300 x 200 PVC 1515
600 x 400 PVC 4208



300 x 200 PVC 1521



150 x 200 PVC 1498



150 x 200 PVC 1499



200 x 300 PVC 1500



200 x 300 PVC 1501



125 x 125 SAV 12024
125 x 125 RPVC 12025
150 x 150 SAV 12026
150 x 150 RPVC 12027
150 x 150 PVC 1882
200 x 200 SAV 13880
200 x 200 RPVC 13881
150 x 150 PHS 17020
150 x 150 PHO 1982



125 x 125 SAV 13346
125 x 125 RPVC 13347
150 x 150 SAV 13348
150 x 150 RPVC 13349
150 x 150 PVC 1883
200 x 200 SAV 13350
200 x 200 RPVC 13351
150 x 150 PHS 17021
150 x 150 PHO 1983



150 x 150 PVC 1884
200 x 200 SAV 14015
200 x 200 RPVC 14016
150 x 150 PHS 17098
150 x 150 PHO 1984



150 x 150 SAV 12012
150 x 150 RPVC 12013
200 x 200 SAV 12014
200 x 200 RPVC 12015
150 x 150 PHS 17041
150 x 150 PHO 12432



150 x 150 SAV 12016
150 x 150 RPVC 12017
200 x 200 SAV 12018
200 x 200 RPVC 12019
150 x 150 PHS 17040
150 x 150 PHO 12433

Refuge Fire Exit



450 x 150 PVC 1830
450 x 150 PHS 17102
450 x 150 PHO 1930



450 x 150 PVC 1831
450 x 150 PHS 17100
450 x 150 PHO 1931



450 x 150 PVC 1834



450 x 150 PVC 1835



450 x 150 PVC 1828
450 x 150 PHS 17099
450 x 150 PHO 1928



450 x 150 PVC 1829
450 x 150 PHS 17101
450 x 150 PHO 1929



450 x 150 PVC 1832
300 x 100 SAV 14763
300 x 100 RPVC 14764



450 x 150 PVC 1833



300 x 100 SAV 14402
300 x 100 RPVC 14403



300 x 200 PVC 1537
300 x 200 PHS 17092
300 x 200 PHO 0204



200 x 300 RPVC 14852



200 x 300 PVC 1539
200 x 300 PHS 17120
200 x 300 PHO 1594

Double Sided Hanging Signs

Manufactured from 3mm Foamex Board and printed on both sides, these signs are designed to be hung from the ceiling and provide emergency exit information. Ideal for corridors, they come pre-drilled with holes in the top corners for use in conjunction with our hanging kits.

Fixings and Hanging Kits
For our range of sign fixings and hanging kits see page 270





450 x 150 FMX 14790



450 x 150 FMX 14791



450 x 150 FMX 14792



450 x 150 FMX 14793




450 x 150 FMX 14794

Safety Instruction



100 x 150 SAV 14795
100 x 150 RPVC 14796



100 x 150 PVC 1533



200 x 300 PVC 1536




100 x 150 SAV 12032
100 x 150 RPVC 12033
100 x 150 PHS 17118
100 x 150 PHO 17119



200 x 300 SAV 12048
200 x 300 RPVC 12049
200 x 300 PVC 1542



300 x 200 PVC 1523
300 x 200 PHS 17122
300 x 200 PHO 1584



300 x 100 PVC 1524



300 x 100 PVC 1522



300 x 100 PVC 1525



300 x 100 PVC 1543



200 x 50 PVC 5210



300 x 75 SAV 12142
300 x 75 RPVC 12143
300 x 100 PHS 17108
300 x 100 PHO 12428



300 x 75 SAV 12144
300 x 75 RPVC 12145
300 x 100 PHS 17107
300 x 100 PHO 12429



200 x 50 PVC 5211



200 x 50 PVC 5215



300 x 150 SAV 12136
300 x 150 RPVC 12137



200 x 50 PVC 5207



200 x 50 PVC 5209



300 x 100 SAV 13352
300 x 100 RPVC 13353
300 x 100 PHS 17112
300 x 100 PHO 13380




200 x 50 PVC 5213



50 x 150 SAV 15035



300 x 100 SAV 12138
300 x 100 RPVC 12139
600 x 100 SAV 12140
600 x 100 RPVC 12141
600 x 100 PVC 1534
300 x 100 PHS 17124
300 x 100 PHO 12422
450 x 75 PHS 17125
450 x 75 PHO 1587
450 x 100 PHS 17126
450 x 100 PHO 1585



200 x 50 PVC 5208



300 x 100 SAV 13354
300 x 100 RPVC 13355
300 x 100 PHS 17113
300 x 100 PHO 13378



300 x 100 SAV 12038
300 x 100 RPVC 12039



75 x 150 SAV 14317
75 x 150 RPVC 14318




75 x 150 SAV 14319
75 x 150 RPVC 14320



100 x 150 SAV 12034
100 x 150 RPVC 12035



100 x 150 SAV 12036
100 x 150 RPVC 12037



100 x 150 PVC 1538
100 x 150 PHS 17117
100 x 150 PHO 1589



100 x 150 PVC 1532

Fire Assembly



300 x 200	SAV	12052
300 x 200	RPVC	12062
600 x 400	SAV	12072
600 x 400	RPVC	12082



300 x 200	SAV	12053
300 x 200	RPVC	12063
600 x 400	SAV	12073
600 x 400	RPVC	12083



300 x 200	SAV	12054
300 x 200	RPVC	12064
600 x 400	SAV	12074
600 x 400	RPVC	12084



300 x 200	SAV	12055
300 x 200	RPVC	12065
600 x 400	SAV	12075
600 x 400	RPVC	12085



300 x 200	SAV	12056
300 x 200	RPVC	12066
600 x 400	SAV	12076
600 x 400	RPVC	12086



300 x 200	SAV	12057
300 x 200	RPVC	12067
600 x 400	SAV	12077
600 x 400	RPVC	12087



300 x 200	SAV	12058
300 x 200	RPVC	12068
600 x 400	SAV	12078
600 x 400	RPVC	12088



300 x 200	SAV	12059
300 x 200	RPVC	12069
600 x 400	SAV	12079
600 x 400	RPVC	12089



300 x 200	SAV	12060
300 x 200	RPVC	12070
600 x 400	SAV	12080
600 x 400	RPVC	12090



300 x 200	SAV	12061
300 x 200	RPVC	12071
600 x 400	SAV	12081
600 x 400	RPVC	12091



300 x 200	PVC	1527



300 x 200	SAV	12028
300 x 200	RPVC	12029
300 x 200	PYC	3550
300 x 200	ACP	14013
600 x 400	SAV	12030
600 x 400	RPVC	12031
600 x 450	ACP	14014



300 x 100	SAV	12583
600 X 200	RPVC	12582



300 x 100	SAV	12394
600 X 200	RPVC	12393

IN THE KNOW

Are your symbols correct?

Contact us today to find out if your current signs are in line with legislation.



200 x 300 PVC 1484



200 x 300 PVC 1485



200 x 300 PVC 1486



200 x 300 PVC 1487



200 x 300	PVC	1541
297 x 420	RPVC	17349
400 x 600	RPVC	17351
200 x 300	PHS	17121
200 x 300	PHO	1586




200 x 300 PVC 1535



200 x 300 PVC 1480



200 x 300 PVC 1481



200 x 300 PVC 1482



200 x 300 PVC 1483



297 x 420	RPVC	17393
297 x 420	SAV	17366



200 x 300	PVC	1526
200 x 300	RPVC	14274
200 x 300	SAV	14275

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
FMX	3mm Foamed PVC Board
PYC	2mm Vandal Resistant Polycarbonate
ACP	Aluminium Composite Panel
PHS	Flexible Photoluminescent Vinyl
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)

FIND OUR FULL RANGE OF PHOTOLUMINESCENT SIGNS FROM PAGE 76

FIND OUR FULL MATERIAL KEY ON PAGE 12

First Aid and Treatment



200 x 300 PVC 1550



200 x 300 SAV 12042
200 x 300 RPVC 12043



148 x 210 SAV 17368
148 x 210 RPVC 17378




200 x 300 SAV 12046
200 x 300 RPVC 12047



200 x 300 SAV 12044
200 x 300 RPVC 12045



297 x 420 RPVC 17357
400 x 600 SAV 14977




200 x 300 SAV 14331
200 x 300 RPVC 14332



200 x 300 SAV 14324
200 x 300 RPVC 14325
200 x 300 PVC 0166



200 x 300 SAV 12390




200 x 300 SAV 14293
200 x 300 RPVC 14515




400 x 600 RPVC 14978




148 x 210 SAV 17385



300 x 200 PVC 1551



300 x 100 PVC 1553



300 x 200 PVC 1552



300 x 200 PVC 1557



600 x 400 RPVC 17367



200 x 300 SAV 14329
200 x 300 RPVC 14330



297 x 420 RPVC 15033



400 x 600 PVC 4240



50 x 50 SAV 12366
100 x 100 SAV 14327
100 x 100 RPVC 14328



200 x 50 PVC 5212



300 x 100 SAV 12392
300 x 100 RPVC 12391
300 x 100 PHS 17116
300 x 100 PHO 12426



300 x 100 SAV 12050
300 x 100 RPVC 12051
600 x 200 RPVC 12388
300 x 100 PHS 17114
300 x 100 PHO 12424




300 x 100 SAV 14516
600 x 200 RPVC 14517



300 x 100 SAV 12040
300 x 100 RPVC 12041



200 x 300 SAV 14650
200 x 300 RPVC 14651



200 x 300 SAV 14648
200 x 300 RPVC 14649



200 x 300 SAV 14321
200 x 300 RPVC 14322
200 x 300 PVC 14323



100 x 150 SAV 15053
297 x 420 RPVC 15054



200 x 300 SAV 13983
200 x 300 RPVC 13984
200 x 300 PVC 1554



200 x 300 PVC 1555
200 x 300 SAV 13358
200 x 300 RPVC 13359

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
FMX	3mm Foamed PVC Board
PYC	2mm Vandal Resistant Polycarbonate
ACP	Aluminium Composite Panel
PHS	Flexible Photoluminescent Vinyl
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)

FIND OUR FULL RANGE OF PHOTOLUMINESCENT SIGNS FROM PAGE 76

FIND OUR FULL MATERIAL KEY ON PAGE 12

First Aid Kits

Description	Code
10 Person Kit	P0250

Description	Quantity
Adhesive dressings in assorted sizes	20
Eye pads	2
Triangular bandages with 2 safety pins each	4
Medium dressings	6
Large dressings	2
Disposable gloves	1
10pk of moist wipes	1
1 x guidance leaflet and contents list	1

CONTENTS



Description	Code
20 Person Kit	P0251

Description	Quantity
Adhesive dressings in assorted sizes	40
Eye pads	4
Triangular bandages with 2 safety pins each	6
Medium dressings	9
Large dressings	3
Disposable gloves	2
10pk of moist wipes	1
1 x guidance leaflet and contents list	1

CONTENTS



Description	Code
50 Person Kit	P0252

Description	Quantity
Adhesive dressings in assorted sizes	60
Eye pads	6
Triangular bandages with 2 safety pins each	8
Medium dressings	12
Large dressings	4
Disposable gloves	3
10pk of moist wipes	24
1 x guidance leaflet and contents list	1

CONTENTS



Eyewash Stations and Products

An essential first aid item in any environment where there is a potential risk of injury to the eye whether it be from dust particles, chemical splashes or debris.

Description	Code
Eyewash Kit	14341
500ml Eyewash Bottle for Kit	14342
HypaClens Pod Station with Mirror (25 Pods 20ml included)	14343
Eyewash Pods 20ml (Pack of 25)	14344





Fire Extinguishers and Equipment

Fire Extinguisher Signs 24
Fire Safety Signs 25
Fire Alarm Signs 25
Fire Equipment Sign 26
Projection Signs 27
Fire Extinguishers 28
Fire Alarms 29
Armbands and Lanyards 29

FIRE EXTINGUISHERS AND EQUIPMENT

What are they

These signs are used to provide vital information about the location and identification of fire fighting equipment. This equipment would include fire alarms, dry risers and the location and type of fire extinguishers.

Defining characteristics

A red rectangle or square with a white border. A suitable symbol in white is placed centrally on the sign. Both the symbol and any supplementary text should be in white.

When to use them

Signs for fire fighting equipment should be placed in a visible area to enable someone in need to locate and identify the equipment quickly and correctly. In buildings where the equipment is not clearly visible, it may be pertinent to indicate the location of this equipment with further signage.

Common Fire Extinguishers

Powder Extinguishers

Ideal for use in mixed risk environments and offer excellent all round fire protection. With a unique class C rating, powder fire extinguishers are the only effective solution for fires involving flammable gases.

Foam Extinguishers

Ideal for use on fires involving solid combustible materials and are highly effective on flammable liquid fires. The layer of foam applied by these extinguishers helps to prevent re-ignition after the fire has been extinguished.


CO^2 Extinguishers

Are suitable for use on flammable liquid fires and are extremely effective at extinguishing fires involving electrical equipment. CO2 is also one of the cleanest extinguisher agents and leaves no residue behind.

Water Extinguishers

Suitable for use in environments containing solid combustible materials such as wood, paper and textiles. It is important to remember that water conducts electricity and should not be used around electrical equipment.







Fire Extinguisher Signs



75 x 200	PVC	1370
82 x 202	SAV	12308
82 x 202	RPVC	12309
75 x 200	PHS	17166
75 x 200	PHO	1590
82 x 202	PHS	17167
82 x 202	PHO	12448



75 x 200	PVC	1372
82 x 202	SAV	12310
82 x 202	RPVC	12311
75 x 200	PHS	17170
75 x 200	PHO	1592
82 x 202	PHS	17171
82 x 202	PHO	12447



75 x 200	PVC	1371
82 x 202	SAV	12306
82 x 202	RPVC	12307
75 x 200	PHS	17168
75 x 200	PHO	1591
82 x 202	PHS	17169
82 x 202	PHO	12449



75 x 200	PVC	1373
82 x 202	SAV	12304
82 x 202	RPVC	12305
75 x 200	PHS	17172
75 x 200	PHO	1593
82 x 202	PHS	17173
82 x 202	PHO	12446




75 x 200	PVC	1374
82 x 202	SAV	12312
82 x 202	RPVC	12313
75 x 200	PHS	17174
75 x 200	PHO	1595




75 x 200	PVC	1376
82 x 202	SAV	12362
82 x 202	RPVC	12363
82 x 202	PHS	17160
82 x 202	PHO	12445




75 x 200	PVC	1375
82 x 202	SAV	12360
82 x 202	RPVC	12361
82 x 202	PHS	17159
82 x 202	PHO	12450



100 x 300	SAV	15015



420 x 600	RPVC	15049



500 x 300	RPVC	15048



200 x 150	SAV	14345
200 x 150	RPVC	14346
200 x 150	PHS	17175
200 x 150	PHO	17176




200 x 150	SAV	14347
200 x 150	RPVC	14348
200 x 150	PHS	17179
200 x 150	PHO	17180




200 x 150	SAV	14351
200 x 150	RPVC	14352
200 x 150	PHS	17181
200 x 150	PHO	17182



200 x 150	SAV	14353
200 x 150	RPVC	14354
200 x 150	PHS	17183
200 x 150	PHO	17184




200 x 150	SAV	14349
200 x 150	RPVC	14350
200 x 150	PHS	17177
200 x 150	PHO	17178



200 x 300	PVC	1361
200 x 300	PHS	17162
200 x 300	PHO	1574



200 x 300	PVC	1360
200 x 300	PHS	17161
200 x 300	PHO	1573




200 x 300	PVC	1362
200 x 300	PHS	17163
200 x 300	PHO	1575



200 x 300	PVC	1363
200 x 300	PHS	17164
200 x 300	PHO	1576



200 x 300	PVC	1364
200 x 300	PHS	17165
200 x 300	PHO	1578



350 x 200	SAV	12300
350 x 200	RPVC	12301
600 x 370	SAV	12302
600 x 370	RPVC	12303

IN THE KNOW

We have a selection of fire safety equipment on page 28

Remember to comply with fire safety laws and have your fire extinguisher serviced regularly at the manufacturers recommended interval.

Fire Safety Signs



200 x 300 PVC 1350
200 x 300 PHS 17146
200 x 300 PHO 1571



200 x 300 PVC 1356



200 x 300 PVC 1354



300 x 100 PVC 1353



300 x 100 PVC 1351



200 x 300 SAV 12326
200 x 300 RPVC 12327
300 x 400 SAV 12328
300 x 400 RPVC 12329
200 x 300 PHS 17147
200 x 300 PHO 12441



200 x 300 PVC 1352



200 x 200 SAV 12340
200 x 200 RPVC 12341



300 x 100 PVC 1357



200 x 50 PVC 5150




300 x 100 SAV 12314
300 x 100 RPVC 12315
450 x 150 SAV 12316
450 x 150 RPVC 12317
300 x 100 PHS 17154
300 x 100 PHO 12442

Fire Alarm Signs





200 x 300 PVC 1402



100 x 100 PVC 1460



200 x 300 SAV 12364
200 x 300 RPVC 12365
200 x 300 PVC 1400
200 x 300 PHS 17148
200 x 300 PHO 1572



100 x 100 SAV 11690
100 x 100 RPVC 11691
200 x 200 SAV 12338
200 x 200 RPVC 12339
100 x 100 PHS 17156
100 x 100 PHO 1577



200 x 300 SAV 12322
200 x 300 RPVC 12323
300 x 400 SAV 12324
300 x 400 RPVC 12325
200 x 300 PHS 17149
200 x 300 PHO 12438



200 x 200 SAV 12344
200 x 200 RPVC 12345



300 x 100 PVC 1403



300 x 100 PVC 1401



200 x 50 PVC 5151

FIND OUR FULL RANGE OF PHOTOLUMINESCENT SIGNS FROM PAGE 76

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PHS	Flexible Photoluminescent Vinyl
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

ENLARGED TO SHOW DETAIL

This sign image has been enlarged to show detail, the actual size is listed underneath the image.

Fire Equipment Sign



200 x 300 PVC 1450



200 x 300 SAV 12330
200 x 300 RPVC 12331
300 x 400 SAV 12332
300 x 400 RPVC 12333
200 x 300 PHS 17150
200 x 300 PHO 12443



200 x 300 PVC 1451
200 x 300 SAV 14001
200 x 300 RPVC 14002



200 x 300 PVC 1459
200 x 300 PHS 17153
200 x 300 PHO 1570



200 x 200 SAV 12342
200 x 200 RPVC 12343



200 x 300 PVC 1358



200 x 300 PVC 1359



200 x 300 PVC 1442



200 x 300 SAV 14381
200 x 300 RPVC 14382



200 x 200 SAV 14514
200 x 200 RPVC 14296



300 x 100 SAV 12318
300 x 100 RPVC 12319
300 x 100 PHS 17157
300 x 100 PHO 12439



300 x 200 PVC 1457



300 x 100 PVC 1458



300 x 100 PVC 1443



300 x 200 SAV 14383
300 x 200 RPVC 14384
300 x 200 PVC 1404



300 x 100 SAV 12336
300 x 100 RPVC 12337



300 x 100 SAV 12334
300 x 100 RPVC 12335



250 x 150 SAV 12346
250 x 150 RPVC 12347



200 x 150 SAV 12356
200 x 150 RPVC 12357



200 x 150 SAV 12352
200 x 150 RPVC 12353



250 x 150 SAV 12350



250 x 150 SAV 12348
250 x 150 RPVC 12349



200 x 50 PVC 5152

IN THE KNOW

BS EN ISO 7010 is a European standard to ensure there is a standardised, easy to understand safety message which is globally recognised. The standard covers safety signs in the workplace and other locations where people need to be informed about safety.

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PHS	Flexible Photoluminescent Vinyl
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

FIND OUR FULL RANGE OF PHOTOLUMINESCENT SIGNS FROM PAGE 76

Projection Signs



Our projection signs are manufactured and printed on 1.5mm PVC board. These signs are ideal for indicating the location of fire safety equipment where otherwise it may not be immediately apparent, such as recessed cavities in a corridor.

Each side measures 200 x 200mm



200 x 200 RPVC 4410




200 x 200 RPVC 4411



200 x 200 RPVC 4460



200 x 200 RPVC 4461



200 x 200 RPVC 4412



200 x 200 RPVC 4413




200 x 200 RPVC 4462



200 x 200 RPVC 4463

Dimensions





200 x 200 RPVC 4414



200 x 200 RPVC 4464



200 x 200 RPVC 4465

IN THE KNOW

UK fire extinguisher regulations state that you should have a minimum of two 'Class A' extinguishers on every storey of the building.

The 'standard pair' water-based and CO2 fire extinguishers are usually located by exits and fire alarm call-points.
To comply with fire extinguisher regulations, extinguishers should be either fixed to the wall, or attached to a stand.
Fire extinguishers must be commissioned on-site by a competent person. This generally means someone who has passed the BAFE fire extinguisher exam or has an equivalent qualification.

Fire extinguishers are not compliant with UK fire extinguisher legislation until they have been commissioned.
Fire extinguisher regulations state that extinguishers must be serviced annually.

Fire Extinguishers







Water Extinguishers

- Corrosion resistant finish.
- Internal Polyethylene lining.
- Squeeze grip operation.
- Approved to BSEN3.
- Supplied with bracket.
- 5 year guarantee.

Description	Code
6 litre Spray Water (13A)	14355
9 litre Jet Water (21A)	14356

CO^2 Extinguishers

- Aluminium alloy construction.
- Corrosion resistant finish.
- Internal Polyethylene lining.
- Squeeze grip operation.
- Harmless to machinery.
- (2kg) Frost free horn.
- Approved to BSEN3.
- Supplied with bracket.
- 5 year guarantee.

Description	Code
2kg CO2 (34B)	14357
5kg CO2 (70B)	14358

Filled weights: 14357 - 5.5kg 14358 - 12.4kg

Foam Extinguishers

- Spray nozzle.
- Corrosion resistant finish.
- Internal Polyethylene lining.
- Squeeze grip operation.
- Approved to BSEN3.
- Compliant to 35kV Dielectric test.
- Supplied with bracket.
- 5 year guarantee.

Description	Code
2L Foam (8A 55B)	14359
6L Foam (21A 144B)	14360
9L Foam (27A 233B)	14361

Powder Extinguishers

- Corrosion resistant finish.
- Squeeze grip operation.
- With brackets (<2kg with transport bracket).
- 5 year guarantee.
- Approved to BSEN3.*

* 600g and 800g exclude BSEN3 clause 6.1 (size requirement).

Description	Code
600g ABC Powder (5A 21B C)	14364
800g ABC Powder (5A 34B C)	14365
1kg ABC Powder (8A 34B)	14366
2kg ABC Powder (13A 89B)	14367
6kg ABC Powder (43A 233B)	14368
9kg ABC Powder (55A 233B)	14369





Fire Extinguishers Stands



Robust fully moulded design, these stands are manufactured from impact and chemical resistant plastic. Supplied in sections for easy transportation and assembly.

Free-standing design.

Dimensions (HxWxD):
Single: 645 x 290 x 300mm
Double: 645 x 500 x 300mm
Extinguisher not included.

Description	Code
Single	14370
Double	14371
Retaining Strap	14372



Fire Blankets

A durable single-piece moulded design with large labelled area for maximum impact. Kitemark certified to BS EN 1869:1997.

Description	Code
1 x 1m	14373
1.2 x 1.8m	14375

Fire Alarms



Battery operated site alarms with a loud 110db siren and a strobe function for noisy environments. Easily linkable with up to 5 other units.

Dimensions (HxWxD): 305 x 191 x 65mm
Uses PP3 batteries (replaceable)

Description	Code
Call Point Activation	14728
Push On / Twist Off Activation	14729



Manufactured from Die Cast Aluminium, this tried and tested design sounds at 60db up to 35 metres.

Pre-drilled flange for simple installation.

Description	Code
Rotary Hand Bell	14730



With plastic fronted 'glass' which is ideal for glass sensitive environments.

Secure 'snap fit' mechanism.

Description	Code
Break Glass Keybox	14731
Replacement 'Glass'	14732

Armbands and Lanyards



Nylon Armbands

Printed Nylon armbands with Velcro fastening.

Description	Code
Fire Marshal	14190
Fire Warden	14191
First Aider	14192



Armbands

Photoluminescent and reflective armband with Velcro fastening.

Description	Code
Fire Marshal	14193
Fire Warden	14194
First Aider	14195



Lanyards

Lanyards with hook and safety release clasp.

Description	Code
Fire Marshal	14725
Fire Warden	14726
First Aider	14727



Mandatory

Personal Protective Equipment 32
Multi-Message 34
Machinery 34
Fire Door Strips and Discs 35
Fire Action and First Aid Procedure 35
Fire Door and Access 36
General Mandatory 38
Food Preparation 39
Hygiene 40
Hand Sanitiser Boards 41
Barrier Cream Boards 42

MANDATORY

What are they

Mandatory signs denote information about a specific course of action which must be taken. These include signs that indicate the correct type of PPE to use, doors which must be kept shut for fire safety purposes or the action to take in case of a fire.

Defining characteristics

A white symbol on a blue circle with a white border. Any supplementary text should be in white on a blue background.

When to use them

Mandatory signs should fixed on or very near the relevant equipment or in a position of entry to an area to which the message pertains.

ARE YOUR ISO SYMBOLS CORRECT?

As of January 2013 BS EN ISO 7010 came into effect and many safety sign symbols were updated.

Are yours up to date?



Mandatory Icons





Personal Protective Equipment



200 x 300 CRX 12475
200 x 300 PVC 0002
400 x 600 PVC 4000



200 x 300 SAV 11454
200 x 300 RPVC 11455
400 x 600 SAV 11456
400 x 600 RPVC 11457



300 x 100 SAV 11408
300 x 100 RPVC 11409
600 x 200 SAV 11410
600 x 200 RPVC 11411



200 x 300 SAV 11426
200 x 300 RPVC 11427
400 x 600 SAV 11428
400 x 600 RPVC 11429



200 x 300 PVC 0016



200 x 50 PVC 5015



200 x 300 PVC 0001



600 x 450 SAV 11412
600 x 450 RPVC 11413



600 x 450 SAV 11450
600 x 450 RPVC 11451



50mm dia. SAV 0046
100mm dia. SAV 0047



300 x 100 SAV 11384
300 x 100 RPVC 11385
600 x 200 SAV 11386
600 x 200 RPVC 11387



200 x 300 PVC 0007
148 x 210 RPVC 15022



200 x 300 SAV 11442
200 x 300 RPVC 11443
400 x 600 SAV 11444
400 x 600 RPVC 11445



300 x 100 SAV 11396
300 x 100 RPVC 11397
600 x 200 SAV 11398
600 x 200 RPVC 11399




200 x 50 PVC 5001




100 x 100 SAV 11316
100 x 100 RPVC 11317
200 x 200 SAV 11318
200 x 200 RPVC 11319



50mm dia. SAV 0040
100mm dia. SAV 0041



100 x 100 PVC 0027



300 x 100 PVC 0008



300 x 100 PVC 0025



300 x 100 SAV 11400
300 x 100 RPVC 11401
600 x 200 SAV 11402
600 x 200 RPVC 11403



200 x 300 PVC 0005



200 x 300 SAV 11446
200 x 300 RPVC 11447
400 x 600 SAV 11448
400 x 600 RPVC 11449



300 x 100 SAV 11404
300 x 100 RPVC 11405
600 x 200 SAV 11406
600 x 200 RPVC 11407




200 x 50 PVC 5016



100 x 100 SAV 11320
100 x 100 RPVC 11321
200 x 200 SAV 11322
200 x 200 RPVC 11323




50mm dia. SAV 0042
100mm dia. SAV 0043



100 x 100 PVC 0028



300 x 100 PVC 0026



300 x 100 PVC 0006



Are your symbols correct?

Contact us today to find out if your current signs are in line with legislation.



200 x 300 SAV 11438
200 x 300 RPVC 11439
400 x 600 SAV 11440
400 x 600 RPVC 11441



200 x 300 SAV 11430
200 x 300 RPVC 11431
400 x 600 SAV 11432
400 x 600 RPVC 11433



300 x 100 SAV 11388
300 x 100 RPVC 11389
600 x 200 SAV 11390
600 x 200 RPVC 11391



200 x 50 PVC 5002



200 x 300 PVC 0010



200 x 300 PVC 0013



200 x 300 RPVC 15040



200 x 300 RPVC 15041



200 x 300 RPVC 15042



200 x 300 PVC 0009



200 x 300 PVC 0012



400 x 600 PVC 4007



200 x 300 SAV 14394
200 x 300 RPVC 13964
400 x 600 RPVC 14820



200 x 300 SAV 14276
200 x 300 RPVC 14277
200 x 300 PVC 0022



600 x 200 RPVC 12373



300 x 100 SAV 14295
600 x 200 RPVC 14304



300 x 100 SAV 11688
300 x 100 RPVC 11689
600 x 200 RPVC 14395



200 x 300 SAV 11434
200 x 300 RPVC 11435
400 x 600 SAV 11436
400 x 600 RPVC 11437



200 x 300 PVC 0023



200 x 50 PVC 5000



300 x 100 SAV 11392
300 x 100 RPVC 11393
600 x 200 SAV 11394
600 x 200 RPVC 11395



300 x 100 SAV 11380
300 x 100 RPVC 11381
600 x 200 SAV 11382
600 x 200 RPVC 11383



200 x 300 SAV 11422
200 x 300 RPVC 11423
400 x 600 SAV 11424
400 x 600 RPVC 11425



200 x 300 PVC 0014



200 x 300 PVC 0003



300 x 100 PVC 0004



50mm dia. SAV 0044
100mm dia. SAV 0045



200 x 300 PVC 0015



210 x 297 SAV 17376

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
CRX	Lightweight Corrugated Plastic

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

10 PACK This image means this signs comes in a multiple pack of 10.

Multi-Message



600 x 450 RPVC 13976



600 x 450 CRX 12477



600 x 400 RPVC 13952
600 x 400 PVC 4001



300 x 200 PVC 0024
600 x 400 PVC 4009



600 x 400 PVC 4020

Machinery



200 x 300 PVC 0350




200 x 300 PVC 0100




200 x 300 PVC 0103




200 x 300 PVC 0102



200 x 300 PVC 0105



300 x 100 PVC 0351




300 x 100 PVC 0101



300 x 100 PVC 0104



300 x 100 PVC 0501



300 x 100 PVC 0500




200 x 50 PVC 5010



200 x 50 PVC 5003



100 x 100 SAV 11352
100 x 100 RPVC 11353
150 x 150 SAV 11354
150 x 150 RPVC 11355



300 x 200 PVC 0107






200 x 300 PVC 0352




200 x 300 PVC 0108



200 x 300 PVC 0106



200 x 300 PVC 0457



100 x 100 SAV 14880

FIND OUR FULL RANGE OF PHOTOLUMINESCENT SIGNS FROM PAGE 76

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PHS	Flexible Photoluminescent Vinyl
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)
SAA	Satin Anodised Aluminium
SSS	1.2mm Satin Stainless Steel

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

THE SIZE INDICATED BELOW THE SIGN IS THE FINAL SIZE OF THE INDIVIDUAL SIGN ONCE IT HAS BEEN CUT OUT OF THE SHEET.

CROP MARKS ARE INCLUDED FOR EASY CUTTING AND SEPARATION.

Fire Door Strips and Discs

These self adhesive signs are slim enough for use on the door jamb, providing an effective and timely reminder that the door should be kept closed as a precaution against the spread of fire.









34 x 450 PVC 0300
34 x 450 SAV 0303

0301
0304

0302
0305

Industry standard metal door sign discs, complete with screws.

SAA - Satin Anodised Aluminium
SSS - Satin Stainless Steel



75mm dia. SAA 2439-0
75mm dia. SSS 2439-2



75mm dia. SAA 2441-0
75mm dia. SSS 2441-2





75mm dia. SAA 2444-0
75mm dia. SSS 2444-2

Fire Action and First Aid Procedure



200 x 300 SAV 13842
200 x 300 RPVC 13843
200 x 300 PVC 0174
200 x 300 PHS 17145
200 x 300 PHO 0201



200 x 300 SAV 13840
200 x 300 RPVC 13841
200 x 300 PVC 0175
200 x 300 PHS 17140
200 x 300 PHO 0202



200 x 300 SAV 11508
200 x 300 RPVC 11509



200 x 300 PVC 0178



200 x 300 SAV 14305
200 x 300 RPVC 14306



250 x 300 SAV 15050
250 x 300 RPVC 15051




148 x 210 RPVC 17365
148 x 210 SAV 17339




200 x 300 SAV 11506
200 x 300 RPVC 11507
200 x 300 PVC 0165
200 x 300 PHS 17144
200 x 300 PHO 0200



200 x 300 SAV 11462
200 x 300 RPVC 11463
400 x 600 SAV 11464
400 x 600 RPVC 11465
200 x 300 PHS 17141
200 x 300 PHO 12434



200 x 300 SAV 11466
200 x 300 RPVC 11467



200 x 300 SAV 11468
200 x 300 RPVC 11469




200 x 300 PVC 0166



300 x 200 PVC 0171

Staff Fire Action
(English and Portuguese)



300 x 200 PVC 0170

Staff Fire Action
(English and Portuguese)



Fire Door and Access




300 x 100 PVC 0258



300 x 100 PVC 0256



150 x 200 PVC 0161



150 x 200 PVC 0164



150 x 200 PVC 0266



200 x 50 PVC 5007



200 x 50 PVC 5006



300 x 100 SAV 11308
300 x 100 RPVC 11309
600 x 200 SAV 11310
600 x 200 RPVC 11311



300 x 100 SAV 11360
300 x 100 RPVC 11361
600 x 200 SAV 11362
600 x 200 RPVC 11363



300 x 100 SAV 11364
300 x 100 RPVC 11365



200 x 300 PVC 0257



200 x 300 SAV 14410
200 x 300 RPVC 13963
200 x 300 PVC 0255
400 x 600 PVC 4003



600 x 450 SAV 11452
600 x 450 RPVC 11453



200 x 300 PVC 0163



200 x 300 PVC 0268



150 x 200 SAV 13969
200 x 300 SAV 11414
200 x 300 RPVC 11415
200 x 300 PVC 0253
400 x 600 SAV 11416
400 x 600 RPVC 11417



297 x 420 RPVC 15024



100 x 100 SAV 11344
100 x 100 RPVC 11345
150 x 150 SAV 11346
150 x 150 RPVC 11347



100 x 100 SAV 11348
100 x 100 RPVC 11349
150 x 150 SAV 11350
150 x 150 RPVC 11351
100 x 100 PHS 17137
100 x 100 PHO 17138



100 x 100 SAV 12574
100 x 100 RPVC 14256
150 x 150 SAV 11510
150 x 150 RPVC 11511
200 x 200 SAV 11512
200 x 200 RPVC 11513
300 x 300 SAV 11514
300 x 300 RPVC 11515



100 x 100 PVC 0262




100 x 100 PVC 0270




100 x 100 PVC 0176



100 x 100 PVC 0160




100 x 100 PVC 0356



150 x 200 PVC 0261



300 x 100 PVC 0254



150 x 200 PVC 0159



200 x 300 SAV 11418
200 x 300 RPVC 11419
200 x 300 PVC 0158
400 x 600 SAV 11420
400 x 600 RPVC 11421



150 x 200 PVC 0355



200 x 50 PVC 5012



400 x 150 SAV 14975
400 x 150 RPVC 15046




200 x 50 PVC 5008



300 x 100 SAV 11300
300 x 100 RPVC 11301
600 x 200 SAV 11302
600 x 200 RPVC 11303



300 x 100 SAV 11304
300 x 100 RPVC 11305
600 x 200 SAV 11306
600 x 200 RPVC 11307



150 x 200 PVC 0354



150 x 200 PVC 0265



150 x 200 PVC 0152




150 x 200 PVC 0259



200 x 50 PVC 5004



150 x 200 PVC 0150



150 x 200 PVC 0156



300 x 100 SAV 11312
300 x 100 RPVC 11313
600 x 200 SAV 11314
600 x 200 RPVC 11315




200 x 50 PVC 5011



200 x 50 PVC 5009



200 x 50 PVC 5005



100 x 100 PVC 0269



100 x 100 PVC 0260




100 x 100 PVC 0155



200 x 300 PVC 0353




100 x 100 PVC 0153



100 x 100 PVC 0264



100 x 100 PVC 0151



100 x 100 PVC 0157



100 x 100 SAV 11332
100 x 100 RPVC 11333
150 x 150 SAV 11334
150 x 150 RPVC 11335
100 x 100 PHS 17131
100 x 100 PHO 17132



100 x 100 SAV 11328
100 x 100 RPVC 11329
150 x 150 SAV 11330
150 x 150 RPVC 11331
100 x 100 PHS 17133
100 x 100 PHO 17134



70 x 70
10 pack PVC 0173P10
20 pack PVC 0173P20



100 x 100
10 pack SAV 0153V10
20 pack SAV 0153V20
10 pack PVC 0153P10
20 pack PVC 0153P20



70 x 70
10 pack PVC 0172P10
20 pack PVC 0172P20



100 x 100
10 pack SAV 0151V10
20 pack SAV 0151V20
10 pack PVC 0151P10
20 pack PVC 0151P20



100 x 100 SAV 11324
100 x 100 RPVC 11325
150 x 150 SAV 11326
150 x 150 RPVC 11327
100 x 100 PHS 17130
100 x 100 PHO 0220



100 x 100 SAV 14396
100 x 100 RPVC 14397



100 x 100 SAV 11336
100 x 100 RPVC 11337
150 x 150 SAV 11338
150 x 150 RPVC 11339
100 x 100 PHS 17128
100 x 100 PHO 17129



100 x 100 SAV 11340
100 x 100 RPVC 11341
150 x 150 SAV 11342
150 x 150 RPVC 11343
100 x 100 PHS 17135
100 x 100 PHO 17136

FIND OUR FULL RANGE OF PHOTOLUMINESCENT SIGNS FROM PAGE 76

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PHS	Flexible Photoluminescent Vinyl
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

THE SIZE INDICATED BELOW THE SIGN IS THE FINAL SIZE OF THE INDIVIDUAL SIGN ONCE IT HAS BEEN CUT OUT OF THE SHEET.

CROP MARKS ARE INCLUDED FOR EASY CUTTING AND SEPARATION.

General Mandatory



200 x 300 PVC 0018



200 x 300 PVC 0031



200 x 300 PVC 0167



200 x 300 PVC 0169



200 x 300 SAV 14197
200 x 300 RPVC 14198



297 x 420 RPVC 15055




297 x 420 RPVC 15030



200 x 300 PVC 0250



400 x 600 PVC 1693



200 x 300 PVC 0251
400 x 600 PVC 4002



300 x 200 SAV 14411
300 x 200 RPVC 14412
300 x 200 PVC 0032



300 x 200 SAV 14413
300 x 200 RPVC 14414
600 x 450 SAV 11460
600 x 450 RPVC 11461



600 x 450 SAV 11458
600 x 450 RPVC 11459
600 x 450 CRX 12476




600 x 200 RPVC 12385



300 x 100 SAV 14299
600 x 200 RPVC 14300




300 x 200 PVC 0168



300 x 200 PVC 0019



300 x 200 PVC 0033



300 x 200 PVC 0034



IN THE KNOW

Regulations require employers to ensure that safety signs are provided (or are in place) and maintained in circumstances where there is a significant risk to health and safety that has not been removed or controlled by other methods. This is only appropriate where use of a sign can further reduce the risk.



NEED A SITE SURVEY?

A SITE SURVEY IS ADVISABLE IF YOU ARE UNSURE OF YOUR LEGAL OBLIGATIONS OR HAVE BEEN NOTIFIED BY A REGULATORY BODY THAT YOUR CURRENT SIGNAGE IS NOT ADEQUATE.

TO FIND OUT HOW SITE SURVEYS CAN HELP YOUR BUSINESS PLEASE CONTACT OUR SALES TEAM.

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
CRX	Lightweight Corrugated Plastic

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

THE SIZE INDICATED BELOW THE SIGN IS THE FINAL SIZE OF THE INDIVIDUAL SIGN ONCE IT HAS BEEN CUT OUT OF THE SHEET.

CROP MARKS ARE INCLUDED FOR EASY CUTTING AND SEPARATION.

Food Preparation



100 x 150 SAV 11500
100 x 150 RPVC 11501
200 x 300 SAV 14904



100 x 150 SAV 11502
100 x 150 RPVC 11503




200 x 300 SAV 11494
200 x 300 RPVC 11495



200 x 300 PVC 0416




200 x 300 PVC 0415




200 x 300 PVC 1680



200 x 300 PVC 0459



200 x 300 PVC 1681



200 x 300 PVC 1682




200 x 300 PVC 0458



300 x 200 PVC 0414



300 x 200 PVC 0411



300 x 200 PVC 0420



300 x 200 PVC 0419



300 x 200 PVC 0407



300 x 100 PVC 0452



300 x 100 PVC 0455



300 x 100 PVC 0454



300 x 100 PVC 0453



300 x 100 PVC 0402



300 x 100 SAV 11490
300 x 100 RPVC 11491



300 x 100 SAV 11492
300 x 100 RPVC 11493



200 x 100 SAV 11496
200 x 100 RPVC 11497



200 x 50 PVC 5013



300 x 100 SAV 11376
300 x 100 RPVC 11377
600 x 200 SAV 11378
600 x 200 RPVC 11379



200 x 300 PVC 0400



200 x 300 SAV 11368
200 x 300 RPVC 11369
400 x 600 SAV 11370
400 x 600 RPVC 11371



200 x 300 SAV 11372
200 x 300 RPVC 11373
400 x 600 SAV 11374
400 x 600 RPVC 11375



200 x 300 PVC 0401



200 x 300 PVC 1330




300 x 100 SAV 11356
300 x 100 RPVC 11357
600 x 200 SAV 11358
600 x 200 RPVC 11359



200 x 300 PVC 0460



200 x 300 PVC 0503



200 x 300 PVC 0029



200 x 300 PVC 0030

Hygiene



200 x 300 PVC 0406



200 x 300 PVC 0409



200 x 300 SAV 11478
200 x 300 RPVC 11479



200 x 300 SAV 11470
200 x 300 RPVC 11471



200 x 300 PVC 0451



200 x 300 SAV 11504
200 x 300 RPVC 11505



300 x 200 PVC 0408



300 x 200 PVC 0421



300 x 100 PVC 0404



300 x 100 SAV 11480
300 x 100 RPVC 11481
600 x 200 SAV 11484
600 x 200 RPVC 11485



200 x 50 PVC 5014



200 x 300 SAV 14965
200 x 300 RPVC 14966



200 x 300 SAV 11486
200 x 300 RPVC 11487



200 x 300 SAV 11472
200 x 300 RPVC 11473



200 x 300 SAV 11482
200 x 300 RPVC 11483
200 x 300 PVC 0403



200 x 300 PVC 0417



200 x 300 PVC 0405



200 x 300 SAV 14928
200 x 300 RPVC 14929



200 x 300 SAV 11488
200 x 300 RPVC 11489



200 x 300 SAV 14967
200 x 300 RPVC 14968



200 x 300 SAV 14963
200 x 300 RPVC 14964



200 x 300 SAV 11476
200 x 300 RPVC 11477



200 x 300 SAV 11474
200 x 300 RPVC 11475



300 x 200 PVC 0413



300 x 100 PVC 0450



300 x 200 PVC 0410



Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC

KEY

2
6

The number seen in a black circle in the top right corner of any sign indicates the number of signs per sheet.

10 PACK

This image means this signs comes in a multiple pack of 10.


Hand Sanitiser Boards


Encourage staff, customers and visitors to sanitiser their hands. These wall mounted hand sanitising stations offer a visual reminder to wash / sanitise hands and also give guidance on best practice for hand sanitising techniques. Designed to hold sanitising Gel dispensers, our stations can be supplied as the board only or with either automatic or manual dispensers.



Available in two different colours. All 300 x 400mm boards come complete with wall fixings.

Board Only







Manual Dispenser








Automatic Dispenser







	Design 1		Design 2		Design 3	
	Blue	Turquoise	Blue	Turquoise	Blue	Turquoise
Board	HSB01B	HSB01T	HSB02B	HSB02T	HSB03B	HSB03T
Manual	HSB01B-MD	HSB01T-MD	HSB02B-MD	HSB02T-MD	HSB03B-MD	HSB03T-MD
Automatic	HSB01B-AD	HSB01T-AD	HSB02B-AD	HSB02T-AD	HSB03B-AD	HSB03T-AD

Barrier Cream Boards




Description	Colour	Size	Code
Manual	Blue	300 x 400	HSB04B-MD
Manual	Turquoise	300 x 400	HSB04T-MD



Description	Colour	Size	Code
Manual	Blue	300 x 400	HSB05B-MD
Manual	Turquoise	300 x 400	HSB05T-MD






We can make bespoke hygiene boards to your specific requirements – simply provide us with details of what you need and we can take it from there!

- Choose **your** size
- Choose **your** material
- Choose **your** colours
- Choose **your** logo

If you have any special requirements such as a drywipe finish, leaflet distribution or to mount specific equipment, speak to us and we will be able to help.





Clever ways to organise your waste

A cost effective way to get your message across



FIND OUR FLOOR GRAPHICS ON PAGE 108



No Smoking and Prohibition

Smoking Prohibition 46
Electronic Cigarettes 47
Desk Signs 47
Smoking Permitted 48
Restricted Access 48
Mobile Phone 50
Machine Safety 50
Parking 51
General 51

NO SMOKING AND PROHIBITION

What are they

Prohibition signs indicate a course of action which is forbidden. These include signs that can indicate an action to be prevented (no smoking or no mobile phones), or the prohibition of movement such as no entry.

Defining characteristics

A red circular band with a white border and a red crossbar angled across it. A black symbol should be placed centrally with the red crossbar in front of the symbol to indicate that the action is prohibited. Any supplementary text should be in white on a red background.

When to use them

Prohibition signs should fixed on or near the relevant area to which the message refers, or in a position of entry to an area to which the message pertains.

ARE YOUR ISO SYMBOLS CORRECT?

As of January 2013 BS EN ISO 7010 came into effect and many safety sign symbols were updated.

Are yours up to date?



Prohibition Icons





Smoking Prohibition



100 x 150	SAV	0569
100 x 150	CLG	0570
148 x 210	RPVC	11926
148 x 210	SAV	14973
200 x 300	PVC	0550
200 x 300	SAV	14974
400 x 600	PVC	4050



100 x 150	SAV	11808
100 x 150	RPVC	11809
200 x 300	SAV	11810
200 x 300	RPVC	11811
400 x 600	SAV	11812
400 x 600	RPVC	11813



100 x 150	PVC	0552



200 x 300	PVC	0554
200 x 300	CLG	0572



148 x 210	SAV	15026



200 x 300	SAV	11828
200 x 300	RPVC	11829
400 x 600	SAV	11830
400 x 600	RPVC	11831



200 x 50	PVC	5050



150 x 50	SAV	11800
150 x 50	RPVC	11801
300 x 100	SAV	11802
300 x 100	RPVC	11803
600 x 200	SAV	11804
600 x 200	RPVC	11805



300 x 100	SAV	11883
300 x 100	RPVC	11884
600 x 200	SAV	11885
600 x 200	RPVC	11886



300 x 100	SAV	11887
300 x 100	RPVC	11888
600 x 200	SAV	11889
600 x 200	RPVC	11890



300 x 100	SAV	11846
300 x 100	RPVC	11847
600 x 200	SAV	11848
600 x 200	RPVC	11849



100 x 100	PVC	0553



150 x 200	PVC	0551



148 x 210 D/S	SAV	11923



100 x 150 D/S	SAV	13341



100 x 150 D/S	SAV	13340



148 x 210	SAV	11860
148 x 210	RPVC	11861



148 x 210	SAV	14302
148 x 210	RPVC	14769



200 x 300	SAV	11686
200 x 300	RPVC	11687



148 x 210	SAV	11854
148 x 210	RPVC	11855



148 x 210	SAV	0573
148 x 210	RPVC	14272
148 x 210	CLG	0574
200 x 300	PVC	0567
200 x 300	CLG	0575
200 x 300	RPVC	14270
200 x 300	SAV	14271



200 x 300	PVC	0568



200 x 300	PVC	0561



160 x 230	SAV	11864
160 x 230	RPVC	11865



200 x 300	PVC	0564
200 x 300	CLG	0576



100 x 150	SAV	0566
100 x 150	CLG	0577



150 x 200	PVC	0559



150 x 200	PVC	0560



200 x 300	PVC	0578
200 x 300	CLG	0579



148 x 210	SAV	11877
148 x 210	RPVC	11878



148 x 210	SAV	11862
148 x 210	RPVC	11863



148 x 210 SAV 12561



200 x 300 SAV 11816
200 x 300 RPVC 11817
400 x 600 SAV 11818
400 x 600 RPVC 11819



200 x 300 SAV 11832
200 x 300 RPVC 11833
400 x 600 SAV 11834
400 x 600 RPVC 11835



200 x 300 SAV 13318
200 x 300 RPVC 13319
400 x 600 SAV 13320
400 x 600 RPVC 13321



200 x 300 PVC 0555



200 x 300 SAV 11814
200 x 300 RPVC 11815



300 x 100 SAV 11824
300 x 100 RPVC 11825
600 x 200 SAV 11826
600 x 200 RPVC 11827



300 x 100 SAV 11850
300 x 100 RPVC 11851
600 x 200 SAV 11852
600 x 200 RPVC 11853



300 x 100 SAV 13316
300 x 100 RPVC 13317



300 x 100 SAV 11820
300 x 100 RPVC 11821
600 x 200 SAV 11822
600 x 200 RPVC 11823



300 x 100 SAV 11806
300 x 100 RPVC 11807



200 x 300 PVC 0558
200 x 300 CLG 0571



100 x 100 PVC 4723
100 x 100 SAV 11840
100 x 100 RPVC 11841
200 x 200 SAV 11842
200 x 200 RPVC 11843
400 x 400 SAV 11844
400 x 400 RPVC 11845



50 dia. SAV 0581
75 dia. SAV 11876
85 dia. D/S SAV 11925
100 dia. SAV 0582



150 x 50 SAV 14290



80 x 80 CLG 0553CLG



100 x 100 SAV
0553SAVV10

Desk Signs





50 x 50 RPVC SGN06P



150 x 50 RPVC SGN08P



150 x 50 RPVC SGN07P

Electronic Cigarettes



148 x 210 SAV 14809
148 x 210 RPVC 14810
200 x 300 SAV 14811
200 x 300 RPVC 14812
200 x 300 PVC 14813



200 x 300 SAV 14814
200 x 300 RPVC 14815
200 x 300 PVC 14816



300 x 200 SAV 14817
300 x 200 RPVC 14818
300 x 200 PVC 14819



Are your symbols correct?
Contact us today to find out if your current signs are in line with legislation.

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
CLG	Window Cling Vinyl

KEY



The number seen in a black circle indicates the number of signs per sheet.



This image means this signs comes in a multiple pack of 10.

This image means this signs is double sided.

KEY

Smoking Permitted



200 x 300 PVC 1631



200 x 300 PVC 1630




300 x 200 SAV 11917
300 x 200 RPVC 11918



300 x 200 SAV 11919
300 x 200 RPVC 11920



300 x 200 PVC 1632
400 x 300 RPVC 14976



200 x 50 PVC 5214



300 x 100 SAV 11901
300 x 100 RPVC 11902



300 x 100 SAV 11911
300 x 100 RPVC 11912



300 x 100 SAV 11907
300 x 100 RPVC 11908



300 x 100 SAV 11899
300 x 100 RPVC 11900



300 x 100 SAV 11903
300 x 100 RPVC 11904



300 x 100 SAV 11909
300 x 100 RPVC 11910



148 x 210 SAV 15037
148 x 210 RPVC 15038



Restricted Access



200 x 300 PVC 0600



200 x 300 SAV 11630
200 x 300 RPVC 11631
400 x 600 SAV 11632
400 x 600 RPVC 11633



148 x 210 RPVC 11928
200 x 300 SAV 13862
200 x 300 RPVC 13863
400 x 600 SAV 13864
400 x 600 RPVC 13865



200 x 300 SAV 13330
200 x 300 RPVC 13331
400 x 600 SAV 13332
400 x 600 RPVC 13333



200 x 300 PVC 0602



200 x 300 SAV 14389
400 x 600 RPVC 14390



300 x 100 PVC 0601



300 x 100 SAV 11668
300 x 100 RPVC 11669
600 x 200 SAV 11670
600 x 200 RPVC 11671



200 x 50 PVC 5052



200 x 50 PVC 5053



300 x 100 PVC 0603



300 x 100 SAV 11666
300 x 100 RPVC 11667
600 x 200 SAV 13977
600 x 200 RPVC 13978





200 x 300	SAV	11600
200 x 300	RPVC	11601
400 x 600	SAV	11602
400 x 600	RPVC	11603



200 x 300	PVC	0608



200 x 300	SAV	11634
200 x 300	RPVC	11635



200 x 300	SAV	11612
200 x 300	RPVC	11613
400 x 600	SAV	11614
400 x 600	RPVC	11615



200 x 300	SAV	11616
200 x 300	RPVC	11617
400 x 600	SAV	11618
400 x 600	RPVC	11619



148 x 210	RPVC	11927
200 x 300	PVC	0613



300 x 100	PVC	0609



300 x 100	PVC	0610



300 x 100	PVC	0611



300 x 100	SAV	11658
300 x 100	RPVC	11659
600 x 200	SAV	11660
600 x 200	RPVC	11661



200 x 50	PVC	5054



200 x 50	PVC	5055



300 x 100	SAV	11650
300 x 100	RPVC	11651
600 x 200	SAV	11652
600 x 200	RPVC	11653



600 x 200	RPVC	12571



300 x 100	SAV	11654
300 x 100	RPVC	11655
600 x 200	SAV	11656
600 x 200	RPVC	11657



400 x 600	PVC	4052



200 x 300	PVC	0622
400 x 600	PVC	4053



200 x 300	SAV	11604
200 x 300	RPVC	11605
200 x 300	CRX	12481
400 x 600	SAV	11606
400 x 600	RPVC	11607



297 x 420	RPVC	15034



200 x 300	SAV	11608
200 x 300	RPVC	11609
400 x 600	SAV	11610
400 x 600	RPVC	11611



200 x 300	PVC	0619



200 x 300	PVC	0618
400 x 600	PVC	4055



400 x 600	CRX	12480
400 x 600	RPVC	13949



200 x 300	PVC	0606



400 x 600	RPVC	13950



148 x 210	SAV	15047



100 x 100	SAV	11620
100 x 100	RPVC	11621
200 x 200	SAV	11622
200 x 200	RPVC	11623
400 x 400	SAV	11624
400 x 400	RPVC	11625




600 x 400	PVC	4054



600 x 450	SAV	11682
600 x 450	RPVC	11683



600 x 450	SAV	13336
600 x 450	RPVC	13337



200 x 300	PVC	1658
400 x 600	PVC	4253



Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
CRX	Lightweight Corrugated Plastic

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

THE SIZE INDICATED BELOW THE SIGN IS THE FINAL SIZE OF THE INDIVIDUAL SIGN ONCE IT HAS BEEN CUT OUT OF THE SHEET.

CROP MARKS ARE INCLUDED FOR EASY CUTTING AND SEPARATION.

Mobile Phone



200 x 300 PVC 0616



200 x 300 PVC 0617



100 x 100 SAV 17229
100 x 100 PVC 4724



150 x 100 SAV 17228



300 x 200 PVC 0615



50 dia. SAV 0583
100 dia. SAV 0584



200 x 50 SAV 17227



200 x 50 PVC 5058



300 x 100 SAV 11646
300 x 100 RPVC 11647
300 x 200 SAV 11648
300 x 200 RPVC 11649
600 x 200 SAV 13860
600 x 200 RPVC 13861



200 x 50 SAV 17226

Find our full range of Mandatory Safety Signs from page 30



Machine Safety



300 x 100 SAV 14385
300 x 100 RPVC 14386



200 x 300 SAV 11672
200 x 300 RPVC 11673



200 x 300 SAV 11640
200 x 300 RPVC 11641
400 x 600 SAV 14215
400 x 600 RPVC 14216



200 x 300 PVC 0650



300 x 100 PVC 0703



300 x 100 PVC 0701



300 x 200 SAV 13985
300 x 200 RPVC 13986
300 x 200 PVC 0709



50 dia. SAV 0585
100 dia. SAV 0586



148 x 210 SAV 15025




200 x 250 RPVC 15031



200 x 300 PVC 0700



300 x 100 PVC 0702



150 x 200 PVC 0705

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PYC	2mm Vandal Resistant Polycarbonate
CLG	Window Cling Vinyl

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

KEY

10
PA
2
PACK

This image means this signs comes in a multiple pack.

Parking



200 x 300 PVC 0620



200 x 300 PVC 0605
400 x 600 PVC 4051



200 x 300 SAV 11626
200 x 300 RPVC 11627
400 x 600 SAV 11628
400 x 600 RPVC 11629



200 x 300 PVC 0621



200 x 50 PVC 5056



300 x 100 SAV 11662
300 x 100 RPVC 11663
600 x 200 SAV 11664
600 x 200 RPVC 11665



600 X 450 RPVC 15036

Custom Design
by **Spectrum** Services

OUR SIGN MANUFACTURING TEAM HAVE MANY YEARS OF EXPERIENCE DESIGNING, PRODUCING AND INSTALLING SIGNAGE.

Our sign manufacturing team have many years of experience designing, producing and installing safety signs and stencils worldwide. From the smallest one -off vinyl sign to large hoarding boards and larger print runs of many thousands, we can be depended upon to provide a fast and efficient service.

If you have a specific requirement for your signs, we can work closely with you to provide a design service or alternatively you can send us your own artwork. The diversity of our production facilities is second to none, why not give us a call and see how we can help you.

General





200 x 300 SAV 14392
200 x 300 RPVC 14393
200 x 300 PVC 0607
400 x 600 PVC 14391



200 x 300 PVC 0708



200 x 300 SAV 14969
200 x 300 RPVC 14970



200 x 300 SAV 14971
200 x 300 RPVC 14972



200 x 300 PVC 0614



200 x 300 SAV 11642
200 x 300 RPVC 11643
400 x 600 SAV 11644
400 x 600 RPVC 11645



200 x 300 PVC 0604



200 x 300 SAV 11638
200 x 300 RPVC 11639



200 x 300 SAV 13334
200 x 300 RPVC 13335



200 x 300 PVC 0416



200 x 300 PVC 3503



300 x 100 PVC 0652



600 x 450 SAV 13338
600 x 450 RPVC 13339



150 x 200 CLG 0612



200 x 300 SAV 11636
200 x 300 RPVC 11637



200 x 300 PYC 3506



200 x 300 PVC 0556



150 x 75 SAV 11676
150 x 75 RPVC 11677
300 x 100 SAV 11678
300 x 100 RPVC 11679
600 x 200 SAV 11680
600 x 200 RPVC 11681



200 x 50 PVC 5051



200 x 50 PVC 5057



100 x 100 PVC 4725



50 dia. SAV 0587
100 dia. SAV 0588



50 dia. SAV 0589
100 dia. SAV 0590



Hazard Warning

Electrical Safety	*54*
Chemical Safety	*56*
Flammable and Gaseous	*57*
Access and Situational Awareness	*58*
CCTV Security	*60*
Temperature	*61*
Noise	*61*
Asbestos	*61*
Hospital and Radiology	*62*
Cleaning	*62*
Parking	*62*
Agricultural	*63*
Multi-Message	*64*
Lorry Halt	*65*

HAZARD WARNING

What are they

A Hazard Warning sign is used to inform of a nearby hazard which could pose a risk to health or wellbeing. These include signs warning of electrical threats, flammable materials or wet floors that pose a risk of slipping.

Defining characteristics

A yellow triangle with a black border and a suitable symbol placed centrally on the triangle. The symbol should be in black, and any supplementary text should be in black on a yellow background. There should be a white border around the triangle.

When to use them

A Hazard safety sign should be used to warn of a hazard to health or wellbeing if that hazard cannot be controlled by any other means. The sign should be placed in a visible location on or near the hazard, or in a position of entry to an area to which the hazard is located.

Things to consider

Provision must be made to minimise any risk within the workplace, and the use of a safety sign should not be used as the sole factor in reducing this risk. For example, if there is a risk of falling then physical modifications should be put in place to prevent this occurring in addition the use of a safety sign to warn of this hazard.

ARE YOUR ISO SYMBOLS CORRECT?


As of January 2013 BS EN ISO 7010 came into effect and many safety sign symbols were updated.

Are yours up to date?



Hazard Icons






Electrical Safety



200 x 300 PVC 0766




100 x 150 PVC 0768




200 x 300 PVC 0788




200 x 300 SAV 14423
200 x 300 RPVC 14424
400 x 600 SAV 14425
400 x 600 RPVC 14426




100 x 150 PVC 0790




100 x 100 PVC 0803




150 x 200 PVC 0767




150 x 200 PVC 0789



150 x 200 PVC 0770



150 x 200 PVC 0792




150 x 200 PVC 0773



200 x 300 PVC 0769



200 x 300 SAV 11001
200 x 300 RPVC 11002
400 x 600 SAV 11003
400 x 600 RPVC 11004




100 x 150 PVC 0771



200 x 300 PVC 0791



200 x 300 SAV 14427
200 x 300 RPVC 14428
400 x 600 SAV 14429
400 x 600 RPVC 14430



100 x 150 PVC 0793



300 x 100 SAV 14415
300 x 100 RPVC 14416



300 x 100 SAV 11061
300 x 100 RPVC 11062



300 x 100 SAV 14419
300 x 100 RPVC 14420
600 x 200 SAV 14421
600 x 200 RPVC 14422



300 x 100 SAV 11065
300 x 100 RPVC 11066
600 x 200 SAV 11067
600 x 200 RPVC 11068




300 x 100 SAV 11069
300 x 100 RPVC 11070



200 x 300 PVC 0772



200 x 300 SAV 11005
200 x 300 RPVC 11006
400 x 600 SAV 11007
400 x 600 RPVC 11008




100 x 150 PVC 0774




200 x 300 PVC 0775




200 x 300 SAV 11009
200 x 300 RPVC 11010
400 x 600 SAV 11011
400 x 600 RPVC 11012



100 x 150 PVC 0777



100 x 150 PVC 0780



100 x 150 PVC 0783



200 x 300 PVC 0781



200 x 300 RPVC 13999



200 x 300 PVC 1153



200 x 300 PVC 0786

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

THE SIZE INDICATED BELOW THE SIGN IS THE FINAL SIZE OF THE INDIVIDUAL SIGN ONCE IT HAS BEEN CUT OUT OF THE SHEET.




100 x 100	SAV	11021
100 x 100	RPVC	11022
200 x 200	SAV	11023
200 x 200	RPVC	11024
400 x 400	SAV	11025
400 x 400	RPVC	11026



200 x 300	SAV	14431
200 x 300	RPVC	14432
200 x 300	PVC	0753



100 x 150	PVC	0755



100 x 150	PVC	0752




200 x 300	PVC	0750




200 x 300	SAV	11013
200 x 300	RPVC	11014
400 x 600	SAV	11015
400 x 600	RPVC	11016




150 x 200	PVC	0754



150 x 200	PVC	0782



150 x 200	PVC	0762



150 x 200	PVC	0757



150 x 200	PVC	0751



200 x 50	PVC	5101



300 x 100	SAV	11085
300 x 100	RPVC	11086
600 x 200	SAV	11087
600 x 200	RPVC	11088



300 x 100	SAV	11089
300 x 100	RPVC	11090
600 x 200	SAV	11091
600 x 200	RPVC	11092




300 x 100	SAV	11073
300 x 100	RPVC	11074



200 x 50	PVC	5100



200 x 300	PVC	0761
297 x 420	RPVC	15028



100 x 150	PVC	0763



200 x 300	SAV	11029
200 x 300	RPVC	11030



200 x 300	SAV	11031
200 x 300	RPVC	11032
400 x 600	SAV	11033
400 x 600	RPVC	11034



200 x 300	SAV	11017
200 x 300	RPVC	11018
400 x 600	SAV	11019
400 x 600	RPVC	11020



200 x 300	PVC	0756



200 x 300	SAV	11027
200 x 300	RPVC	11028



200 x 300	PVC	0784




200 x 300	SAV	11035
200 x 300	RPVC	11036
400 x 600	SAV	11037
400 x 600	RPVC	11038



200 x 300	PVC	0764



200 x 300	PVC	0758



100 x 150	PVC	0760



300 x 100	SAV	11081
300 x 100	RPVC	11082
600 x 200	SAV	11083
600 x 200	RPVC	11084



300 x 100	SAV	11077
300 x 100	RPVC	11078



600 x 200	RPVC	12564




300 x 100	SAV	11093
300 x 100	RPVC	11094



600 x 200	RPVC	12563






150 x 200	PVC	0765



150 x 200	PVC	0759



600 x 450	SAV	11129
600 x 450	RPVC	11130

Chemical Safety



200 x 300 SAV 11169
200 x 300 RPVC 11170



200 x 300 SAV 11167
200 x 300 RPVC 11168



200 x 300 SAV 11165
200 x 300 RPVC 11166



200 x 300 SAV 11171
200 x 300 RPVC 11172



200 x 300 PVC 0871



200 x 300 PVC 0858



200 x 300 PVC 0861



200 x 300 PVC 0859



200 x 300 PVC 0860



200 x 300 PVC 0856



200 x 300 PVC 0853



200 x 300 PVC 0865



200 x 300 PVC 0854



148 x 210 RPVC 15018



200 x 300 PVC 0866



200 x 300 SAV 11145
200 x 300 RPVC 11146
400 x 600 SAV 11147
400 x 600 RPVC 11148



100 x 150 PVC 0868



100 x 150 PVC 0864




150 x 200 PVC 0855




150 x 200 PVC 0867



150 x 200 PVC 0863



100 x 100 PVC 0800



100 x 100 PVC 0801



300 x 100 SAV 11199
300 x 100 RPVC 11200
600 x 200 SAV 11201
600 x 200 RPVC 11202




300 x 100 SAV 11203
300 x 100 RPVC 11204
600 x 200 SAV 11205
600 x 200 RPVC 11206



150 x 200 PVC 0851



150 x 200 PVC 0873



100 x 150 PVC 0852



200 x 300 PVC 0872



100 x 150 PVC 0874

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

WE CAN PRODUCE SIGNS TO SUIT YOUR EXACT SPECIFICATION, INCLUDING ADDING YOUR COMPANY BRANDING OR DETAILS.

PLEASE CONTACT THE SALES OFFICE FOR MORE INFORMATION.

Flammable and Gaseous



200 x 300 PVC 0913



200 x 300 SAV 13408
200 x 300 RPVC 13409



200 x 300 PVC 0900



200 x 300 PVC 0870



200 x 300 PVC 0915



200 x 300 PVC 0916



200 x 300 PVC 0904



100 x 150 PVC 0906



200 x 300 PVC 0910



100 x 150 PVC 0912



200 x 300 PVC 0907



100 x 150 PVC 0909



200 x 300 PVC 0901



100 x 150 PVC 0903



200 x 300 SAV 11173
200 x 300 RPVC 11174



200 x 300 SAV 11175
200 x 300 RPVC 11176




200 x 300 SAV 11177
200 x 300 RPVC 11178




200 x 300 SAV 11135
200 x 300 RPVC 11136
400 x 600 SAV 11137
400 x 600 RPVC 11138




150 x 200 PVC 0902




150 x 200 PVC 0905



150 x 200 PVC 0914



150 x 200 PVC 0908



100 x 100 PVC 0802



200 x 50 PVC 5107



200 x 50 PVC 5105



200 x 50 PVC 5103



200 x 50 PVC 5106



300 x 100 SAV 12569
600 x 200 RPVC 12568



200 x 50 PVC 5102



200 x 50 PVC 5108



200 x 50 PVC 5104



300 x 100 SAV 14878
600 x 200 RPVC 14294



300 x 100 SAV 11187
300 x 100 RPVC 11188
600 x 200 SAV 11189
600 x 200 RPVC 11190



Access and Situational Awareness



200 x 300 SAV 11149
200 x 300 RPVC 11150
400 x 600 SAV 11151
400 x 600 RPVC 11152



200 x 300 PVC 1111



200 x 300 SAV 11131
200 x 300 RPVC 11132
400 x 600 SAV 11133
400 x 600 RPVC 11134



200 x 300 PVC 0956
297 x 420 PP 16202



200 x 300 PVC 0957



200 x 300 PVC 0954
400 x 600 PVC 4101



600 x 200 RPVC 12562



300 x 100 SAV 11207
300 x 100 RPVC 11208
600 x 200 SAV 11209
600 x 200 RPVC 11210



300 x 100 SAV 11109
300 x 100 RPVC 11110
600 x 200 SAV 11111
600 x 200 RPVC 11112



300 x 100 SAV 11183
300 x 100 RPVC 11184
600 x 200 SAV 11185
600 x 200 RPVC 11186



300 x 100 SAV 11107
300 x 100 RPVC 11108



200 x 300 RPVC 13998
200 x 300 PVC 1110
400 x 600 RPVC 13955
400 x 600 PVC 4103



200 x 300 SAV 11113
200 x 300 RPVC 11114
400 x 600 SAV 11115
400 x 600 RPVC 11116



200 x 300 PVC 1155



200 x 300 SAV 15058
200 x 300 RPVC 15059
400 x 600 SAV 15060
400 x 600 RPVC 15061



200 x 300 PVC 1152
400 x 600 PVC 4105



200 x 300 SAV 11043
200 x 300 RPVC 11044
400 x 600 SAV 11045
400 x 600 RPVC 11046



200 x 300 PVC 1105



200 x 50 PVC 5112



600 x 200 RPVC 12565



600 x 200 RPVC 12566



200 x 50 PVC 5110



200 x 50 PVC 5109



200 x 300 SAV 11195
200 x 300 RPVC 11196
400 x 600 SAV 11197
400 x 600 RPVC 11198



200 x 300 PVC 1200
400 x 600 PVC 4104



200 x 300 PVC 1203
400 x 600 PVC 4106



200 x 300 PVC 1151



200 x 300 SAV 11095
200 x 300 RPVC 11096
400 x 600 SAV 11097
400 x 600 RPVC 11098



148 x 210 RPVC 15017



200 x 300 PVC 1150



600 x 450 SAV 11225
600 x 450 RPVC 11226



600 x 450 SAV 11223
600 x 450 RPVC 11224



600 x 450 SAV 11121
600 x 450 RPVC 11122



600 x 450 SAV 11123
600 x 450 RPVC 11124



300 x 200 RPVC 14020

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PYC	2mm Vandal Resistant Polycarbonate
CRX	Lightweight Corrugated Plastic
PP	1.2mm Recyclable Polypropylene

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

THE SIZE INDICATED BELOW THE SIGN IS THE FINAL SIZE OF THE INDIVIDUAL SIGN ONCE IT HAS BEEN CUT OUT OF THE SHEET.

CROP MARKS ARE INCLUDED FOR EASY CUTTING AND SEPARATION.



200 x 300 SAV 11125
200 x 300 RPVC 11126
400 x 600 SAV 11127
400 x 600 RPVC 11128



200 x 300 CRX 12478
400 x 600 PVC 4108



200 x 300 SAV 11099
200 x 300 RPVC 11100
400 x 600 SAV 11101
400 x 600 RPVC 11102



200 x 300 PVC 1104
400 x 600 PVC 4110



400 x 600 PVC 4109



200 x 300 SAV 11227
200 x 300 RPVC 11228
400 x 600 SAV 11229
400 x 600 RPVC 11230



600 x 400 PVC 4008



600 x 400 SAV 14433
600 x 400 RPVC 14434



600 x 450 CRX 12479



600 x 400 PVC 4005
600 x 400 RPVC 13956



600 x 400 PVC 4006



600 x 200 RPVC 12567



300 x 100 SAV 11211
300 x 100 RPVC 11212
600 x 200 SAV 11213
600 x 200 RPVC 11214



300 x 100 SAV 12380
600 x 200 RPVC 12379



300 x 100 SAV 14435
300 x 100 RPVC 14436



300 x 100 SAV 12382
600 x 200 RPVC 12381



400 x 600 PVC 4102



200 x 300 PVC 1103



300 x 400 RPVC 15052



200 x 300 RPVC 13962



200 x 300 PVC 0958



200 x 300 PVC 13954



450 x 300 RPVC 15016



600 x 450 PVC 4004



600 x 450 SAV 12402
600 x 450 RPVC 12403



600 x 450 SAV 12400
600 x 450 RPVC 12401



200 x 50 PVC 5113



200 x 50 PVC 5114



200 x 300 SAV 11157
200 x 300 RPVC 11158
400 x 600 SAV 11159
400 x 600 RPVC 11160



200 x 300 PVC 1112



200 x 300 PVC 1307
400 x 600 PVC 4107



200 x 300 SAV 11057
200 x 300 RPVC 11058
400 x 600 SAV 11059
400 x 600 RPVC 11060



200 x 300 PVC 1306
200 x 300 PYC 3540



200 x 300 SAV 11179
200 x 300 RPVC 11180



200 x 300 PVC 1206



200 x 300 PVC 1115



200 x 300 PVC 1102



200 x 300 PVC 1301



200 x 300 PVC 1300



200 x 300 PVC 1100



200 x 300 PVC 1205




200 x 300 PVC 1180



200 x 300 PVC 1113
210 x 297 PP 16203



200 x 300 PVC 0951



100 x 100 PVC 0804



100 x 100 SAV 11047
100 x 100 RPVC 11048
200 x 200 SAV 11049
200 x 200 RPVC 11050
400 x 400 SAV 11051
400 x 400 RPVC 11052



200 x 300 SAV 11153
200 x 300 RPVC 11154



200 x 300 SAV 11155
200 x 300 RPVC 11156



200 x 300 SAV 13987
200 x 300 RPVC 13988



200 x 300 PVC 0953
400 x 600 PVC 4100
297 x 420 PP 16204



297 x 420 RPVC 15057



CCTV Security



200 x 300 SAV 11215
200 x 300 RPVC 11216
400 x 600 SAV 11217
400 x 600 RPVC 11218



148 x 210 RPVC 11929
200 x 300 PVC 1311
200 x 300 PYC 3545



200 x 300 PVC 1312



200 x 300 PVC 1313



300 x 200 PVC 1607



200 x 50 PVC 5254



300 x 400 SAV 11233
300 x 400 RPVC 11234



300 x 400 SAV 11231
300 x 400 RPVC 11232



148 x 210 SAV 15020
148 x 210 RPVC 15021



300 x 400 SAV 11235
300 x 400 RPVC 11236



300 x 400 SAV 11237
300 x 400 RPVC 11238

The sign below is supplied with your details printed.

Please remember to supply this information when ordering.



300 x 400 SAV 13344
300 x 400 RPVC 13345

IN THE KNOW


Since 1st March 2000 businesses operating a CCTV system must comply with the Data Protection Act 1998. This means that individuals are able to exercise their rights under the act and ***'appropriately sized signs should be placed in and around areas where CCTV cameras are to be located'.***

The signs should ***'identify the owner/operator of the system and the purpose for which the data may be used'.*** If the correct signs are not used, businesses will be in breach of the law and a counter claim may be launched when CCTV evidence is used in a prosecution.

Temperature



200 x 300 PVC 1303



100 x 150 PVC 1316



100 x 150 PVC 1309



75 x 50 SAV 11161
75 x 50 RPVC 11162



75 x 50 SAV 11163
75 x 50 RPVC 11164



200 x 50 PVC 5116




200 x 50 PVC 5115




300 x 400 RPVC 15029




200 x 300 PVC 1305



150 x 200 PVC 1315



150 x 200 PVC 1308



150 x 200 PVC 1304

HAVE YOU CONSIDERED?



200 x 50 PVC 5213



200 x 50 PVC 5051



Noise



200 x 300 PVC 1207



300 x 200 PVC 1209



300 x 200 PVC 1208

Asbestos



200 x 300 SAV 11139
200 x 300 RPVC 11140
400 x 600 SAV 11141
400 x 600 RPVC 11142




200 x 300 PVC 1250



200 x 300 PVC 1318



200 x 300 PVC 1251



300 x 100 SAV 11191
300 x 100 RPVC 11192
600 x 200 SAV 11193
600 x 200 RPVC 11194



150 x 200 PVC 1317

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PYC	2mm Vandal Resistant Polycarbonate
PP	1.2mm Recyclable Polypropylene

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

THE SIZE INDICATED BELOW THE SIGN IS THE FINAL SIZE OF THE INDIVIDUAL SIGN ONCE IT HAS BEEN CUT OUT OF THE SHEET.

CROP MARKS ARE INCLUDED FOR EASY CUTTING AND SEPARATION.

Hospital and Radiology



200 x 300 PVC 0822



200 x 300 PVC 0823



200 x 300 PVC 0830




200 x 300 PVC 1050




200 x 300 SAV 11143
200 x 300 RPVC 11144



200 x 300 PVC 0829



200 x 300 PVC 0828



200 x 300 PVC 0827



150 x 200 PVC 1051



150 x 200 PVC 1052



300 x 200 PVC 0825



300 x 200 PVC 0826

Cleaning



200 x 300 PVC 1107



200 x 300 PVC 1108
148 x 210 RPVC 15023



200 x 300 PVC 1310



300 x 100 SAV 11103
300 x 100 RPVC 11104
600 x 200 SAV 1105
600 x 200 RPVC 11106



200 x 300 SAV 11053
200 x 300 RPVC 11054
297 X 420 RPVC 15039
400 x 600 SAV 11055
400 x 600 RPVC 11056
600 x 450 SAV 11516
600 x 450 RPVC 11517



200 x 300 SAV 11039
200 x 300 RPVC 11040
400 x 600 SAV 11041
400 x 600 RPVC 11042




200 x 300 PVC 1114



200 x 300 PVC 1106



200 x 300 PVC 0787



300 x 100 SAV 11117
300 x 100 RPVC 11118
600 x 200 SAV 11119
600 x 200 RPVC 11120



200 x 50 PVC 5111




Parking



200 x 300 PVC 1620



200 x 300 PVC 1617



200 x 300 PVC 1619



200 x 300 SAV 11219
200 x 300 RPVC 11220
400 x 600 SAV 11221
400 x 600 RPVC 11222



300 x 200 PVC 3602



300 x 200 PVC 3601

Agricultural



200 x 300 PVC 13816
200 x 300 CRX 13817



200 x 300 PVC 1005



200 x 300 SAV 13798
200 x 300 RPVC 13799
400 x 600 SAV 13800
400 x 600 RPVC 13801



200 x 300 PVC 13804
200 x 300 CRX 13805



200 x 300 PVC 13806
200 x 300 CRX 13807



300 x 100 SAV 13802
300 x 100 RPVC 13803



200 x 300 PVC 13809
200 x 300 CRX 13810



200 x 300 PVC 13820
200 x 300 CRX 13821



200 x 300 PVC 13818
200 x 300 CRX 13819



200 x 300 PVC 0764



100 x 150 PVC 13835



200 x 50 PVC 13830



300 x 100 SAV 13831
300 x 100 RPVC 13832



200 x 300 PVC 13811
200 x 300 CRX 13812



200 x 300 SAV 13824
200 x 300 RPVC 13825




200 x 300 SAV 13826
200 x 300 RPVC 13827



200 x 300 PVC 1001



200 x 300 PVC 0950



150 x 200 PVC 0955



200 x 300 PVC 13813



200 x 300 PVC 1003



200 x 300 PVC 1002



200 x 300 PVC 0861



200 x 300 SAV 11167
200 x 300 RPVC 11168



200 x 300 PVC 0952



200 x 300 PVC 1115



200 x 300 SAV 13794
200 x 300 RPVC 13795
400 x 600 SAV 13796
400 x 600 RPVC 13797



200 x 300 RPVC 13822
200 x 300 CRX 13823



200 x 300 PVC 1330



200 x 300 SAV 13828
200 x 300 RPVC 13829



600 x 400 RPVC 14212

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
CRX	Lightweight Corrugated Plastic

KEY

2
6

The number seen in a black circle indicates the number of signs per sheet.

THE SIZE INDICATED BELOW THE SIGN IS THE FINAL SIZE OF THE INDIVIDUAL SIGN ONCE IT HAS BEEN CUT OUT OF THE SHEET.

CROP MARKS ARE INCLUDED FOR EASY CUTTING AND SEPARATION.

Multi-Message



600 x 400 PVC 4010



600 x 400 PVC 4011



600 x 400 PVC 4012



600 x 400 PVC 4013



600 x 400 PVC 4014



600 x 400 PVC 4015



600 x 400 PVC 4016



600 x 400 PVC 4017



600 x 400 PVC 4018



600 x 400 PVC 4019



600 x 400 PVC 4025




600 x 400 PVC 4030



600 x 400 PVC 4031



600 x 400 RPVC 16095



500 x 300 RPVC 15019





Material Key

PVC	Self Adhesive Semi Rigid PVC
RPVC	Rigid 1mm PVC Board (Non Adhesive)

WE CAN PRODUCE SIGNS TO SUIT YOUR EXACT SPECIFICATION, INCLUDING ADDING YOUR COMPANY BRANDING OR DETAILS.

PLEASE CONTACT THE SALES OFFICE FOR MORE INFORMATION.


Lorry Halt

Easy to use, Lorry Halt prevents the movement of vehicles whilst they are being loaded or unloaded.

- Simple to use wheel based unit made from powder coated metal.
- The lorry halt is telescopic and easy to adjust to the required height.
- Supplied flat packed including stickers.
- Full assembly instructions are also included.


Total weight base empty - 8.06kg
Total weight base full - 25.66kg
(External sand bag weight additional)

Dimensions	
A	48cm
B	30cm
C	322cm
D	252cm
E	150cm
F	80cm
G	73cm
H	14cm
I	45cm



****Additional weight can be placed on the base of the Lorry Halt in the centre for added stability.***

Included Stickers



Description	Code
Lorry Halt	17230

Example alternate signs that can be used with our lorry halt:



Customisation options available.

**Stand design may vary slightly from image shown*



Move the unit by tilting it on the wheel axis and pushing it into place.



TAKTYLE®
BRAILLE

Taktyle® Braille Signs

Fire Exit and Safe Condition	*69*
Fire Extinguishers and Equipment	*70*
Mandatory	*70*
Prohibition	*70*
Hazard Warning	*70*
Finger Plates	*71*
General Information and Wayfinding	*72*

TAKTYLE BRAILLE SIGNS

What is Taktyle®?

Taktyle® is the leading brand of Braille signs, making them the preferred choice wherever Braille signs are specified. The Taktyle® brand was created in 1994 and has worked with the Royal National Institute for the Blind, Centre for Accessible Environments, Sensory Advisory Council, School for the Visually Impaired, Resource Centres and Home for the Elderly. The cumulation of this has been the production of a 'definitive design' to meet the demands for all these sectors.

Why is the Taktyle® range different?

These signs feature Braille and in addition we raise the pictogram and put a raised border around the sign (where possible), providing tactile additions for those who are visually impaired, but have not learned Braille. In addition to this, for non-safety sign colours we feature 2 main colours, this ensures that whatever the colour background the signs are put onto there is a contrasting colour available.

Can you make bespoke Taktyle Signage?

Although we offer a wide range of Fire Safety, Prohibition, Mandatory, Hazard and General Architectural Signs within the Taktyle range. Our inhouse manufacturing capability enables us to manufacture custom signs, made to your individual requirements. Simply contact us to discuss your requirements.

What's the best location for Taktyle Signage?

It is essential that Taktyle signs are accessible to touch and are positioned at a consistent height around any building, and working to the disability act to accommodate wheelchair users. Signage needs to stand out clearly in any given environment, so using contrasting colours against wall backgrounds is also important.

THE DISABILITY DISCRIMINATION ACT 1996 (DDA)

On the 1st October 2004 the Government implemented Part lll of the Disability Discrimination Act. Part lll of the act applies to any person, organisation or entity which is concerned with the provision in the United Kingdom of services (including goods and facilities) to the public or a section of the public.


This will mean that 'reasonable adjustments' in relation to the physical features of their premises must be made to overcome physical barriers to access. Taktyle signs are often included in these adjustments.

IN THE KNOW

According to the (RNIB), there are more than 2 million people in the UK living with sight loss and of these there are around 350k people registered blind or partially sited. There is also an estimate of the number of people with sight loss is expected to rise to 2.7mil by 2030.

(*Source: RNIB)





Signs for the visually impaired

- *Made from moulded matt finish plastic to prevent reflections.*
- *Patented locating ring – guides the hand to the centre where the information can easily be found.*
- *Smooth contour lettering and pictograms.*
- *Self Adhesive backing for instant fixing.*
- *One piece die-moulded construction provides high quality at a low cost.*
- *Light and dark colour backgrounds available to highlight colour contrast of background walls.*



Fire Exit and Safe Condition



450 x 150 TAK TK0531BSI
450 x 150 TAKPh TK0531BSIPH



450 x 150 TAK TK0532BSI
450 x 150 TAKPh TK0532BSIPH



450 x 150 TAK TK0533BSI
450 x 150 TAKPh TK0533BSIPH



450 x 150 TAK TK0534BSI
450 x 150 TAKPh TK0534BSIPH



450 x 150 TAK TK0535BSI
450 x 150 TAKPh TK0535BSIPH



450 x 150 TAK TK0536BSI
450 x 150 TAKPh TK0536BSIPH



450 x 150 TAK TK0537BSI
450 x 150 TAKPh TK0537BSIPH



450 x 150 TAK TK0538BSI
450 x 150 TAKPh TK0538BSIPH



450 x 150 TAK TK0520BSI
450 x 150 TAKPh TK0520BSIPH



450 x 150 TAK TK0521BSI
450 x 150 TAKPh TK0521BSIPH



450 x 150 TAK TK0522BSI
450 x 150 TAKPh TK0522BSIPH



450 x 150 TAK TK0523BSI
450 x 150 TAKPh TK0523BSIPH



450 x 150 TAK TK0524BSI
450 x 150 TAKPh TK0524BSIPH



450 x 150 TAK TK0525BSI
450 x 150 TAKPh TK0525BSIPH



450 x 150 TAK TK0526BSI
450 x 150 TAKPh TK0526BSIPH



450 x 150 TAK TK0527BSI
450 x 150 TAKPh TK0527BSIPH




450 x 125 TAK TK0120BSI
450 x 125 TAKPh TK0120BSIPH



450 x 125 TAK TK0122BSI
450 x 125 TAKPh TK0122BSIPH



300 x 150 TAK TK0800BSI
300 x 150 TAKPh TK0800BSIPH





300 x 150 TAK TK0500BSI
300 x 150 TAKPh TK0500BSIPH



300 x 150 TAK TK0530BSI
300 x 150 TAKPh TK0530BSIPH



300 x 150 TAK TK3780BSI
300 x 150 TAKPh TK3780BSIPH

IN THE KNOW

Our high intensity photoluminescent Taktyle Braille signs have been tested to DIN 67510 Part 1 - 4 specification, which exceeds international standard for flammability, smoke and toxicity.

These signs are reverse printed on moulded matt finish plastic to prevent reflection. The patented locating ring guides the hand to the centre where the information can easily be found.

The one piece die-moulded construction ensures that the raised lettering and images have smooth contours and do not run the risk of dropping out or being damaged from persistent use.



Example of how our photoluminescent signs react in different lighting conditions.

Fire Extinguishers and Equipment

The Safety Signs and Signals Regulations 1996 state that non-automatic fire fighting equipment should be marked with an appropriate permanent sign.



300 x 150 TAK TK0902BSI
300 x 150 TAKPh TK0902BSIPH



300 x 150 TAK TK0903BSI
300 x 150 TAKPh TK0903BSIPH



150 x 150 TAK TK0901BSI
150 x 150 TAKPh TK0901BSIPH



150 x 150 TAK TK0900BSI
150 x 150 TAKPh TK0900BSIPH

Mandatory

These signs convey an action that must be carried out. The 'white on blue' colour scheme is designated by the Safety Signs and Signals Regulations 1996.



TK0201BSI
TK0201BSIPH
150 x 150 TAK
150 x 150 TAKPh



TK0700BSI
TK0700BSIPH
150 x 150 TAK
150 x 150 TAKPh



TK0110BSI
TK0110BSIPH
150 x 150 TAK
150 x 150 TAKPh



300 x 150 TAK TK3807BSI



TK0701BSI
TK0701BSIPH
150 x 150 TAK
150 x 150 TAKPh

Prohibition



300 x 150 TAK TK0650BSI



300 x 150 TAK TK0651BSI



300 x 150 TAK TK0600BSI



300 x 150 TAK TK0601BSI



300 x 150 TAK TK0653BSI

Hazard Warning



300 x 150 TAK TK3800BSI



300 x 150 TAK TK3802BSI



300 x 150 TAK TK3803BSI



300 x 150 TAK TK3804BSI



300 x 150 TAK TK3806BSI



Material Key

TAK	Reverse Printed and Moulded Plastic
TAKPH	Taktyle Photoluminescent

KEY **2 6** The number seen in a black circle indicates the number of signs per sheet.

FIND OUR FULL RANGE OF PHOTOLUMINESCENT SIGNS FROM PAGE 76

Finger Plates

Taktyle finger plate signs are ideal for placing next to entrances or onto doors to give both safety and directional information.

Reverse printed for lasting image quality even when used as a finger plate, the Braille lettering on the sign allows the message to be read by partially sighted persons. Each sign comes with a self adhesive backing for instant fixing.



75 x 300 TAK TK5054BSI
75 x 300 TAKPh TK5054BSIPH



75 x 300 TAK TK5055BSI
75 x 300 TAKPh TK5055BSIPH



75 x 300 TAK TK5056BSI
75 x 300 TAKPh TK5056BSIPH



75 x 300 TAK TK5057BSI
75 x 300 TAKPh TK5057BSIPH



75 x 300 TAK TK5050BSI
75 x 300 TAKPh TK5050BSIPH



75 x 300 TAK TK5051BSI
75 x 300 TAKPh TK5051BSIPH



75 x 300 TAK TK5052BSI
75 x 300 TAKPh TK5052BSIPH



75 x 300 TAK TK5053BSI
75 x 300 TAKPh TK5053BSIPH



75 x 300 TAK TK5002BSI



75 x 300 TAK TK5001BSI



75 x 300 TAK TK5000BSI



75 x 300 TAK TK5003BSI



75 x 300 TAK TK5101BSI



75 x 300 TAK TK5100BSI



75 x 300 TAK TK5102BSI



75 x 300 TAK TK5103BSI



General Information and Wayfinding



Our range of Taktyle information and wayfinding signs has been manufactured in two colour schemes, a white background with black text and icons or a blue background with white text and icons. This ensures that regardless of the background colour a contrasting sign option is always available, aiding the visually impaired to locate the sign.

The following signs are available in:



Blue with white text and icons



White with black text and icons



TK0316BKWH
TK0316WHBL
300 x 150 TAK
300 x 150 TAK



TK0317BKWH
TK0317WHBL
300 x 150 TAK
300 x 150 TAK



TK2030BKWH
TK2030WHBL
225 x 150 TAK
225 x 150 TAK



TK2033BKWH
TK2033WHBL
225 x 150 TAK
225 x 150 TAK



TK0030BKWH
TK0030WHBL
225 x 150 TAK
225 x 150 TAK



TK0031BKWH
TK0031WHBL
225 x 150 TAK
225 x 150 TAK



TK0352BKWH
TK0352WHBL
300 x 150 TAK
300 x 150 TAK



TK0353BKWH
TK0353WHBL
300 x 150 TAK
300 x 150 TAK



TK2254BKWH
TK2254WHBL
225 x 150 TAK
225 x 150 TAK





TK2255BKWH
TK2255WHBL
225 x 150 TAK
225 x 150 TAK



TK2256BKWH
TK2256WHBL
225 x 150 TAK
225 x 150 TAK



TK2257BKWH
TK2257WHBL
225 x 150 TAK
225 x 150 TAK



TK0313BKWH
TK0313WHBL
300 x 150 TAK
300 x 150 TAK



TK2270BKWH
TK2270WHBL
300 x 150 TAK
300 x 150 TAK



TK0022BKWH
TK0022WHBL
225 x 150 TAK
225 x 150 TAK



TK2402BKWH
TK2402WHBL
225 x 150 TAK
225 x 150 TAK



TK2251BKWH
TK2251WHBL
225 x 150 TAK
225 x 150 TAK



TK2253BKWH
TK2253WHBL
225 x 150 TAK
225 x 150 TAK



TK2258BKWH
TK2258WHBL
225 x 150 TAK
225 x 150 TAK



TK0235BKWH
TK0235WHBL
225 x 150 TAK
225 x 150 TAK



TK0500BKWH
TK0500WHBL
225 x 150 TAK
225 x 150 TAK



TK2271BKWH
TK2271WHBL
300 x 150 TAK
300 x 150 TAK



TK2272BKWH
TK2272WHBL
300 x 150 TAK
300 x 150 TAK



TK0234BKWH
TK0234WHBL
225 x 150 TAK
225 x 150 TAK

Material Key

TAK	Reverse Printed and Moulded Plastic

FIND OUR FULL RANGE OF PHOTOLUMINESCENT SIGNS FROM PAGE 76



TK2275BKWH
TK2275WHBL
300 x 150 TAK
300 x 150 TAK



TK2652BKWH
TK2652WHBL
300 x 150 TAK
300 x 150 TAK



TK0501BKWH
TK0501WHBL
225 x 150 TAK
225 x 150 TAK



TK0502BKWH
TK0502WHBL
225 x 150 TAK
225 x 150 TAK



TK0400BKWH
TK0400WHBL
225 x 150 TAK
225 x 150 TAK



TK2486BKWH
TK2486WHBL
225 x 150 TAK
225 x 150 TAK



TK2276BKWH
TK2276WHBL
300 x 150 TAK
300 x 150 TAK



TK2277BKWH
TK2277WHBL
300 x 150 TAK
300 x 150 TAK



TK2655BKWH
TK2655WHBL
225 x 150 TAK
225 x 150 TAK



TK0401BKWH
TK0401WHBL
225 x 150 TAK
225 x 150 TAK



TK2653BKWH
TK2653WHBL
225 x 150 TAK
225 x 150 TAK



TK2454BKWH
TK2454WHBL
225 x 150 TAK
225 x 150 TAK



TK3751BKWH
TK3751WHBL
300 x 150 TAK
300 x 150 TAK



TK3710BKWH
TK3710WHBL
300 x 150 TAK
300 x 150 TAK



TK2479BKWH
TK2479WHBL
300 x 150 TAK
300 x 150 TAK



TK0450BKWH
TK0450WHBL
300 x 150 TAK
300 x 150 TAK



TK2658BKWH
TK2658WHBL
300 x 150 TAK
300 x 150 TAK



TK3750BKWH
TK3750WHBL
225 x 150 TAK
225 x 150 TAK



TK0020BKWH
TK0020WHBL
150 x 225 TAK
150 x 225 TAK



TK0023BKWH
TK0023WHBL
150 x 225 TAK
150 x 225 TAK



TK0024BKWH
TK0024WHBL
150 x 225 TAK
150 x 225 TAK



TK0002BKWH
TK0002WHBL
150 x 225 TAK
150 x 225 TAK



TK0003BKWH
TK0003WHBL
150 x 225 TAK
150 x 225 TAK



TK0015BKWH
TK0015WHBL
150 x 225 TAK
150 x 225 TAK



TK0016BKWH
TK0016WHBL
150 x 225 TAK
150 x 225 TAK





TK2201BKWH
TK2201WHBL
300 x 150 TAK
300 x 150 TAK



TK2200BKWH
TK2200WHBL
300 x 150 TAK
300 x 150 TAK



TK2203BKWH
TK2203WHBL
300 x 150 TAK
300 x 150 TAK



TK2208BKWH
TK2208WHBL
300 x 150 TAK
300 x 150 TAK





TK2202BKWH
TK2202WHBL
300 x 150 TAK
300 x 150 TAK



TK2204BKWH
TK2204WHBL
300 x 150 TAK
300 x 150 TAK



TK2206BKWH
TK2206WHBL
300 x 150 TAK
300 x 150 TAK



TK2205BKWH
TK2205WHBL
300 x 150 TAK
300 x 150 TAK





TK2000BKWH
TK2000WHBL
150 x 150 TAK
150 x 150 TAK



TK2010BKWH
TK2010WHBL
150 x 150 TAK
150 x 150 TAK



TK2004BKWH
TK2004WHBL
150 x 150 TAK
150 x 150 TAK



TK2003BKWH
TK2003WHBL
150 x 150 TAK
150 x 150 TAK



TK2036BKWH
TK2036WHBL
150 x 150 TAK
150 x 150 TAK



TK0004BKWH
TK0004WHBL
150 x 150 TAK
150 x 150 TAK



TK2005BKWH
TK2005WHBL
150 x 150 TAK
150 x 150 TAK



TK2006BKWH
TK2006WHBL
150 x 150 TAK
150 x 150 TAK



TK0021BKWH
TK0021WHBL
150 x 150 TAK
150 x 150 TAK



TK2040BKWH
TK2040WHBL
150 x 150 TAK
150 x 150 TAK



TK2001BKWH
TK2001WHBL
150 x 150 TAK
150 x 150 TAK



TK2002BKWH
TK2002WHBL
150 x 150 TAK
150 x 150 TAK



TK2011BKWH
TK2011WHBL
150 x 150 TAK
150 x 150 TAK



TK2012BKWH
TK2012WHBL
150 x 150 TAK
150 x 150 TAK



TK2400BKWH
TK2400WHBL
150 x 150 TAK
150 x 150 TAK



TK2041BKWH
TK2041WHBL
150 x 150 TAK
150 x 150 TAK



TK2042BKWH
TK2042WHBL
150 x 150 TAK
150 x 150 TAK



TK0300BKWH
TK0300WHBL
150 x 150 TAK
150 x 150 TAK



TK0301BKWH
TK0301WHBL
150 x 150 TAK
150 x 150 TAK



TK2401BKWH
TK2401WHBL
150 x 150 TAK
150 x 150 TAK



Mobile Training Unit

Manned and supported by the Spectrum team, our mobile training and exhibition unit is available for use nationwide. Designed to reach out to every type of customer the unit is ideal for staff training, events, exhibitions and open days.

Operating on a free of charge basis throughout the UK and Ireland our unit gives visitors the opportunity to gather information about the ranges offered by us first hand. Whilst also containing a wide range of demonstration products including Lockout Tagout, Tagging Systems and Safety Signs which provide a hands on approach to product knowledge and training.



Taktyle moulding plate



TK2207BKWH
TK2207WHBL
300 x 150 TAK
300 x 150 TAK



TK3556BKWH
TK3556WHBL
150 x 150 TAK
150 x 150 TAK




TK2473BKWH
TK2473WHBL
150 x 150 TAK
150 x 150 TAK




TK2474BKWH
TK2474WHBL
150 x 150 TAK
150 x 150 TAK



TK2475BKWH
TK2475WHBL
150 x 150 TAK
150 x 150 TAK



TK0231BKWH
TK0231WHBL
150 x 150 TAK
150 x 150 TAK



TK0232BKWH
TK0232WHBL
150 x 150 TAK
150 x 150 TAK



TK2032BKWH
TK2032WHBL
225 x 150 TAK
225 x 150 TAK



TK2031BKWH
TK2031WHBL
225 x 150 TAK
225 x 150 TAK



TK0314BKWH
TK0314WHBL
150 x 150 TAK
150 x 150 TAK



TK0315BKWH
TK0315WHBL
150 x 150 TAK
150 x 150 TAK



TK0310BKWH
TK0310WHBL
150 x 150 TAK
150 x 150 TAK



TK0311BKWH
TK0311WHBL
150 x 150 TAK
150 x 150 TAK



TK0230BKWH
TK0230WHBL
150 x 150 TAK
150 x 150 TAK



TK2100BKWH
TK2100WHBL
150 x 150 TAK
150 x 150 TAK



TK2101BKWH
TK2101WHBL
150 x 150 TAK
150 x 150 TAK



TK2102BKWH
TK2102WHBL
150 x 150 TAK
150 x 150 TAK



TK2103BKWH
TK2103WHBL
150 x 150 TAK
150 x 150 TAK



TK2104BKWH
TK2104WHBL
150 x 150 TAK
150 x 150 TAK



TK2250BKWH
TK2250WHBL
150 x 150 TAK
150 x 150 TAK



TK2252BKWH
TK2252WHBL
150 x 150 TAK
150 x 150 TAK



TK2654BKWH
TK2654WHBL
300 x 200 TAK
300 x 200 TAK



TK2105BKWH
TK2105WHBL
150 x 150 TAK
150 x 150 TAK



TK2106BKWH
TK2106WHBL
150 x 150 TAK
150 x 150 TAK



TK2107BKWH
TK2107WHBL
150 x 150 TAK
150 x 150 TAK



TK2108BKWH
TK2108WHBL
150 x 150 TAK
150 x 150 TAK



TK2109BKWH
TK2109WHBL
150 x 150 TAK
150 x 150 TAK



TK2701
150 x 150 TAK



TK0005BKWH
TK0005WHBL
150 x 150 TAK
150 x 150 TAK



TK0319BKWH
TK0319WHBL
100 x 75 TAK
100 x 75 TAK



TK0318BKWH
TK0318WHBL
100 x 75 TAK
100 x 75 TAK

Material Key

TAK	Reverse Printed and Moulded Plastic

FIND OUR FULL RANGE OF PHOTOLUMINESCENT SIGNS FROM PAGE 76



Photoluminescent

Fire Exit and Evacuation	*78*
Safe Condition	*79*
Mandatory	*79*
Fire Exit and Evacuation	*80*
Safety Light Sticks	*81*
Tape and Floor Markings	*81*

PHOTOLUMINESCENT

What are they

Our photoluminescent signs consist of a selection of our health and safety signs which are printed on a material that glows in the dark. This type of sign is often considered as an added benefit. In the light they perform like a standard sign but if there is an incident and the lights go out they remain visible for a period of time, allowing the message on the sign to be read in darkness.

Defining characteristics

Photoluminescent signs are a change in material rather than a change in sign message type, and therefore the basic characteristics of the sign (colours and message type) remain the same as their non-photoluminescent counterparts – Safe Condition, Mandatory etc. Photoluminescent signs require no power to light up, however they must be 'charged up' by natural or artificial light. Once the light goes out, the signs will glow for a period of time, the exact length of which depends upon the grade of material and the amount of light the sign has received prior to activation.

Our signs are manufactured on P.S.P.A Class B material, which is brighter than the standard Class A product commonly used in many photoluminescent safety signs, and can glow for up to 10 hours once fully charged. It has been tested to DIN67510 Part 1 – 4 for afterglow performance which exceeds the international standard for flammability, smoke and toxicity.

When to use them

Although there is no legal requirement to use photoluminescent versions of safety signs, the Fire Exit options are commonly requested as part of a comprehensive safety way guidance system (SWGS) in conjunction with photoluminescent wall strips and floor signage.

Photoluminescent versions of other types of signs can ensure that fire alarms or fire fighting equipment can still be located even in cases of poor lighting, smoke or lack of power.



In the event of a fire or emergency, the visibility of standard emergency signs can often be impaired by poor lighting, smoke or even lack of power. In these cases our Photoluminescent signs can provide an effective solution.

- High intensity flexible Vinyl or 1.3mm rigid material options.
- P.S.P.A Class B material - brighter compared to the standard Class A product usually used in safety signs.
- Tested to DIN 67510 Part 1 - 4 for afterglow performance which exceeds international standard for flammability, smoke and toxicity.
- Once fully charged will glow for over 10 hours.
- Visible even in complete darkness.
- UV resistant - suitable for internal and external use.
- Factory applied self adhesive backing.

Class 'C' options - Available on request



Fire Exit and Evacuation



400 x 150 PHS 17084
400 x 150 PHO 12414



400 x 150 PHS 17080
400 x 150 PHO 12413
600 x 200 PHO 15064



400 x 150 PHS 17082
400 x 150 PHO 12411



400 x 150 PHS 17086
400 x 150 PHO 12410



150 x 150 PHS 17040
150 x 150 PHO 12433



400 x 150 PHS 17083
400 x 150 PHO 12415



400 x 150 PHS 17081
400 x 150 PHO 13368



400 x 150 PHS 17085
400 x 150 PHO 12412



400 x 150 PHS 17087
400 x 150 PHO 13367



150 x 150 PHS 17041
150 x 150 PHO 12432



300 x 200 PHS 17091
300 x 200 PHO 1582



300 x 200 PHS 17088
300 x 200 PHO 1580



300 x 200 PHS 17090
300 x 200 PHO 1583



300 x 200 PHS 17089
300 x 200 PHO 1581




150 x 150 PHS 17020
150 x 150 PHO 1982




300 x 150 PHS 17093
300 x 150 PHO 12419



300 x 150 PHS 17094
300 x 150 PHO 12416
400 x 125 PHS 17095
400 x 125 PHO 12417
600 x 150 PHS 17096
600 x 150 PHO 12418



300 x 200 PHS 17097
300 x 200 PHO 0203



300 x 200 PHS 17092
300 x 200 PHO 0204



150 x 150 PHS 17021
150 x 150 PHO 1983



450 x 150 PHS 17099
450 x 150 PHO 1928



450 x 150 PHS 17101
450 x 150 PHO 1929



450 x 150 PHS 17102
450 x 150 PHO 1930



450 x 150 PHS 17100
450 x 150 PHO 1931



150 x 150 PHS 17098
150 x 150 PHO 1984

Material Key

PHS	Flexible Photoluminescent Vinyl
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)

FIND OUR FULL RANGE OF FIRE SAFETY AND SAFE CONDITION FROM PAGE 14

Safe Condition




200 x 300 PHS 17121
200 x 300 PHO 1586



200 x 300 PHS 17120
200 x 300 PHO 1594



100 x 150 PHS 17118
100 x 150 PHO 17119



100 x 150 PHS 17117
100 x 150 PHO 1589



300 x 200 PHS 17122
300 x 200 PHO 1584



300 x 100 PHS 17107
300 x 100 PHO 12429



300 x 100 PHS 17108
300 x 100 PHO 12428



300 x 100 PHS 17109
300 x 100 PHO 12425




300 x 100 PHS 17110
300 x 100 PHO 12423



300 x 100 PHS 17111
300 x 100 PHO 12427



300 x 100 PHS 17112
300 x 100 PHO 13380



300 x 100 PHS 17113
300 x 100 PHO 13378



300 x 100 PHS 17114
300 x 100 PHO 12424



300 x 100 PHS 17115
300 x 100 PHO 12421



300 x 100 PHS 17116
300 x 100 PHO 12426



300 x 100 PHS 17127
300 x 100 PHO 13379



400 x 150 PHS 17123
400 x 150 PHO 12420



300 x 100 PHS 17124
300 x 100 PHO 12422
450 x 75 PHS 17125
450 x 75 PHO 1587
450 x 100 PHS 17126
450 x 100 PHO 1585

Mandatory



100 x 100 PHS 17128
100 x 100 PHO 17129



100 x 100 PHS 17130
100 x 100 PHO 0220



100 x 100 PHS 17131
100 x 100 PHO 17132



100 x 100 PHS 17133
100 x 100 PHO 17134



100 x 100 PHS 17135
100 x 100 PHO 17136



100 x 100 PHS 17137
100 x 100 PHO 17138



200 x 300 PHS 17139
200 x 300 PHO 12437



200 x 300 PHS 17140
200 x 300 PHO 0202



200 x 300 PHS 17141
200 x 300 PHO 12434



200 x 300 PHS 17142
200 x 300 PHO 12436



200 x 300 PHS 17143
200 x 300 PHO 1588



200 x 300 PHS 17144
200 x 300 PHO 0200




200 x 300 PHS 17145
200 x 300 PHO 0201

The visibility of standard emergency signs can often be impaired by poor lighting, smoke or even a lack of power. PSPA Class B material, tested to DIN 67510 Part 1-4, when fully charged will glow for 10+ hours.




Fire Exit and Evacuation




75 x 200 PHS 17166
75 x 200 PHO 1590
82 x 202 PHS 17167
82 x 202 PHO 12448




75 x 200 PHS 17170
75 x 200 PHO 1592
82 x 202 PHS 17171
82 x 202 PHO 12447



75 x 200 PHS 17168
75 x 200 PHO 1591
82 x 202 PHS 17169
82 x 202 PHO 12449



75 x 200 PHS 17172
75 x 200 PHO 1593
82 x 202 PHS 17173
82 x 202 PHO 12446



75 x 200 PHS 17174
75 x 200 PHO 1595



82 x 202 PHS 17160
82 x 202 PHO 12445



82 x 202 PHS 17159
82 x 202 PHO 12450



200 x 150 PHS 17175
200 x 150 PHO 17176



200 x 150 PHS 17177
200 x 150 PHO 17178



200 x 150 PHS 17179
200 x 150 PHO 17180



200 x 150 PHS 17181
200 x 150 PHO 17182



200 x 150 PHS 17183
200 x 150 PHO 17184



200 x 300 PHS 17161
200 x 300 PHO 1573



200 x 300 PHS 17162
200 x 300 PHO 1574



200 x 300 PHS 17163
200 x 300 PHO 1575



200 x 300 PHS 17164
200 x 300 PHO 1576



200 x 300 PHS 17165
200 x 300 PHO 1578



200 x 300 PHS 17146
200 x 300 PHO 1571



200 x 300 PHS 17147
200 x 300 PHO 12441



200 x 300 PHS 17149
200 x 300 PHO 12438



200 x 300 PHS 17148
200 x 300 PHO 1572



300 x 100 PHS 17155
300 x 100 PHO 12440



300 x 100 PHS 17154
300 x 100 PHO 12442



200 x 300 PHO 12452
400 x 600 PHO 12453



200 x 300 PHS 17150
200 x 300 PHO 12443



200 x 300 PHS 17153
200 x 300 PHO 1570



100 x 100 PHS 17156
100 x 100 PHO 1577



300 x 100 PHS 17157
300 x 100 PHO 12439


We have a selection of fire safety equipment on page 28

Remember to comply with fire safety laws and have your fire extinguisher serviced regularly at the manufacturers recommended interval.



Safety Light Sticks

Description	Code
Green Light Stick (each)	13854
Orange Light Stick (each)	13855
Yellow Light Stick (each)	13856



IN THE KNOW

Multi-purpose, cool to the touch, water resistant light source.

- *CE & EN71 UN approved*
- *Glows for 12 hours +*
- *Non Flammable*
- *Non Toxic*



Tape and Floor Markings

Our photoluminescent tape is ideal for creating clear, easy to use way finding systems. Exceeds PSPA Class B for longevity and brightness.



20mm x 10m PHS 13015
40mm x 10m PHS 13016
80mm x 10m PHS 13777



40mm x 10m (R) PHS 13017
40mm x 10m (L) PHS 13018
80mm x 10m (R) PHS 13651
80mm x 10m (L) PHS 13652




40mm x 10m PHS 13019
80mm x 10m PHS 13653



40mm x 10m PHS 13020
80mm x 10m PHS 13654



40mm x 10m PHS 13382
80mm x 10m PHS 13655



Material Key

PHS	Flexible Photoluminescent Vinyl
PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)

SEE PAGE 110 FOR OUR RANGE OF PHOTOLUMINESCENT FLOOR TAPE, ARROWS, DOTS AND FOOTPRINTS.




Interior Signs

Interior Signs	*84*
Finger Plates	*88*
Door Sign Discs	*88*
Door Slider and Plates	*89*

INTERIOR SIGNS


A range of signs comprising of our metal effect laminates and real metal, suitable for interior use.

Our interior signs are manufactured on an aluminium laminate, providing a prestige finish with ease of use but without the cost of thicker full metal signs.




Satin Anodised Aluminium

These real metal signs provide a hard wearing and prestigious method of displaying safety and access information.




Stainless Steel Effect Laminate

An aluminium laminate in a metallic silver colour with a subtle brushed finished, similar to stainless steel with a self adhesive back.



Polished Gold Effect Laminate

A metallic laminate with a gold coloured mirror-like finish and self adhesive back.



Polished Chrome Effect Laminate

An aluminium laminate with a polished mirror-like finish and a self adhesive back.

Not suitable for exterior use.



Stainless Steel Effect



200 x 50 SSE 6302




200 x 50 SSE 6303




200 x 50 SSE 6306




200 x 50 SSE 6304



200 x 50 SSE 6301



200 x 50 SSE 6300




200 x 50 SSE 6316



200 x 50 SSE 6305



200 x 50 SSE 6312



200 x 50 SSE 6311



200 x 50 SSE 6314



200 x 50 SSE 13845



200 x 50 SSE 13846



200 x 50 SSE 6313



200 x 50 SSE 6307



200 x 50 SSE 6308



200 x 50 SSE 6315



200 x 50 SSE 6317




200 x 50 SSE 13850




200 x 50 SSE 6318



200 x 50 SSE 13847



200 x 50 SSE 13853



200 x 50 SSE 13849




6309
200 x 50 SSE



6310
200 x 50 SSE



200 x 50 SSE 13852



200 x 50 SSE 13848



200 x 50 SSE 13851

Lockout Signs

Highly visible signs for use as a reminder to adhere to Lockout procedures

FIND OUR FULL RANGE OF LOCKOUT SIGNS ON PAGE 228



The following signs are available in:

Polished Gold Effect

Polished Chrome Effect





200 x 50 CHR 6024C
200 x 50 POL 6024



200 x 50 CHR 6025C
200 x 50 POL 6025




200 x 50 CHR 6026C
200 x 50 POL 6026



200 x 50 CHR 6027C
200 x 50 POL 6027




200 x 50 CHR 6001C
200 x 50 POL 6001



200 x 50 CHR 6000C
200 x 50 POL 6000



200 x 50 CHR 6030C
200 x 50 POL 6030



200 x 50 CHR 6029C
200 x 50 POL 6029



200 x 50 CHR 6003C
200 x 50 POL 6003



200 x 50 CHR 6002C
200 x 50 POL 6002



200 x 50 CHR 6039C
200 x 50 POL 6039



200 x 50 CHR 6052C
200 x 50 POL 6052



200 x 50 CHR 6004C
200 x 50 POL 6004



200 x 50 CHR 6051C
200 x 50 POL 6051



200 x 50 CHR 6055C
200 x 50 POL 6055



200 x 50 CHR 6009C
200 x 50 POL 6009



200 x 50 CHR 6014C
200 x 50 POL 6014



200 x 50 CHR 6018C
200 x 50 POL 6018



200 x 50 CHR 6054C
200 x 50 POL 6054



200 x 50 CHR 6045C
200 x 50 POL 6045



200 x 50 CHR 6006C
200 x 50 POL 6006



200 x 50 CHR 6005C
200 x 50 POL 6005



200 x 50 CHR 6007C
200 x 50 POL 6007



200 x 50 CHR 6016C
200 x 50 POL 6016



200 x 50 CHR 6036C
200 x 50 POL 6036



200 x 50 CHR 6035C
200 x 50 POL 6035



200 x 50 CHR 6058C
200 x 50 POL 6058



200 x 50 CHR 6056C
200 x 50 POL 6056



200 x 50 CHR 6057C
200 x 50 POL 6057



200 x 50 CHR 6017C
200 x 50 POL 6017



200 x 50 CHR 6008C
200 x 50 POL 6008



200 x 50 CHR 6053C
200 x 50 POL 6053



200 x 50 CHR 6011C
200 x 50 POL 6011



200 x 50 CHR 6010C
200 x 50 POL 6010

Material Key

SSE	Stainless Steel Effect Laminate
CHR	Polished Chrome Effect (Self Adhesive)
POL	Polished Gold Effect Laminate (Self Adhesive)

FIND OUR FULL MATERIAL KEY ON PAGE 12





200 x 50 CHR 6048C
200 x 50 POL 6048



200 x 50 CHR 6015C
200 x 50 POL 6015



200 x 50 CHR 6013C
200 x 50 POL 6013



200 x 50 CHR 6012C
200 x 50 POL 6012



200 x 50 CHR 6044C
200 x 50 POL 6044



200 x 50 CHR 6037C
200 x 50 POL 6037



200 x 50 CHR 6046C
200 x 50 POL 6046



200 x 50 CHR 6047C
200 x 50 POL 6047



200 x 50 CHR 6019C
200 x 50 POL 6019



200 x 50 CHR 6443C
200 x 50 POL 6443



200 x 50 CHR 6023C
200 x 50 POL 6023



200 x 50 CHR 6059C
200 x 50 POL 6059



200 x 50 CHR 6022C
200 x 50 POL 6022



200 x 50 CHR 6020C
200 x 50 POL 6020



200 x 50 CHR 6049C
200 x 50 POL 6049



200 x 50 CHR 6021C
200 x 50 POL 6021



200 x 50 CHR 6031C
200 x 50 POL 6031



200 x 50 CHR 6033C
200 x 50 POL 6033



200 x 50 CHR 6028C
200 x 50 POL 6028



200 x 50 CHR 6042C
200 x 50 POL 6042



200 x 50 CHR 6041C
200 x 50 POL 6041



200 x 50 CHR 6050C
200 x 50 POL 6050



200 x 50 CHR 6043C
200 x 50 POL 6043



200 x 50 CHR 6040C
200 x 50 POL 6040



200 x 50 CHR 6038C
200 x 50 POL 6038



6032C
6032
200 x 50 CHR
200 x 50 POL



6034C
6034
200 x 50 CHR
200 x 50 POL

The following signs are available in:

Black on Polished Gold Effect

Black on Polished Chrome Effect





200 x 50 CHR 6403C
200 x 50 POL 6403



200 x 50 CHR 6404C
200 x 50 POL 6404



200 x 50 CHR 6402C
200 x 50 POL 6402



200 x 50 CHR 6405C
200 x 50 POL 6405



200 x 50 CHR 6401C
200 x 50 POL 6401



200 x 50 CHR 6400C
200 x 50 POL 6400



200 x 50 CHR 6433C
200 x 50 POL 6433



200 x 50 CHR 6406C
200 x 50 POL 6406



200 x 50 CHR 6441C
200 x 50 POL 6441



200 x 50 CHR 6442C
200 x 50 POL 6442



200 x 50 CHR 6409C
200 x 50 POL 6409



200 x 50 CHR 6411C
200 x 50 POL 6411



200 x 50 CHR 6412C
200 x 50 POL 6412



200 x 50 CHR 6414C
200 x 50 POL 6414



200 x 50 CHR 6415C
200 x 50 POL 6415



200 x 50 CHR 6410C
200 x 50 POL 6410



200 x 50 CHR 6437C
200 x 50 POL 6437



200 x 50 CHR 6434C
200 x 50 POL 6434



200 x 50 CHR 6436C
200 x 50 POL 6436



200 x 50 CHR 6438C
200 x 50 POL 6438



200 x 50 CHR 6440C
200 x 50 POL 6440



200 x 50 CHR 6435C
200 x 50 POL 6435



200 x 50 CHR 6408C
200 x 50 POL 6408



200 x 50 CHR 6407C
200 x 50 POL 6407




200 x 50 CHR 6424C
200 x 50 POL 6424



200 x 50 CHR 6413C
200 x 50 POL 6413



200 x 50 CHR 6431C
200 x 50 POL 6431



200 x 50 CHR 6430C
200 x 50 POL 6430



200 x 50 CHR 6427C
200 x 50 POL 6427



200 x 50 CHR 6425C
200 x 50 POL 6425



200 x 50 CHR 6426C
200 x 50 POL 6426



200 x 50 CHR 6439C
200 x 50 POL 6439



200 x 50 CHR 6416C
200 x 50 POL 6416



200 x 50 CHR 6428C
200 x 50 POL 6428



200 x 50 CHR 6432C
200 x 50 POL 6432



200 x 50 CHR 6418C
200 x 50 POL 6418



200 x 50 CHR 6420C
200 x 50 POL 6420



200 x 50 CHR 6429C
200 x 50 POL 6429



200 x 50 CHR 6419C
200 x 50 POL 6419



200 x 50 CHR 6421C
200 x 50 POL 6421



200 x 50 CHR 6417C
200 x 50 POL 6417



6422C
6422
200 x 50 CHR
200 x 50 POL



6423C
6423
200 x 50 CHR
200 x 50 POL

Finger Plates



75 x 300 SAA FP01L
75 x 300 SSS FP09L
75 x 300 PSS FP13L



75 x 300 PB FP05L

Taktyle Braille Finger Plates



75 x 300 TAKPh TK5050BSIPH



75 x 300 TAKPh TK5051BSIPH



75 x 300 TAKPh TK5052BSIPH

FIND OUR FULL RANGE OF TAKTYLE BRAILLE SIGNS ON PAGE 71

Door Sign Discs



75 dia. SAA 2434-0
75 dia. SSS 2434-2



75 dia. SAA 2435-0
75 dia. SSS 2435-2



75 dia. SAA 2470-0
75 dia. SSS 2470-2



75 dia. SAA 2436-0
75 dia. SSS 2436-2



75 dia. SAA 2471-0
75 dia. SSS 2471-2



75 dia. SAA 2472-0
75 dia. SSS 2472-2



75 dia. SAA 2441-0
75 dia. SSS 2441-2



75 dia. SAA 2442-0
75 dia. SSS 2442-2



75 dia. SAA 2440-0
75 dia. SSS 2440-2



75 dia. SAA 2439-0
75 dia. SSS 2439-2



75 dia. SAA 2443-0
75 dia. SSS 2443-2



75 dia. SAA 2444-0
75 dia. SSS 2444-2



Material Key

CHR	Polished Chrome Effect (Self Adhesive)	***SSS***	1.2mm Satin Stainless Steel
POL	Polished Gold Effect Laminate (Self Adhesive)	***PSS***	1.2mm Polished Stainless Steel
SAA	Satin Anodised Aluminium	***TAK***	Reverse Printed and Moulded Plastic
PB	1.5mm Polished Brass	***TAKPH***	Taktyle Photoluminescent

Door Slider and Plates

Aluminium door signs and slider systems ideal for room identification. satin anodised aluminium with black plastic end caps. Available with drill holes or adhesive backing for fixing, please specify when ordering.

Size: 220mm x 30mm





Description	Code
Adhesive Backing	14112-A-SA
Drill Holes	14112-A-DH



Description	Code
Adhesive Backing	14112-B-SA
Drill Holes	14112-B-DH



Description	Code
Adhesive Backing	14112-C-SA
Drill Holes	14112-C-DH



Description	Code
Adhesive Backing	14112-D-SA
Drill Holes	14112-D-DH

Custom Door Sliders

PLEASE PROVIDE DETAILS OF YOUR REQUIREMENT UPON ORDER




Display Size	Code
220 x 90mm	14113
320 x 120mm	14114



Display Size	Code
220 x 90mm	14110
220 x 75mm	14111



Display Size	Code
220 x 30mm	14112





Safety Posters

Regulation and Safety Guidance 92
Hygiene 93
Workplace and General Safety 93
First Aid and Emergency 94
Official Health and Safety Posters 95

SAFETY POSTERS

What are Health and Safety Posters?

They are an effective way to ensure the constant communication of vital health and safety information. Designed to display the information in a concise and easy to read format they help ensure that customers, employees and visitors are reminded of safe practices and informed of risk factors.

Why are they important?

The use of relevant Heath and Safety poster can increase knowledge, change attitudes and alter behaviours. By conveying appropriate information in the correct location and at the correct time, both general guidance and important safety information can be imparted when needed.

Where should they be displayed?

As a general rule, they should be displayed in a prominent location which is available to all employees, but the ideal location of the poster depends upon the message which is to be conveyed.

What posters do I need to display?

As with Health and Safety signs, the exact posters you need to display depend upon the type of business, the services you supply and the hazards or procedures you wish to warn about. Relevant across all industries would be the Health and Safety Law poster, general Health and Safety or Fire Safety posters, with other industries choosing more specific variations to better reflect the hazards they would encounter.



Regulation and Safety Guidance




400 x 600 RPVC 13364



400 x 600 RPVC 13365



400 x 600 RPVC 13363



400 x 600 RPVC 13721



400 x 600 RPVC 13722



400 x 600 RPVC 13879



400 x 600 RPVC 14613




400 x 600 RPVC 14612



400 x 600 RPVC 13362



400 x 600 PVC 4240



400 x 600 RPVC 14876




400 x 600 RPVC 14877



Hygiene



590 x 420 LAM 13207



590 x 420 LAM 13208



590 x 420 LAM 13206



590 x 420 LAM 14616

Workplace and General Safety



590 x 420 LAM 13213



590 x 420 LAM 14617



590 x 420 LAM 14618



590 x 420 LAM 13217



590 x 420 LAM 13228



590 x 420 LAM 13227



590 x 420 LAM 13226



590 x 420 LAM 13223



590 x 420 LAM 13210



590 x 420 LAM 14619



590 x 420 LAM 13212



590 x 420 LAM 14620


Remember to display your Safety Posters!

Why not use one of our handy Snap Frames!

Improve the aesthetics, durability and security of our Safety Posters by placing them into one of our Snap Frames.

See Page 266 for our full range.







Material Key

RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
LAM	Laminated Paper

CAN'T FIND WHAT YOU'RE LOOKING FOR?

CONTACT US TO SEE HOW WE CAN CREATE BESPOKE SAFETY SIGNS TO SUIT YOUR NEEDS.



590 x 420 LAM 14770



590 x 420 LAM 13225



590 x 420 LAM 13961



590 x 420 LAM 13214




590 x 420 LAM 14771




590 x 420 LAM 13211



590 x 420 LAM 13216



590 x 420 LAM 13960



590 x 420 LAM 13959



First Aid and Emergency



590 x 420 LAM 13224



590 x 420 LAM 13220



590 x 420 LAM 13219



590 x 420 LAM 13218



590 x 420 LAM 13215



590 x 420 LAM 13221



590 x 420 LAM 13229



590 x 420 LAM 13222



590 x 420 LAM 13209



590 x 420 LAM 14621



590 x 420 LAM 14622

Material Key

LAM	Laminated Paper

FIND ALL OUR VISUAL DISPLAY OPTIONS FROM PAGE 266




Official Health and Safety Posters

The latest version of the HSE Poster has a simplified layout with clearly marked sections.

Each poster has been produced using environmentally friendly materials, is serially numbered and incorporates an embedded hologram.

Description	Size	Code
UK Standard Poster Laminated	A2	HSE01
UK Standard Poster with Snap Frame	A2	HSE01KIT
UK Standard Poster Laminated	A3	HSE05
UK Standard Poster with Snap Frame	A3	HSE05KIT
Northern Ireland Version Laminated	A2	HSE02
Welsh Language Version Laminated	A2	HSE03
Oil Rig Version Laminated	A2	HSE04



IN THE KNOW

The Health and Safety Information for Employees Regulations 1989, requires the Health and Safety Law poster to be displayed in all business premises.

The Health and Safety law poster tells employees what they and their employers need to do in simple terms.





Recycling Signs

Recycling Signs 98
Recycling Aisle Sacks 99

RECYCLING SIGNS

Workplaces create a significant amount of waste that can be recycled.

Recycling is an excellent way of saving energy, reducing carbon emissions and reducing the amount of waste going to landfill. It is also an essential component in achieving environmental standards such as ISO 14001. Employees should be encouraged to recycle and employers should set clear guidelines.

Maintaining high standards of recycling at work does not have to be difficult, but identifying what to recycle and putting bins and signs in place will make it easy and help to encourage employees to recycle.

Where to start

- *Perform a waste assessment of the types of waste generated by different departments / functions in the business.*
- *Identify the type and size of the recycling bin needed in key areas*
- *Position bins and signage*
- *Communicate and train employees on recycling policy and procedure*

What to recycle





Recycling Signs



Designed to make it quick and easy to see exactly what goes where.
The symbols, clear lettering and distinctive colours allow anyone to check at a glance and recycle appropriately.

Available in:
Self Adhesive Vinyl or Rigid PVC and suitable for both indoor and outdoor use.



150 x 200	SAV	18100
150 x 200	RPVC	18101
200 x 300	SAV	18102
200 x 300	RPVC	18103



150 x 200	SAV	18104
150 x 200	RPVC	18105
200 x 300	SAV	18106
200 x 300	RPVC	18107




150 x 200	SAV	18108
150 x 200	RPVC	18109
200 x 300	SAV	18110
200 x 300	RPVC	18111




150 x 200	SAV	18112
150 x 200	RPVC	18113
200 x 300	SAV	18114
200 x 300	RPVC	18115



150 x 200	SAV	18116
150 x 200	RPVC	18117
200 x 300	SAV	18118
200 x 300	RPVC	18119



150 x 200	SAV	18124
150 x 200	RPVC	18125
200 x 300	SAV	18126
200 x 300	RPVC	18127



150 x 200	SAV	18128
150 x 200	RPVC	18129
200 x 300	SAV	18130
200 x 300	RPVC	18131



150 x 200	SAV	18136
150 x 200	RPVC	18137
200 x 300	SAV	18138
200 x 300	RPVC	18139



150 x 200	SAV	18140
150 x 200	RPVC	18141
200 x 300	SAV	18142
200 x 300	RPVC	18143




150 x 200	SAV	18144
150 x 200	RPVC	18145
200 x 300	SAV	18146
200 x 300	RPVC	18147



150 x 200	SAV	18132
150 x 200	RPVC	18133
200 x 300	SAV	18134
200 x 300	RPVC	18135



150 x 200	SAV	18148
150 x 200	RPVC	18149
200 x 300	SAV	18150
200 x 300	RPVC	18151



150 x 200	SAV	18152
150 x 200	RPVC	18153
200 x 300	SAV	18154
200 x 300	RPVC	18155



150 x 200	SAV	18156
150 x 200	RPVC	18157
200 x 300	SAV	18158
200 x 300	RPVC	18159




150 x 200	SAV	18160
150 x 200	RPVC	18161
200 x 300	SAV	18162
200 x 300	RPVC	18163




150 x 200	SAV	18172
150 x 200	RPVC	18173
200 x 300	SAV	18174
200 x 300	RPVC	18175




150 x 200	SAV	18176
150 x 200	RPVC	18177
200 x 300	SAV	18178
200 x 300	RPVC	18179



150 x 200	SAV	18120
150 x 200	RPVC	18121
200 x 300	SAV	18122
200 x 300	RPVC	18123



150 x 200	SAV	18164
150 x 200	RPVC	18165
200 x 300	SAV	18166
200 x 300	RPVC	18167



150 x 200	SAV	18168
150 x 200	RPVC	18169
200 x 300	SAV	18170
200 x 300	RPVC	18171

Material Key

SAV	Self Adhesive Vinyl	***RPVC***	Rigid 1mm PVC Board (Non Adhesive)

Recycling Aisle Sacks



Easily segregate waste in a warehouse with the use of our industrial grade aisle sacks. Designed to be attached to the end of racking aisles with stainless steel hooks (***supplied***).

Each sack is manufactured from industrial strength waterproof polyester, double-stitched for strength and durability. The sack incorporates a top flap with Velcro fixing strips, allowing the contents to be secured when full for transportation. The three handle straps incorporated into the sides and the bottom allow for easy relocation and emptying.

Dimensions: 920 x 1000mm (WxH)
Capacity: 160 litres (approx)





Description	Code
General Waste	RSF001
Mixed Paper & Card	RSF002
Cardboard	RSF003
Plastic Only	RSF004
Shrink Wrap	RSF005
Mixed Recycling	RSF007
'Blank'	RSF006
Spare 'S' Hooks **(Pack of 2)**	RSF100





Top Flap

The integrated top flap covers the contents and helps prevent waste from spilling out when being transported. With two Velcro strips on the flap and one corresponding strip on the main body, this allows for two fixing points depending on how full the sack is.

Eyelets

Four eyelets providing multiple fixing options.



Stitching

Double stitched for strength.



Hooks

Supplied with two stainless steel 'S' hooks





A-Boards

Heavy Duty A-Boards *102*
Retail Box Deals *103*
Economy A-Boards *103*
Custom A-Boards *103*

A-BOARDS

What is an A-Board?

An A-Board is a double-sided standing sign that is commonly used to convey a warning message about a temporary hazard. A-Boards provide the perfect lightweight portable sign that can be positioned where required and removed after use.

Why do I need an A-Board?

It's an employers responsibility to warn employees and members of the public of any potential hazards. If you fail to warn people properly of a potential hazard in which an individual then experiences harm the organisation can then face legal proceedings. Where a temporary potential hazard occurs such as wet floor, A-Boards are the perfect way to communicate the warning until the hazard can be resolved.

What different kinds of A-Boards are there?

Manufactured from polypropylene this durable A-Board is designed to help reduce the risk of accidents or injuries occurring by highlighting temporary hazards. This double-sided A-Board is lightweight and is easily transportable with its integral carry handle.

Economy A-Boards are manufactured from 4mm Correx board providing a lightweight and cost-effective temporary option. Your own choice of adhesive sign can be added to either side of the A-Board making it extremely versatile.

A-Boards are commonly used with hazard warning messages, however they can be used for a number of messages where a temporary instruction or communication is required. Our custom A-Board service is ideal for printing your own message or adding your logo / branding.

IN THE KNOW

Slip incidents are extremely common and result in severe to permanent injuries.

The majority of slip accidents take place in the workplace or public areas and can be caused from ice, snow, water, oil and debris with the most common being from wet floor, spills and leaks.

(source – slipstripsandfalls.org.uk)





Custom Design

by **Spectrum** Services

GET IN TOUCH FOR MORE INFORMATION

Our specialist manufacturing team have years of experience designing, producing and installing custom products across the UK.

Whether you are looking for customised site safety signs, hoarding graphics, banners, tapes, labels, industrial marking stencils or floor graphics, we are happy to help.

Heavy Duty A-Boards

Manufactured from polypropylene this durable A-Board is designed to help reduce the risk of accidents or injuries occurring by highlighting temporary hazards. This double-sided A-Board is lightweight and is easily transportable with its integral carry handle.



4700



4702



4703



4742



4704


4704-EU



4701



4711



4705



4706



4719



4714



4715



4741



4710



4709



4707



4708



4713



4716




4717



4712

Dimensions

A	200mm
B	620mm
C OPEN	300mm
C CLOSED	30mm
D	290mm



Retail Box Deals



Ready for retail box of 5 A-Boards, providing you with excellent margins and an effective POS.

Description	Code
Danger Men At Work	4710DB
Warning Wet Floor	4702DB
Caution Cleaning In Progress	4703DB
Caution Work In Progress	4715DB
Caution Trip Hazard	4706DB
Caution Electricians Working	4709DB
Caution Snow And Ice	4719DB

Custom A-Boards





Our competitive Custom A-Board service is ideal for printing information you need on to an A-Board - from bespoke safety messages through to advertising and information.

Company logos can provide a cost effective method of promoting your company brand and with our manufacturing capabilities we can print anything from one single A-Board to many thousands.

- Your choice of symbol
- Your choice of text
- Your company logo
- From one off's to larger print runs

For more information please contact our sales team.

Economy A-Boards

Manufactured from 4mm Correx board, digitally cut and creased to provide a lightweight but sturdy A-Board.

Available in yellow, this unit is provided without any signs allowing you to choose your own for maximum versatility. These A-Boards are large enough to place a 200 x 300mm sign on either side.

Note: Sign not included.

Description	Code
Economy A-Board	4660

Dimensions



A	250mm
B	480mm
C	190mm





Need a Site Survey?

By law the correct safety signage should be displayed in the appropriate locations and to current legal standards. A Site Survey is advisable if you are unsure of your legal obligations or have been notified by a regulatory body that your current signage is not adequate.

- Site Surveys identify the signs you need, including size, positioning and materials, as well as any bespoke sign manufacturing service needs.
- Site Surveys also provide advice on ensuring the safety of you and your staff, including Lockout Tagout and Asset Management.



Floor Markings


Floor Graphics	*106*
Floor Signalling	*109*
Photoluminescent Tape & Floor Markings	*110*
Reflective Tape	*110*
Non-Slip Floor Tape	*110*
Non-slip Floor Treads	*110*
Aqua Floor Tape	*110*
Floor Marking Tape	*111*

FLOOR MARKINGS

Floor graphics and markings provide safety, informational or directional information at specific locations, often in areas where there is not always an appropriate place to site a standard sign.

Materials and Specification

Our floor graphics are digitally printed onto self adhesive vinyl with a permanent adhesive on the reverse. The graphic is then laminated with a clear matt embossed PVC laminate, which is certified to R9 grade for slip resistance. These signs should be applied to sealed flat surfaces such as laminates, painted or varnished floors or whole tiles, and are suitable for dry indoor locations.



A higher specification (R11) is suitable for outdoor conditions and is available on request, please ask for details.

Application and Use

1) *Locate the area where the graphic is to be placed, ensure the surface is suitable for the graphic as rough or porous surfaces are not suitable.*
2) *Clean the surface if required, it should be a sealed flat surface, clean from dust, oils or other contaminates.*
3) *Check that the graphic is centred properly and facing the correct direction (if applicable). Peel off a small strip of the release paper and stick it down to the surface.*
4) *Gently pull away the rest of the release paper, closely following this removal by pushing the floor graphic down, using a soft flat tool wipe from side to side to ensure no bubbles are trapped underneath the graphic.*







*Please note: We recommend that you test the suitability of this product before use and that a regular check is made on all floor graphics. Worn, torn or otherwise damaged floor graphics should be removed and replaced.**

**We cannot accept any responsibility for accidents to persons or damaged caused by the use of these products.*



Floor Graphics

Our floor graphics will adhere to most smooth, clean flat surfaces and will provide a durable long lasting safety message.
Each sign is backed with a high strength adhesive and has a hard wearing non-slip, non-abrasive lamination on the face.


400 dia. FLR 13023


400 dia. FLR 14926


400 dia. FLR 13025


400 dia. FLR 13024


400 dia. FLR 13031



400 dia. FLR 13028



400 dia. FLR 14927



400 dia. FLR 13030



400 dia. FLR 13029



400 dia. FLR 13032



400 dia. FLR 16004



400 dia. FLR 16005


400 dia. FLR 16008



400 dia. FLR 16006



400 dia. FLR 16003



400 dia. FLR 16002



400 dia. FLR 13026



400 dia. FLR 13027



400 dia. FLR 16009



400 dia. FLR 16001



400 dia. FLR 13040



400 dia. FLR 13041



400 dia. FLR 16000



400 dia. FLR 13042



400 dia. FLR 13044





400 dia. FLR 13043



400 dia. FLR 16021



400 dia. FLR 13036



400 dia. FLR 13039



400 dia. FLR 16022



400 dia. FLR 16020



400 dia. FLR 16019



400 dia. FLR 13034



400 dia. FLR 13038



400 dia. FLR 16023



400 dia. FLR 16018



400 dia. FLR 13035



400 dia. FLR 13033



400 dia. FLR 13037



400 dia. FLR 16007



400 dia. FLR 16010



400 dia. FLR 16017



400 dia. FLR 16016



400 dia. FLR 16013



400 dia. FLR 16014





400 dia. FLR 16011



400 dia. FLR 16012



400 dia. FLR 16015



600 x 100 FLR 16085



800 x 100 FLR 16087



600 x 100 FLR 16086



800 x 100 FLR 16088

Material Key

FLR	Anti-Slip Laminated Floor Sign

FIND OUR COVID RISK MANAGEMENT RANGE FROM PAGE 154



750 x 375 FLR 16067



750 x 375 FLR 16068



750 x 375 FLR 16071



750 x 375 FLR 16066



750 x 375 FLR 16072



750 x 375 FLR 16069



750 x 375 FLR 16060



750 x 375 FLR 16074



750 x 375 FLR 16073



750 x 375 FLR 16065



750 x 375 FLR 16084



750 x 375 FLR 16070



750 x 375 FLR 16064



750 x 375 FLR 16062



750 x 375 FLR 16063



750 x 375 FLR 16061





750 x 375 FLR 16082



750 x 375 FLR 16080



750 x 375 FLR 16078



750 x 375 FLR 16076



750 x 375 FLR 16083



750 x 375 FLR 16081



750 x 375 FLR 16079



750 x 375 FLR 16075



750 x 375 FLR 16077



500 x 200 FLR 16093
800 x 320 FLR 16094



500 x 200 FLR 16091
800 x 320 FLR 16092



500 x 200 FLR 16089
800 x 320 FLR 16090

Material Key

FLR	Anti-Slip Laminated Floor Sign

KEY

10 PACK
2 PACK

This image means this signs comes in a multiple pack.

FIND OUR RANGE OF SAFETY SIGNS FROM PAGE 14

Floor Signalling

A selection of pre-cut shapes designed for use in warehouse environments. Used to highlight pallet locations, safe walkways or traffic flow, these tough PVC shapes are self adhesive for fast application.


The following signs are available in the below colours:



Other colours available on request.



Footprints



5 pairs of footprints per pack


Colour	Material	Size	Qty	Code
Yellow	FLR	300 x 100	5	16054
Black	FLR	300 x 100	5	16055
White	FLR	300 x 100	5	16056
Red	FLR	300 x 100	5	16057
Green	FLR	300 x 100	5	16058
Blue	FLR	300 x 100	5	16059

'X' Signal



Colour	Material	Size	Qty	Code
Yellow	FLR	300 x 300	10	16024
Black	FLR	300 x 300	10	16025
White	FLR	300 x 300	10	16026
Red	FLR	300 x 300	10	16027
Green	FLR	300 x 300	10	16028
Blue	FLR	300 x 300	10	16029

'T' Signal



Colour	Material	Size	Qty	Code
Yellow	FLR	300 x 200	10	16030
Black	FLR	300 x 200	10	16031
White	FLR	300 x 200	10	16032
Red	FLR	300 x 200	10	16033
Green	FLR	300 x 200	10	16034
Blue	FLR	300 x 200	10	16035

'L' Signal




Colour	Material	Size	Qty	Code
Yellow	FLR	200 x 200	10	16036
Black	FLR	200 x 200	10	16037
White	FLR	200 x 200	10	16038
Red	FLR	200 x 200	10	16039
Green	FLR	200 x 200	10	16040
Blue	FLR	200 x 200	10	16041

Dots



Colour	Material	Size	Qty	Code
Yellow	FLR	90mm Dia.	100	16042
Black	FLR	90mm Dia.	100	16043
White	FLR	90mm Dia.	100	16044
Red	FLR	90mm Dia.	100	16045
Green	FLR	90mm Dia.	100	16046
Blue	FLR	90mm Dia.	100	16047

Arrows



Colour	Material	Size	Qty	Code
Yellow	FLR	90 x 90	100	16048
Black	FLR	90 x 90	100	16049
White	FLR	90 x 90	100	16050
Red	FLR	90 x 90	100	16051
Green	FLR	90 x 90	100	16052
Blue	FLR	90 x 90	100	16053

IN THE KNOW

Workplace Regulations include requirements for indicating traffic routes within workplaces where necessary for reasons of health and safety.

Part V of Schedule 1 of the Regulations requires the markings to take the form of continuous lines, taking into account the colour of the ground. Clearly defined traffic routes or safe systems of work (possibly including the use of banksmen to direct traffic) to help meet general duties under the HSW Act.

Photoluminescent Tape and Floor Markings

Our photoluminescent tape is ideal for creating clear, easy to use way finding systems. Exceeds PSPA Class B for longevity and brightness.



20mm x 10m PHO 13015
40mm x 10m PHO 13016
80mm x 10m PHO 13777



40mm x 10m (R) PHO 13017
40mm x 10m (L) PHO 13018
80mm x 10m (R) PHO 13651
80mm x 10m (L) PHO 13652



40mm x 10m PHO 13019
80mm x 10m PHO 13653



40mm x 10m PHO 13020
80mm x 10m PHO 13654



40mm x 10m PHO 13382
80mm x 10m PHO 13655

These photoluminescent floor graphics have a strong adhesive backing with a tough anti-slip laminated face.

Anti-slip Floor Arrow



75 x 55mm FLRph 13021

Anti-slip Floor Dot



75mm dia. FLRph 13022

Anti-slip Tape



50mm x 18.25m FLRph 13656

Anti-slip Floor Footprints



90 x 240mm FLRph 13650

Reflective Tape

Retroreflective tape of engineering grade.
Resistant to corrosion, weather and most solvents.

Tape measurements: 50mm x 25m

Description	Code
Black and Yellow	14073
Red and White	14074
White	14851



Non-Slip Floor Tape

A vital tool in the modern workplace, this non-slip tape is extremely useful in providing a safe tread area on dangerous surfaces.

Description	Size	Code
Black and Yellow	50mm x 18m	TA34L
Black	50mm x 18m	TA32L
Yellow	50mm x 18m	TA33L
Black and Yellow	75mm x 18.2m	TA53L
Black and Yellow	100mm x 18.2m	TA54L



Non-slip Floor Treads

Our non-slip treads are manufactured using a silicon carbide grit, giving excellent slip resistance whilst being repellent to oil, fluid and grease.

The printed treads are in high contrast colours and are ideal for use where a visual warning is needed, alongside anti-slip properties.



Description	Qty	Code
Plain 19 x 609mm	50	13645
Plain 150 x 609mm	10	13646
Plain 140 x 140mm	10	13647
Printed 150 x609mm "CAUTION"	Each	13648
Printed 150 x 609mm "Watch your Step	Each	13649

Aqua Floor Tape

Engineered to provide foot friendly non-slip protection in showers, baths and bathing areas, our Aqua Floor Tape is ideal to reduce the risk of slipping in wet indoor environments.




Description	Code
Aqua Track White 50mm x 18.25m	14848

Floor Marking Tape

Adhesive PVC tape ideal for highlighting hazards and internal marking procedures.

Tape measurements: 50mm x 33m

Description	Code
Red and White Stripes	TA05L
Black and Yellow Stripes	TA06L
Green and White Stripes	TA07L
Yellow	TA09L






Material Key

PHO	1.3mm Rigid Photoluminescent Board (Self Adhesive)
FLRph	Anti-Slip Laminated Floor Sign (Photoluminescent)

KEY — 10 PA 2 PACK — This image means this signs comes in a multiple pack.

ENLARGED TO SHOW DETAIL — This sign image has been enlarged to show detail, the actual size is listed underneath the image. KEY



Stencils

Stencils	*114*
Stencil Letter and Number Kits	*115*
Industrial Stencil Spray	*115*
Letters and Numbers	*116*
EV Charging Stencils	*117*

STENCILS

What are stencils?

Stencils are specially modified flexible polyester with a pattern or letters cut out. When the stencil is laid onto a substrate, paint is applied to the cut-out area, when the stencil is removed the paint remains in the shape of the cut-out area.

Paint is usually applied using a spray or roller, as this has less chance of moving the stencil during application.

Why use a stencil instead of a sign?

Stencils can be re-used multiple times and can provide a substantial cost saving compared to traditional signage. A stencil can be placed on virtually any surface, including ones where adhesive signs would not usually adhere, and the simple method of application ensures that almost anyone can apply one with a small amount of preparation.

Although stencils can be obtained as a complete message, you can also create your own messages by using the letter and number packs to provide the ultimate versatility.

How to use a stencil

1) *Choose an area to be place the stencil, check that it is dry, centred and facing the correct direction.*
2) *Place the stencil onto the surface and hold down the edges using a low-tack adhesive tape. If creating a message with individual letters / numbers, use the marks etched into the stencil to ensure they are lined up correctly.*
3) *Try to ensure the stencil is flat to the surface, as any raised parts will allow the paint to seep under the edge and result in a less sharp edge. Depending on your paint application method, consider adding more tape around the outside of the stencil to avoid overspray.*
4) *Apply your paint to the stencil, taking care not to overspray the area. Correct paint selection is important to ensure adhesion but also to prevent seepage. Remove the stencil whilst the paint is still wet to prevent the stencil being stuck to the substrate.*
5) *Clean the stencil with the appropriate solution suitable for the paint used. Correct cleaning will result in a longer lifespan of the stencil.*








Custom Design
by **Spectrum** Services
CONTACT US TO SEE HOW WE CAN CREATE BESPOKE SAFETY SIGNS TO SUIT YOUR NEEDS.

Stencils

Our stencils are manufactured from a specially modified flexible polyester. Each stencil is laser cut for accuracy, with a transparent anti-glare finish and is scratch resistant. If properly cared for, our stencils can be used time and again, making them a cost effective method of producing your own sign or notice.





300 x 190 STN 9506
400 x 300 STN 9506R
600 x 400 STN 9506J
800 x 600 STN 9506G



300 x 190 STN 9507
400 x 300 STN 9507R
600 x 400 STN 9507J
800 x 600 STN 9507G



300 x 190 STN 9532
400 x 300 STN 9532R
600 x 400 STN 9532J
800 x 600 STN 9532G



300 x 190 STN 9525
400 x 300 STN 9525R
600 x 400 STN 9525J
800 x 600 STN 9525G




300 x 190 STN 9528
400 x 300 STN 9528R
600 x 400 STN 9528J
800 x 600 STN 9528G




300 x 190 STN 9529
400 x 300 STN 9529R
600 x 400 STN 9529J
800 x 600 STN 9529G



300 x 190 STN 9508
400 x 300 STN 9508R
600 x 400 STN 9508J
800 x 600 STN 9508G



300 x 190 STN 9509
400 x 300 STN 9509R
600 x 400 STN 9509J
800 x 600 STN 9509G



300 x 190 STN 9535
400 x 300 STN 9535R
600 x 400 STN 9535J
800 x 600 STN 9535G



300 x 190 STN 9537
400 x 300 STN 9537R
600 x 400 STN 9537J
800 x 600 STN 9537G




300 x 190 STN 9538
400 x 300 STN 9538R
600 x 400 STN 9538J
800 x 600 STN 9538G



300 x 190 STN 9502
400 x 300 STN 9502R
600 x 400 STN 9502J
800 x 600 STN 9502G



300 x 190 STN 9500
400 x 300 STN 9500R
600 x 400 STN 9500J
800 x 600 STN 9500G



300 x 190 STN 9534
400 x 300 STN 9534R
600 x 400 STN 9534J
800 x 600 STN 9534G




300 x 190 STN 9530
400 x 300 STN 9530R
600 x 400 STN 9530J
800 x 600 STN 9530G




300 x 190 STN 9527
400 x 300 STN 9527R
600 x 400 STN 9527J
800 x 600 STN 9527G




190 x 300 STN 9542
300 x 400 STN 9542R
400 x 600 STN 9542J
600 x 800 STN 9542G




190 x 300 STN 9539
300 x 400 STN 9539R
400 x 600 STN 9539J
600 x 800 STN 9539G




190 x 300 STN 9540
300 x 400 STN 9540R
400 x 600 STN 9540J
600 x 800 STN 9540G




190 x 300 STN 9562
300 x 400 STN 9562R
400 x 600 STN 9562J
600 x 800 STN 9562G



190 x 300 STN 9564
300 x 400 STN 9564R
400 x 600 STN 9564J
600 x 800 STN 9564G



190 x 300 STN 9565
300 x 400 STN 9565R
400 x 600 STN 9565J
600 x 800 STN 9565G




190 x 300 STN 9566
300 x 400 STN 9566R
400 x 600 STN 9566J
600 x 800 STN 9566G




190 x 300 STN 9543
300 x 400 STN 9543R
400 x 600 STN 9543J
600 x 800 STN 9543G



190 x 300 STN 9581
300 x 400 STN 9581R
400 x 600 STN 9581J
600 x 800 STN 9581G




190 x 300 STN 9571
300 x 400 STN 9571R
400 x 600 STN 9571J
600 x 800 STN 9571G



190 x 300 STN 9582
300 x 400 STN 9582R
400 x 600 STN 9582J
600 x 800 STN 9582G



190 x 300 STN 9575
300 x 400 STN 9575R
400 x 600 STN 9575J
600 x 800 STN 9575G




190 x 300 STN 9576
300 x 400 STN 9576R
400 x 600 STN 9576J
600 x 800 STN 9576G

Stencil Letter and Number Kits

Our laser cut stencil packs are an ideal way to create your own message.

Each letter comes on a separate sheet of polyester, etched spacer marks on each corner allow you to align accurately to the next character.

NOTE: SIZE REFERS TO THE CHARACTER HEIGHT, WITH THE WIDTH VARYING DEPENDANT ON THE INDIVIDUAL CHARACTER.



A-Z 0-9	25mm	9403
A-Z 0-9	50mm	9404
A-Z 0-9	75mm	9405
A-Z 0-9	100mm	9406
0-9 A-Z	150mm	9410 9411
0-9 A-Z	200mm	9414 9415
0-9 A-Z	250mm	9418 9419
0-9 A-Z	300mm	9416 9417



Industrial Stencil Spray

Specifically formulated for stencilling, this spray produces long lasting, fast drying and highly visible lettering with a brightly coloured, durable finish.

This product is suitable for use on a variety of materials including wood, metal, glass, plastics, ceramics and many more.

Colour	Code
Black (400ml)	14637
Blue (400ml)	14638
Green (400ml)	14639
Red (400ml)	14640
Yellow (400ml)	14641
White (400ml)	14642
Orange (400ml)	14643





Material Key

STN	Polyester Stencil Sheet


WE ALSO MANUFACTURE CUSTOM STENCILS MADE TO YOUR EXACT REQUIREMENTS.


Letters and Numbers

A selection of individual letters and numbers, ideal for creating your own messages or simply as a way of marking aisles or bays. The cut-out Vinyl versions are also commonly used for door number marking.



Dimensions





Packed complete with Euroslot

Supplied in singles



Supplied bagged without Euroslot

Character	Polished Gold Effect		Polished Chrome Effect	
	50mm *Single*	75mm *Single*	50mm *Single*	75mm *Single*
'0'	BR010P	BR020P	BR010CP	BR020CP
'1'	BR011P	BR021P	BR011CP	BR021CP
'2'	BR012P	BR022P	BR012CP	BR022CP
'3'	BR013P	BR023P	BR013CP	BR023CP
'4'	BR014P	BR024P	BR014CP	BR024CP
'5'	BR015P	BR025P	BR015CP	BR025CP
'6'	BR016P	BR026P	BR016CP	BR026CP
'7'	BR017P	BR027P	BR017CP	BR027CP
'8'	BR018P	BR028P	BR018CP	BR028CP
'9'	BR019P	BR029P	BR019CP	BR029CP
'A'	BR01AP	BR02AP	BR01ACP	BR02ACP
'B'	BR01BP	BR02BP	BR01BCP	BR02BCP
'C'	BR01CP	BR02CP	BR01CCP	BR02CCP
'D'	BR01DP	BR02DP	BR01DCP	BR02DCP
'E'	BR01EP	BR02EP	BR01ECP	BR02ECP
'F'	BR01FP	BR02FP	BR01FCP	BR02FCP
'G'	BR01GP	BR02GP	BR01GCP	BR02GCP
'H'	BR01HP	BR02HP	BR01HCP	BR02HCP
'I'	BR01IP	BR02IP	BR01ICP	BR02ICP
'J'	BR01JP	BR02JP	BR01JCP	BR02JCP
'K'	BR01KP	BR02KP	BR01KCP	BR02KCP
'L'	BR01LP	BR02LP	BR01LCP	BR02LCP
'M'	BR01MP	BR02MP	BR01MCP	BR02MCP
'N'	BR01NP	BR02NP	BR01NCP	BR02NCP
'O'	BR01OP	BR02OP	BR01OCP	BR02OCP
'P'	BR01PP	BR02PP	BR01PCP	BR02PCP
'Q'	BR01QP	BR02QP	BR01QCP	BR02QCP
'R'	BR01RP	BR02RP	BR01RCP	BR02RCP
'S'	BR01SP	BR02SP	BR01SCP	BR02SCP
'T'	BR01TP	BR02TP	BR01TCP	BR02TCP
'U'	BR01UP	BR02UP	BR01UCP	BR02UCP
'V'	BR01VP	BR02VP	BR01VCP	BR02VCP
'W'	BR01WP	BR02WP	BR01WCP	BR02WCP
'X'	BR01XP	BR02XP	BR01XCP	BR02XCP
'Y'	BR01YP	BR02YP	BR01YCP	BR02YCP
'Z'	BR01ZP	BR02ZP	BR01ZCP	BR02ZCP
'£'	BR01£P	BR02£P	BR01£CP	BR02£CP
'&'	BR01&P	BR02&P	BR01&CP	BR02&CP
'€'	BR01€P	BR02€P	BR01€CP	BR02€CP

Photoluminescent Vinyl (Self Adhesive)		Stencil	
50mm *Single*	75mm *Single*	50mm *Single*	75mm *Single*
PH010L	PH020L	STE010L	STE020L
PH011L	PH021L	STE011L	STE021L
PH012L	PH022L	STE012L	STE022L
PH013L	PH023L	STE013L	STE023L
PH014L	PH024L	STE014L	STE024L
PH015L	PH025L	STE015L	STE025L
PH016L	PH026L	STE016L	STE026L
PH017L	PH027L	STE017L	STE027L
PH018L	PH028L	STE018L	STE028L
PH019L	PH029L	STE019L	STE029L
PH01AL	PH02AL	STE01AL	STE02AL
PH01BL	PH02BL	STE01BL	STE02BL
PH01CL	PH02CL	STE01CL	STE02CL
PH01DL	PH02DL	STE01DL	STE02DL
PH01EL	PH02EL	STE01EL	STE02EL
PH01FL	PH02FL	STE01FL	STE02FL
PH01GL	PH02GL	STE01GL	STE02GL
PH01HL	PH02HL	STE01HL	STE02HL
PH01IL	PH02IL	STE01IL	STE02IL
PH01JL	PH02JL	STE01JL	STE02JL
PH01KL	PH02KL	STE01KL	STE02KL
PH01LL	PH02LL	STE01LL	STE02LL
PH01ML	PH02ML	STE01ML	STE02ML
PH01NL	PH02NL	STE01NL	STE02NL
PH01OL	PH02OL	STE01OL	STE02OL
PH01PL	PH02PL	STE01PL	STE02PL
PH01QL	PH02QL	STE01QL	STE02QL
PH01RL	PH02RL	STE01RL	STE02RL
PH01SL	PH02SL	STE01SL	STE02SL
PH01TL	PH02TL	STE01TL	STE02TL
PH01UL	PH02UL	STE01UL	STE02UL
PH01VL	PH02VL	STE01VL	STE02VL
PH01WL	PH02WL	STE01WL	STE02WL
PH01XL	PH02XL	STE01XL	STE02XL
PH01YL	PH02YL	STE01YL	STE02YL
PH01ZL	PH02ZL	STE01ZL	STE02ZL
PH01£L	PH02£L	STE01£L	STE02£L
PH01&L	PH02&L	STE01&L	STE02&L
PH01€L	PH02€L	STE01€L	STE02€L

Self Adhesive Vinyl		Cut-out Black Vinyl Numbers		Cut-out White Vinyl Numbers	
50mm *10 Pack*	75mm *10 Pack*	50mm *10 Pack*	75mm *10 Pack*	50mm *10 Pack*	75mm *10 Pack*
SVY010L	SVY020L	SVB010L	SVB020L	SVW010L	SVW020L
SVY011L	SVY021L	SVB011L	SVB021L	SVW011L	SVW021L
SVY012L	SVY022L	SVB012L	SVB022L	SVW012L	SVW022L
SVY013L	SVY023L	SVB013L	SVB023L	SVW013L	SVW023L
SVY014L	SVY024L	SVB014L	SVB024L	SVW014L	SVW024L
SVY015L	SVY025L	SVB015L	SVB025L	SVW015L	SVW025L
SVY016L	SVY026L	SVB016L	SVB026L	SVW016L	SVW026L
SVY017L	SVY027L	SVB017L	SVB027L	SVW017L	SVW027L
SVY018L	SVY028L	SVB018L	SVB028L	SVW018L	SVW028L
SVY019L	SVY029L	SVB019L	SVB029L	SVW019L	SVW029L
SVY01AL	SVY02AL	SVB01AL	SVB02AL	SVW01AL	SVW02AL
SVY01BL	SVY02BL	SVB01BL	SVB02BL	SVW01BL	SVW02BL
SVY01CL	SVY02CL	SVB01CL	SVB02CL	SVW01CL	SVW02CL
SVY01DL	SVY02DL	SVB01DL	SVB02DL	SVW01DL	SVW02DL
SVY01EL	SVY02EL	SVB01EL	SVB02EL	SVW01EL	SVW02EL
SVY01FL	SVY02FL	SVB01FL	SVB02FL	SVW01FL	SVW02FL
SVY01GL	SVY02GL	SVB01GL	SVB02GL	SVW01GL	SVW02GL
SVY01HL	SVY02HL	SVB01HL	SVB02HL	SVW01HL	SVW02HL
SVY01IL	SVY02IL	SVB01IL	SVB02IL	SVW01IL	SVW02IL
SVY01JL	SVY02JL	SVB01JL	SVB02JL	SVW01JL	SVW02JL
SVY01KL	SVY02KL	SVB01KL	SVB02KL	SVW01KL	SVW02KL
SVY01LL	SVY02LL	SVB01LL	SVB02LL	SVW01LL	SVW02LL
SVY01ML	SVY02ML	SVB01ML	SVB02ML	SVW01ML	SVW02ML
SVY01NL	SVY02NL	SVB01NL	SVB02NL	SVW01NL	SVW02NL
SVY01OL	SVY02OL	SVB01OL	SVB02OL	SVW01OL	SVW02OL
SVY01PL	SVY02PL	SVB01PL	SVB02PL	SVW01PL	SVW02PL
SVY01QL	SVY02QL	SVB01QL	SVB02QL	SVW01QL	SVW02QL
SVY01RL	SVY02RL	SVB01RL	SVB02RL	SVW01RL	SVW02RL
SVY01SL	SVY02SL	SVB01SL	SVB02SL	SVW01SL	SVW02SL
SVY01TL	SVY02TL	SVB01TL	SVB02TL	SVW01TL	SVW02TL
SVY01UL	SVY02UL	SVB01UL	SVB02UL	SVW01UL	SVW02UL
SVY01VL	SVY02VL	SVB01VL	SVB02VL	SVW01VL	SVW02VL
SVY01WL	SVY02WL	SVB01WL	SVB02WL	SVW01WL	SVW02WL
SVY01XL	SVY02XL	SVB01XL	SVB02XL	SVW01XL	SVW02XL
SVY01YL	SVY02YL	SVB01YL	SVB02YL	SVW01YL	SVW02YL
SVY01ZL	SVY02ZL	SVB01ZL	SVB02ZL	SVW01ZL	SVW02ZL
SVY01£L	SVY02£L	SVB01£L	SVB02£L	SVW01£L	SVW02£L
SVY01&L	SVY02&L	SVB01&L	SVB02&L	SVW01&L	SVW02&L
SVY01€L	SVY02€L	SVB01€L	SVB02€L	SVW01€L	SVW02€L

Material Key

Polished Gold Effect

This is a highly polished Aluminium alloy which has been coloured, chemically anodised and finished with a Polyester lacquer. Giving a smooth polished 'gold effect' look without the cost of a solid metal. Self adhesive backing.

Polished Chrome Effect

Created from the same base as the polished gold but coloured silver, it gives a chrome like mirror finish. Suitable for interior use only. Self adhesive backing.

Photoluminescent Vinyl


Our Photoluminescent Vinyl conforms to the P.S.P.A. Class 1 classification for brightness and longevity. Self adhesive backing.

Stencil

Our stencils are manufactured from a specially treated flexible Polyester film.

Vinyls

Our Vinyl characters are manufactured from a 75 micron Vinyl with a gloss finish and permanent adhesive. They have a high initial tack for ease of fixing and up to 5 years expected life span.



Self adhesive backing on:
Polished Gold effect, Chrome effect Photoluminescent and Black on Yellow Vinyl.




Cut out Vinyl letters and numbers, with self adhesive backing.

FIND OUR FULL MATERIAL KEY ON PAGE 12

EV Charging Stencils


These large stencils are digitally cut from laminated vinyl, providing a tough and reusable finish.
Each sign can be used with or without the adhesive on the reverse.

EV Charging Point Symbol




Material	Size	Code
FLR	850 x 850	9700-850
FLR	1000 x 1000	9700-1000

Electric Vehicle Parking with Symbol



Material	Size	Code
FLR	850 x 850	9701-850
FLR	1000 x 1000	9701-1000

Electric Vehicle Parking Only



Material	Size	Code
FLR	850 x 850	9702-850
FLR	1000 x 1000	9702-1000



Pipeline Identification

Pipeline Flow Markers *120*
Pipeline Identification Tape *122*

PIPELINE IDENTIFICATION

What is Pipeline Identification?

Pipeline Identification is used for identifying the contents of pipes. Containers, tanks and vessels used in the workplace for hazardous chemical substances or mixtures, and the visible pipes in the workplace containing or transporting hazardous substances and mixtures, should be labelled showing the relevant contents. Pipeline flow markers have arrowheads at either end, one of which can be removed to indicate the direction of flow.

Why is Pipeline Identification Important?

Unidentified pipes can provide a serious hazard to both health and property. When repairs or maintenance is required, the contents and flow direction is one of the first questions that need to be answered.

The Health and Safety (Safety Signs and Signals) Regulations 1996 have made it a legal requirement that employers mark and identify hazardous materials in visible pipework.


Why Spectrum


Our products conform to BS 1710, which specifies the colours and other information that should be used to identify pipes, ducts and electrical conduits. This standard itself references the appropriate colours to be used as per BS 4800, as well as some safety colours as listed detailed below.

Basic Identification Colours

The background colours of our pipe markers and tapes all conform to the recommendations specified in BS 1710 2014 Identification of Pipelines and Services, as shown below:


Pipe Contents	Colour	BS 4800	Example
Air	Light Blue	20 E 51	
Water	Green	12 D 45	
Steam	Silver Grey	10 A 03	
Electricity	Orange	06 E 51	
Fire	Red	04 E 53	
Gases	Yellow Ochre	08 C 35	
Acid and Alkali	Violet	22 C 37	
Mineral Oils	Brown	06 C 39	
Warning	Yellow	08 E 51	
Fresh Water	Auxiliary Blue	18 E 53	
Other Liquids	Black	00 E 53	





Pipeline Flow Markers

Supplied in packs of 5, our markers have arrowheads at either end to indicate the direction of flow, simply cut off the unneeded arrow and apply marker to the pipe with the arrow pointing in the direction of the flow.



All our markers are manufactured on a highly durable, self adhesive Polyester film, which is then laminated with clear Polyester. This makes it extremely resistant to scratching, chemicals and solvents as well as extremes of temperature.

OTHER SIZES AND FORMS ARE AVAILABLE, **PLEASE ASK FOR DETAILS.**

Air (Light Blue) 20 E 51

AIR
13456

AIR CONDITIONING
13457

BREATHING AIR
13458

COMPRESSED AIR
13459

WARM AIR
13460

COLD AIR
13461

COOLING AIR
13462

VACUUM
13463

EXTRACT AIR
13464

VENTILATION AIR
13465



Water (Green) - 12 D 45

COLD WATER
13410

COOLING WATER
13411

DRINKING WATER
13412

HOT WATER
13413

PURIFIED WATER
13414

SEA WATER
13415

WASTE WATER
13416

DEMINERALISED WATER
13417

DOMESTIC WATER
13418

HEATING
13419

POLLUTED WATER
13420

RECYCLED WATER
13421

CHLORINATED WATER
13422

CONDENSATE
13423

DISTILLED WATER
13424

FRESH WATER
13425

NON DRINKING WATER
13426

RAIN WATER
13427

UNTREATED WATER
13428

Steam (Silver Grey) - 10 A 03

STEAM
13429

HIGH PRESSURE STEAM
13430

LOW PRESSURE STEAM
13431

VAPOUR
13432

Electricity (Orange) - 06 E 51

ELECTRICITY
13433

Fire (Red) - 04 E 53

HOSE REEL
13434

SPRINKLER
13435

FIRE MAIN
13436

FOAM
13437

Gases (Yellow Ochre) - 08 C 35

INERT GAS
13438

LIQUID NITROGEN
13439

GAS
13440

BUTANE
13441

NATURAL GAS
13442

CHLORINE
13443

ARGON
13444

LIQUID OXYGEN
13445

ACETYLENE
13446

PROPANE
13447

HYDROGEN
13448

FUEL GAS
13449

NITROGEN
13450

HELIUM
13451

ETHYLENE
13452

METHANE
13453

AMMONIA
13454

CO2
13455

Acid and Alkali (Violet) - 22 C 37

ACID
13466

PHOSPHORIC ACID
13467

HYDROGEN CHLORIDE
13468

PHENOL
13469

ALKALI
13470

POTASSIUM
13471

FORMIC ACID
13472

SULPHURIC ACID
13473

SODIUM NITRATE
13474

CAUSTIC SODA
13475

AMMONIA
13476

SODIUM HYDROXIDE
13477

NITRIC ACID
13478

ACETIC ACID
13479

NITRATE
13480

SODIUM SULPHIDE
13481

HYDROCHLORIC ACID
13482



Mineral Oils (Brown) - 06 C 39



13483



13484



13485



13486



13487



13488



13489



13490



13491



13492



13493



13494



13495



13496




13497




13498


NOTE: COLOURS ARE NOT A TRUE MATCH AND ARE FOR VISUAL PURPOSES ONLY.

Pipeline Identification Tape


50mm x 33m 13499



50mm x 33m 13507



50mm x 33m 13508





think safe
actsafebesafe

It's easy to get hurt but, even easier to prevent it happening

FIND MORE ACCIDENT FREE DAY SIGNS ON PAGE 174



Many organisations are paying closer attention to health and safety and are identifying opportunities for improvement.

By introducing safety schemes and using signage to promote safety on their site so they can raise awareness and maintain safety standards.

We provide a wide range of signs to create a positive safety culture.



Description	Code
Style A - 900 x 200mm	ADFSign-A



Description	Code
Style D - 900 x 200mm	ADFSign-D



Construction

Site Safety Notices	126
Build Your Own - Site Safety Notice	127
5 Point PPE	127
Construction Site Sign Pack	128
Fire Safety and Safe Condition	130
Fire Extinguishers and Equipment	130
Mandatory	131
Prohibition	132
Hazard Warning	132
Highway / Motorway Maintenance	133
Acrylic Linemarker	133
Construction and General	134
Underground Tapes	135
Quarry Signs	136

CONSTRUCTION

The construction industry in the UK is worth well over £100 billion per annum but unfortunately suffers from one of highest rates of injury and death. Health and safety is important in every industry sector, but workplace safety in the construction industry is often considered more important due to the severity of injuries which are inflicted.

In recent times health and safety is being positioned at the core of all operations and training, with the use of safety signs being used to help create awareness of risk and preventing of accidents.

Safety Signs are a legal requirement and construction site safety signs deliver important information warning you of hazards or requirements that must be obeyed. It is the responsibility of the people who run the site to ensure that there is sufficient safety signs in full and clear view for workers, visitors and members of the public.

Our extensive range of signs and noticeboards are available ex-stock, with customisation available to ensure any risk or message can be communicated effectively.

IN THE KNOW

"Construction is the third most dangerous industry according to the UK's health and safety executive's (HSE), costing the construction industry over £1bn."

(SOURCE – HSE)



Custom Design
by **Spectrum** Services

GET IN TOUCH FOR MORE INFORMATION

Our specialist manufacturing team have years of experience designing, producing and installing custom products across the UK.

Whether you are looking for customised site safety signs, hoarding graphics, banners, tapes, labels, industrial marking stencils or floor graphics, we are happy to help.

Site Safety Notices

With the numerous dangers found on modern construction sites, it has become harder and harder for a site safety manager to effectively demonstrate, the relevant safety procedures and methods of work which is a lawful requirement.

These signs have been specifically designed to provide safety managers with the information they need to display on one sign. We can also create bespoke site safety signs with specific logos or company branding.





800 x 600 FMX 4550



800 x 600 (Irish) FMX 4550-EIRE



600 x 800 FMX 4552



800 x 600 CRX 12483
800 x 600 FMX 12461



800 x 600 RPVC 12404



600 x 900 CRX 14289



800 x 600 FMX 4551
800 x 600 RPVC 12485



800 x 600 RPVC 12405



800 x 600 CRX 12482
800 x 600 FMX 12460



800 x 600 FMX 15027



Build Your Own - Site Safety Notice







Choose 8 300 x 100mm signs from the selection above to create your perfect Site Safety Notice.

Description	Code
Build Your Own - Site Safety Notice RPVC (650 x 650mm)	17332

IF NO SELECTION IS MADE, WE WILL SUPPLY THE BEST SELLING OPTION.

5 Point PPE required at all times

This 3mm ACP board comes complete with 20mm powder coated mild steel stand. Ideal for displaying in temporary locations or difficult area's where wall fixing is not an option.

- ***Adjustable rubber feet – for grip and stability***
- ***Folds flat for storage or transportation***
- ***Adjustable frame allows for 3 different angles of display***

Board dimensions (WxH): 1300 x 1500mm





Description	Code
5 point PPE required at all times (1300 x 1500mm)	SBL-001

Site Safety Notice Board A

This 3mm ACP board comes complete with 6 pockets mounted to the front, allowing for vital site information to be held securely in one place with drywipe lamination in the 'Notices' section for adding further information.

Board dimensions (WxH): 2000 x 1200mm

Description	Code
Site Board	SB-BD60



FIND OUR FULL RANGE OF SITE SAFETY NOTICE BOARDS ON PAGE 172

CONTACT US FOR A BESPOKE OPTION.

Material Key

CRX	Lightweight Corrugated Plastic
FMX	3mm Foamed PVC Board
RPVC	Rigid 1mm PVC Board (Non Adhesive)



NEED A PORTABLE OR FREE STANDING VERSION?

See page 168 for more information on multi-purpose frames

Construction safety sign packs are a cost effective way to buy safety signs and literature. Providing a range of signs including,

- *Site Safety Composite signs*
- *Mandatory PPE Safety signs*
- *First Aid signs*
- *Fire Safety signage*
- *Accident Report books*
- *plus much more.*



Construction Site Sign Pack

Simple, basic selection of 5 ready to retail construction site signs.



Description	Code
Construction Site Sign Pack	13974

CONTENTS

Description	Qty	Code
Site Safety Composite *(FMX, 800 x 600)*	1	12461
Site Safety Composite *(FMX, 800 x 600)*	1	12460
Site safety starts here *(RPVC, 600 x 400)*	1	13975
Safety helmets must be worn on this site *(RPVC, 600 x 450)*	1	11413
You are now entering a designated area *(RPVC, 600 x 450)*	1	13976

Site Sign Pack - Selection A

Simple, basic selection of 19 ready to retail site signs.
Perfect for smaller sites.

Description	Code
Site Sign Pack - Selection A	17333



PACK CONTENTS

Description	Qty	Code
Accident Report Book	1	14900
All Drivers and Visitors Must Report To Site Office *(RPVC, 600 x 450)*	1	11459
Approved Personal Protective Equipment Must Be Worn *(PVC, 600 x 400)*	1	4020
Building Site Warning To Public and Parents *(PVC, 600 x 400)*	1	4251
Composite Site Safety Notice *(FMX, 800 x 600)*	2	4550
Danger Keep Out *(RPVC, 400 x 600)*	4	11230
First Aid *(RPVC, 200 x 300)*	1	12043
Fire Assembly Point *(RPVC, 400 x 600)*	1	12031
Fire Extinguisher *(RPVC, 300 x 400)*	1	12329
Health & Safety Law Poster *(LAM, 420 x 594)*	1	HSE01
No Smoking *(RPVC, 400 x 600)*	2	11813
No Unauthorised Persons Allowed Beyond This Point *(RPVC, 400 x 600)*	1	11607
Site Office *(RPVC, 300 x 100)*	1	13944
Site Safety Starts Here *(RPVC, 400 x 300)*	1	13953

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
FMX	3mm Foamed PVC Board
LAM	Laminated Paper

FIND OUR FULL RANGE OF SAFETY SIGNS STARTING ON PAGE 14

CONTACT US TO SEE HOW WE CAN CREATE BESPOKE SAFETY SIGNS TO SUIT YOUR NEEDS.

Site Sign Pack - Selection B

A comprehensive selection of 43 safety notices.
Suitable for a wide variety of sites.

Description	Code
Site Sign Pack - Selection B	17334



PACK CONTENTS

Description	Qty	Code
Accident Report Book	1	14900
All Drivers and Visitors Must Report To Site Office *(RPVC, 600 x 450)*	1	11459
Approved Personal Protective Equipment Must Be Worn *(PVC, 600 x 400)*	1	4020
Building Site Warning To Public and Parents *(PVC, 600 x 400)*	1	4251
'Build Your Own' Site Safety Template *(FMX, 650 x 650)*	2	14511
Children Must Not Play On This Site *(SAV, 300 x 100)*	2	14303
Construction Site Keep Out *(SAV, 300 x 100)*	2	12380
Danger High Voltage *(SAV, 300 x 100)*	2	11085
Danger Keep Out *(RPVC, 400 x 600)*	4	11230
Danger keep Out *(SAV, 300 x 100)*	2	12382
Ear Protection Must Be Worn *(SAV, 300 x 100)*	2	11404
Eye Protection Must Be Worn *(SAV, 300 x 100)*	2	11396
Fire Assembly Point *(RPVC, 400 x 600)*	1	12031
Fire Extinguisher *(RPVC, 300 x 400)*	1	12329
First Aid *(RPVC, 200 x 300)*	1	12043
Health & Safety Law Poster *(LAM, 420 x 594)*	1	HSE01
High Visibility Clothing Must Be Worn In This Area *(SAV, 300 x 100)*	2	11688
No Smoking *(RPVC, 400 x 600)*	2	11813
No Smoking *(SAV, 300 x 100)*	2	11802
No Unauthorised Persons Allowed Beyond This Point *(RPVC, 400 x 600)*	1	11607
No Unauthorised Persons Allowed Beyond This Point *(SAV, 300 x 100)*	2	11654
Protective Footwear Must Be Worn *(SAV, 300 x 100)*	2	11384
Protective Gloves Must Be Worn *(SAV, 300 x 100)*	2	11392
Safety Helmets Must Be Worn In This Area *(SAV, 300 x 100)*	2	11408
Site Office *(RPVC, 300 x 100)*	1	13944
Site Safety Starts Here *(RPVC, 400 x 300)*	1	13953

Site Sign Pack - Selection C

The complete collection of 10 site safety notices, including an Accident / Injury Report Book. Helping to ensure sites are safety compliant.

Description	Code
Site Sign Pack - Selection C	17335



PACK CONTENTS

Description	Qty	Code
Accident Report Book	1	14900
All Drivers And Visitors Must Report To Site Office *(RPVC, 600 x 450)*	1	11459
Composite Site Safety Notice *(FMX, 800 x 600)*	1	4550
Danger Keep Out *(RPVC, 400 x 600)*	2	11230
Fire Assembly Point *(RPVC, 400 x 600)*	1	12031
First Aid *(RPVC, 200 x 300)*	1	12043
No Smoking *(RPVC, 400 x 600)*	2	11813
Site Office *(RPVC, 300 x 100)*	1	13944

IN THE KNOW

Agriculture and construction are some of the most dangerous sectors to work in, with the most common cause of a fatal injury being falling from height.

Fire Safety and Safe Condition



300 x 100	SAV	12578
400 x 150	SAV	12104
400 x 150	RPVC	12105
400 x 150	PVC	1684
600 x 200	SAV	12106
600 x 200	RPVC	12107



300 x 100	SAV	12579
400 x 150	SAV	12096
400 x 150	RPVC	12097
400 x 150	PVC	1683
600 x 200	SAV	12098
600 x 200	RPVC	12099



300 x 100	SAV	12576
400 x 150	SAV	12092
400 x 150	RPVC	12093
400 x 150	PVC	1685
600 x 200	SAV	12094
600 x 200	RPVC	12095



300 x 100	SAV	12577
400 x 150	SAV	12000
400 x 150	RPVC	12001
400 x 150	PVC	1686
600 x 200	SAV	12002
600 x 200	RPVC	12003



300 x 100	SAV	12581
300 x 150	SAV	12128
300 x 150	RPVC	12129
300 x 150	PVC	1692
400 x 200	SAV	12130
400 x 200	RPVC	12131
600 x 200	RPVC	12580



300 x 100	SAV	12583
600 X 200	RPVC	12582



300 x 100	SAV	12394
600 X 200	RPVC	12393



300 x 100	SAV	12392
600 x 200	RPVC	12391



300 x 100	SAV	12138
300 x 100	RPVC	12139
600 x 100	SAV	12140
600 x 100	RPVC	12141
600 x 100	PVC	1534



50 x 50	SAV	12366
100 x 100	SAV	14327
100 x 100	RPVC	14328




300 x 100	SAV	12040
300 x 100	RPVC	12041



300 x 100	SAV	14516
600 x 200	RPVC	14517



300 x 100	SAV	14301
600 x 200	RPVC	14286



200 x 300	SAV	14293
200 x 300	RPVC	14515



300 x 200	SAV	12028
300 x 200	RPVC	12029
300 x 200	ACP	14013
600 x 400	SAV	12030
600 x 400	RPVC	12031
600 x 450	ACP	14014



300 x 100	SAV	12050
300 x 100	RPVC	12051
600 x 200	RPVC	12388



300 x 100	SAV	12038
300 x 100	RPVC	12039




300 x 100	SAV	11903
300 x 100	RPVC	11904


Fire Extinguishers and Equipment



75 x 200	PVC	1370
82 x 202	SAV	12308
82 x 202	RPVC	12309



75 x 200	PVC	1372
82 x 202	SAV	12310
82 x 202	RPVC	12311



75 x 200	PVC	1371
82 x 202	SAV	12306
82 x 202	RPVC	12307



75 x 200	PVC	1373
82 x 202	SAV	12304
82 x 202	RPVC	12305



200 x 300	PVC	1451
200 x 300	SAV	14001
200 x 300	RPVC	14002



200 x 200	SAV	14514
200 x 200	RPVC	14296



200 x 200	SAV	12344
200 x 200	RPVC	12345

CAN'T FIND WHAT YOU'RE LOOKING FOR?

CONTACT US TO SEE HOW WE CAN CREATE BESPOKE SAFETY SIGNS TO SUIT YOUR NEEDS.

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PYC	2mm Vandal Resistant Polycarbonate
ACP	Aluminium Composite Panel
CRX	Lightweight Corrugated Plastic

FIND OUR FULL RANGE OF TAKTYLE BRAILLE SIGNS FROM PAGE 66

ENLARGED TO SHOW DETAIL

This sign image has been enlarged in comparison to the other signs on this page to show detail, the actual size is listed underneath the image.

KEY

Mandatory



200 x 300	CRX	12475
200 x 300	PVC	0002
400 x 600	PVC	4000



200 x 300	SAV	11426
200 x 300	RPVC	11427
400 x 600	SAV	11428
400 x 600	RPVC	11429



200 x 300	SAV	11434
200 x 300	RPVC	11435
400 x 600	SAV	11436
400 x 600	RPVC	11437



200 x 300	SAV	11446
200 x 300	RPVC	11447
400 x 600	SAV	11448
400 x 600	RPVC	11449




400 x 600	PVC	4007



200 x 300	SAV	14410
200 x 300	RPVC	13963
200 x 300	PVC	0255
400 x 600	PVC	4003



150 x 200	SAV	13969
200 x 300	SAV	11414
200 x 300	RPVC	11415
200 x 300	PVC	0253
400 x 600	SAV	11416
400 x 600	RPVC	11417



200 x 300	PVC	0251
400 x 600	PVC	4002



200 x 300	SAV	14305
200 x 300	RPVC	14306



200 x 300	SAV	11508
200 x 300	RPVC	11509



600 x 450	SAV	11450
600 x 450	RPVC	11451



600 x 450	SAV	11412
600 x 450	RPVC	11413



600 x 450	SAV	11458
600 x 450	RPVC	11459
600 x 450	CRX	12476



100 x 100	SAV	11324
100 x 100	RPVC	11325
150 x 150	SAV	11326
150 x 150	RPVC	11327



100 x 100	SAV	12574
100 x 100	RPVC	14256
150 x 150	SAV	11510
150 x 150	RPVC	11511
200 x 200	SAV	11512
200 x 200	RPVC	11513
300 x 300	SAV	11514
300 x 300	RPVC	11515



600 x 400	RPVC	13952
600 x 400	PVC	4001



600 x 400	PVC	4020



300 x 200	PVC	0024
600 x 400	PVC	4009



600 x 450	CRX	12477



300 x 100	SAV	11408
300 x 100	RPVC	11409
600 x 200	SAV	11410
600 x 200	RPVC	11411



300 x 100	SAV	11392
300 x 100	RPVC	11393
600 x 200	SAV	11394
600 x 200	RPVC	11395



300 x 100	SAV	11404
300 x 100	RPVC	11405
600 x 200	SAV	11406
600 x 200	RPVC	11407



300 x 100	SAV	11396
300 x 100	RPVC	11397
600 x 200	SAV	11398
600 x 200	RPVC	11399



300 x 100	SAV	11384
300 x 100	RPVC	11385
600 x 200	SAV	11386
600 x 200	RPVC	11387



300 x 100	SAV	11688
300 x 100	RPVC	11689



300 x 100	SAV	14295
600 x 200	RPVC	14304



600 x 200	RPVC	12373



600 x 200	RPVC	12385



300 x 100	SAV	14299
600 x 200	RPVC	14300

Recycling in the Workplace

Making your workplace a cleaner place.

FIND OUR RECYCLING SIGNS ON PAGE 98



Prohibition



300 x 100 SAV 11668
300 x 100 RPVC 11669
600 x 200 SAV 11670
600 x 200 RPVC 11671



300 x 100 SAV 14518
600 x 200 RPVC 14287



300 x 100 SAV 11666
300 x 100 RPVC 11667
600 x 200 SAV 13977
600 x 200 RPVC 13978



300 x 100 SAV 11662
300 x 100 RPVC 11663
600 x 200 SAV 11664
600 x 200 RPVC 11665



150 x 50 SAV 11800
150 x 50 RPVC 11801
300 x 100 SAV 11802
300 x 100 RPVC 11803
600 x 200 SAV 11804
600 x 200 RPVC 11805



200 x 300 PVC 0618
400 x 600 PVC 4055



400 x 600 CRX 12480
400 x 600 RPVC 13949



200 x 300 PVC 0605
400 x 600 PVC 4051



200 x 300 PVC 0619



148 x 210 SAV 14302
148 x 210 RPVC 14769



300 x 100 SAV 11654
300 x 100 RPVC 11655
600 x 200 SAV 11656
600 x 200 RPVC 11657



100 x 100 SAV 11620
100 x 100 RPVC 11621
200 x 200 SAV 11622
200 x 200 RPVC 11623
400 x 400 SAV 11624
400 x 400 RPVC 11625



400 x 600 RPVC 13950



400 x 600 PVC 4052



100 x 150 SAV 11808
100 x 150 RPVC 11809
200 x 300 SAV 11810
200 x 300 RPVC 11811
400 x 600 SAV 11812
400 x 600 RPVC 11813



300 x 100 SAV 14303
600 x 200 RPVC 14288



600 x 400 PVC 4054



600 x 450 SAV 11682
600 x 450 RPVC 11683



Hazard Warning



200 x 300 RPVC 13962



400 x 600 PVC 4102



200 x 300 PVC 13954



200 x 300 SAV 11177
200 x 300 RPVC 11178



300 x 100 SAV 12382
600 x 200 RPVC 12381



300 x 100 SAV 12380
600 x 200 RPVC 12379



300 x 200 RPVC 14020



600 x 450 SAV 12400
600 x 450 RPVC 12401



600 x 450 CRX 12479



600 x 400 PVC 4005
600 x 400 RPVC 13956



600 x 450 PVC 4004

FIND OUR FULL SAFETY SIGN RANGE STARTING FROM PAGE 14



600 x 200 RPVC 12564



600 x 200 RPVC 12563



600 x 200 RPVC 12566



300 x 100 SAV 14878
600 x 200 RPVC 14294



600 x 200 RPVC 12565



600 x 200 RPVC 12567



600 x 200 RPVC 12562



300 x 100 SAV 11085
300 x 100 RPVC 11086
600 x 200 SAV 11087
600 x 200 RPVC 11088



300 x 100 SAV 11183
300 x 100 RPVC 11184
600 x 200 SAV 11185
600 x 200 RPVC 11186



300 x 100 SAV 12569
600 x 200 RPVC 12568

Highway / Motorway Maintenance



600 x 75 SAV 1942
600 x 75 CLG 1944
600 x 75 MAG 1945
700 x 75 SAV 1946
600 x 300 SAV 1947
1000 x 350 SAV 1948



600 x 75 CLG 1914
600 x 75 MAG 1915
890 x 100 SAV 12585
890 x 100 CLG 12587
1000 x 350 SAV 1918



Acrylic Linemarker

Specially designed to produce hard wearing clearly visible lines. Suitable for hand or machine application, indoors and out.

- Ozone friendly
- Xylene free
- Supplied in singles



Colour swatches are not a true representation of product colour. These are for visual purposes only.

Description	Code
Yellow	14520
White	14521
Red	14522
Blue	14523
Green	14524
Orange	14525
Black	14526



Hand Held Line Paint Applicator

For use with standard 750ml paint cans



Description	Code
Applicator	PE95L

Material Key

SAV	Self Adhesive Vinyl
PVC	Self Adhesive Semi Rigid PVC
RPVC	Rigid 1mm PVC Board (Non Adhesive)
CLG	Window Cling Vinyl
MAG	0.6mm Flexible Magnetic
CRX	Lightweight Corrugated Plastic

IN THE KNOW

92 Members of the public
were killed due to work related activities in 2018/19

Construction and General



300 x 100 SAV 13885
300 x 100 RPVC 13944
600 x 200 RPVC 12383



300 x 100 SAV 13887
300 x 100 RPVC 14443



300 x 100 SAV 13886
300 x 100 RPVC 14444



300 x 100 SAV 14297
600 x 200 RPVC 14298



900 x 300 RPVC 15066



900 x 300 RPVC 15063



300 x 100 SAV 14462
300 x 100 RPVC 14463




300 x 100 SAV 14456
300 x 100 RPVC 14457



300 x 100 SAV 14466
300 x 100 RPVC 14467



300 x 100 SAV 14458
300 x 100 RPVC 14459



300 x 100 SAV 14452
300 x 100 RPVC 14453



300 x 100 SAV 14450
300 x 100 RPVC 14451



300 x 100 SAV 14464
300 x 100 RPVC 14465



300 x 100 SAV 14472
300 x 100 RPVC 14473



300 x 100 SAV 14454
300 x 100 RPVC 13945



300 x 100 SAV 14455
300 x 100 RPVC 13946



300 x 100 SAV 14460
300 x 100 RPVC 14461



300 x 100 SAV 14470
300 x 100 RPVC 14471




300 x 100 SAV 14437
300 x 100 RPVC 13947



300 x 100 SAV 14438
300 x 100 RPVC 13948



300 x 100 SAV 14445
300 x 100 RPVC 14446
200 x 50 RPVC 15056



150 x 150 SAV 14474
150 x 150 RPVC 14475



300 x 100 SAV 14439
300 x 100 RPVC 14440



300 x 100 SAV 14441
300 x 100 RPVC 14442



125 x 200 SAV 14307
125 x 200 RPVC 14308
200 x 250 SAV 12589
200 x 250 RPVC 14309



125 x 200 SAV 14310
125 x 200 RPVC 14311
200 x 250 SAV 12590
200 x 250 RPVC 14312



125 x 200 SAV 14313
125 x 200 RPVC 14314
200 x 250 SAV 14315
200 x 250 RPVC 14316



200 x 300 PYC 3521



300 x 200 SAV 14504
300 x 200 RPVC 14505



300 x 200 SAV 14478
300 x 200 RPVC 14479



300 x 200 SAV 14480
300 x 200 RPVC 14481



300 x 200 SAV 14482
300 x 200 RPVC 14483



300 x 200 SAV 14484
300 x 200 RPVC 14485



300 x 200 SAV 14502
300 x 200 RPVC 14503



300 x 200 SAV 14476
300 x 200 RPVC 14477



300 x 200 SAV 14486
300 x 200 RPVC 14487



300 x 200 SAV 14492
300 x 200 RPVC 14493



300 x 200 SAV 14494
300 x 200 RPVC 14495



300 x 200 SAV 14488
300 x 200 RPVC 14489



300 x 200 SAV 14490
300 x 200 RPVC 14491



300 x 200 SAV 14500
300 x 200 RPVC 14501



300 x 200 PVC 3531



300 x 200 SAV 14498
300 x 200 RPVC 14499



300 x 200 SAV 14506
300 x 200 RPVC 14507

Material Key

SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
PYC	2mm Vandal Resistant Polycarbonate

THESE SIGNS ARE MANUFACTURED FROM NON-REFLECTIVE MATERIALS AND ARE SUITABLE FOR USE ON PRIVATE LAND TO WHICH THE PUBLIC HAS NO ACCESS.




300 x 200 PVC 1659



300 x 200 PVC 1601



300 x 200 PVC 1607



300 x 200 PVC 1604



300 x 200 PVC 1609



300 x 200 PVC 1651



300 x 200 PVC 1610



300 x 200 PVC 1611



300 x 200 PVC 1652



300 x 200 PVC 1618



300 x 200 PVC 1653



300 x 200 PVC 13838



300 x 200 PVC 1654



300 x 200 PVC 14019



400 x 300 RPVC 15062

Underground Tapes

These underground tapes comply with electricity, safety, quality and continuity regulations. Alert excavation crews to imminent danger from buried cables, pipes and other hazards. Manufactured from tough 90 micron polypropylene, the tapes are brightly coloured for clear visibility. Detectable versions available on request.

Size: 150mm x 365m





Caution Telephone Cable Below 14066



Caution Water Pipe Below 14062



Caution Communications Cable Below 14063



Caution Street Lighting Cable Below 14067



Caution Electric Cable Below 14070



Caution CCTV Cable Below 14064



Caution Fire Main Below 14068



Caution Gas Main Below 14071



Caution Fibre Optic Cable Below 14065



Caution Sewer Pipe Below 14069



Caution Street Lighting Cable Below 14072

Quarry Signs

Under the Quarries Regulations Act 1999, Operators hold responsibility for ensuring adequate measures are taken to safeguard any persons in and around the quarry environment. Keep your quarry site safe by using the correct signage to warn staff and visitors of any potential dangers.



600 x 400 ACP 17908
600 x 400 FMX 17925



600 x 400 ACP 17909
600 x 400 FMX 17926



600 x 400 ACP 17910
600 x 400 FMX 17927



600 x 400 ACP 17911
600 x 400 FMX 17928



70 x 400 SAV 17935



600 x 400 ACP 17938
600 x 400 FMX 17939



600 x 400 ACP 17916
600 x 400 FMX 17933



600 x 400 ACP 17913
600 x 400 FMX 17930



600 x 400 ACP 17915
600 x 400 FMX 17932



600 x 400 ACP 17912
600 x 400 FMX 17929



600 x 400 ACP 17914
600 x 400 FMX 17931



400 x 70 SAV 17934



190 x 190 ACP 17936
190 x 190 SAV 17937



400 x 600 ACP 17900
400 x 600 FMX 17917



400 x 600 ACP 17901
400 x 600 FMX 17918



400 x 600 ACP 17902
400 x 600 FMX 17919



400 x 600 ACP 17903
400 x 600 FMX 17920



400 x 600 ACP 17904
400 x 600 FMX 17921



400 x 600 ACP 17905
400 x 600 FMX 17922



400 x 600 ACP 17906
400 x 600 FMX 17923



400 x 600 ACP 17907
400 x 600 FMX 17924



Material Key

ACP	Aluminium Composite Panel
FMX	3mm Foamed PVC Board
SAV	Self Adhesive Vinyl

CAN'T FIND WHAT YOU'RE LOOKING FOR?

CONTACT US TO SEE HOW WE CAN CREATE BESPOKE SAFETY SIGNS TO SUIT YOUR NEEDS.

spectrum industrial

CONCEPT TO COMPLETION

WE'RE NOT JUST EXPERTS IN SAFETY SOLUTIONS



Whether it's hoarding for the development, way finding signage, site safety signage or signage for the completed building.

WE CAN PROVIDE COMPLETE SIGNAGE SOLUTIONS FOR THE LIFECYCLE OF A BUILDING.



Road and Traffic Signs

UKCA / CE Marked Permanent Road Signs 140
Supplementary Road Signs 142
Permanent Road Signs 143
Road Sign Fixings and Posts 144
Temporary Road Signs 145
Supplementary Plates 146
Road Sign Frames (Stanchions) 147
Acrylic Linemarker 147
Lollipop Signs and Banksman Paddles 148
Roll-up Signs 149
Non-Reflective Road Signs 150
Speed Control 151
MOT Signs 152
Safety Mirrors 152
Grit Bins 153

ROAD AND TRAFFIC SIGNS

Road and Traffic signs are commonly erected at the side or above roads to give instructions or provide information to road users. These are generally separated into permanent and temporary categories.

All permanent road signs must be manufactured by an audited and registered company by law, and have the appropriate labelling attached to the reverse. As manufacturers we are fully accredited to the relevant standards.

The UKCA (UK Conformity Assessed) marking is a new UK product marking that is used for goods being placed on the market in Great Britain (England, Wales and Scotland). It covers most goods which previously required the CE marking.

All permanent roads signs manufactured for installation within Great Britain will be supplied with a UKCA mark, whereas signs destined for the European market will have the CE Mark.

Materials:

Mild Steel Sheet

A lightweight mild steel sheet with weather resistant properties.

Due to it being light weight it is not as durable as ACP or Aluminium, this combined with its low cost usually means it is used as temporary signage in a standing frame.

ACP

ACP is an Aluminium composite material made from two lightweight sheets of Aluminium with a solid black thermoplastic core.

Light weight but extremely strong, ideal for outdoor use due to its excellent resistance to adverse weather and zero scrap value.

Other

We can also manufacture signs on different materials to suit specific applications.

These include solid aluminium plate, recycled plastic, or roll-up temporary signs or non-reflective PVC.

Class Ref 1

Sometimes referred to as Engineering grade, this has a lower grade of retro-reflectivity and is commonly used on temporary road signage.

Class Ref 2

This is a high intensity prismatic (HIP) retro-reflective sheet, specifically designed for use on permanent road signs. Engineered to give good reflectivity at all angles critical to the driver and is more durable with a longer lifespan.

Class Ref R3B

This is the highest grade retro-reflective sheet available, and is specified for permanent signs where the ultimate visibility and legibility is required, such as motorway signs. This material is available on request.

Fixings

All our permanent road signs come with the option to have channel riveted horizontally onto the rear of a sign. Channel is a formed strip, to provide fixing anchorage for either anti-rotational clamps or banding (with buckles). Signs come with a suitable number of channel strips, depending on the size of the sign. The larger the sign, the more strips of channel are required.

Please see page 144 for fixings options

UKCA / CE Marked Permanent Road Signs

CLASS REF 2

These Road Signs conform to the Traffic Signs Regulations and General Directions 2002 and BS EN 12899-1:2007 (which has replaced BS 873 Parts 5 and 6).

Manufactured from Aluminium composite which provides excellent strength and durability. Each sign is available with or without channelling on the reverse.

ACP does not have channel - ACPC has channel



450 dia.	ACPC	14021
450 dia.	ACP	14021-1
600 dia.	ACPC	13045
600 dia.	ACP	13045-1



450 dia.	ACPC	14022
450 dia.	ACP	14022-1
600 dia.	ACPC	13046
600 dia.	ACP	13046-1



450 dia.	ACPC	14023
450 dia.	ACP	14023-1
600 dia.	ACPC	13047
600 dia.	ACP	13047-1



450 dia.	ACPC	14024
450 dia.	ACP	14024-1
600 dia.	ACPC	13048
600 dia.	ACP	13048-1




450 dia.	ACPC	14025
450 dia.	ACP	14025-1
600 dia.	ACPC	13049
600 dia.	ACP	13049-1



450 dia.	ACPC	14026
450 dia.	ACP	14026-1
600 dia.	ACPC	13050
600 dia.	ACP	13050-1



450 dia.	ACPC	14027
450 dia.	ACP	14027-1
600 dia.	ACPC	13051
600 dia.	ACP	13051-1



450 dia.	ACPC	14028
450 dia.	ACP	14028-1
600 dia.	ACPC	13052
600 dia.	ACP	13052-1

SIGN CHANNEL OPTIONS

These signs are available with or without channelling on the reverse.

Find out more about sign fixings on page 144





450 dia.	ACPC	14797
450 dia.	ACP	14797-1
600 dia.	ACPC	14798
600 dia.	ACP	14798-1



450 dia.	ACPC	14799
450 dia.	ACP	14799-1
600 dia.	ACPC	14800
600 dia.	ACP	14800-1




450 dia.	ACPC	14031
450 dia.	ACP	14031-1
600 dia.	ACPC	13055
600 dia.	ACP	13055-1




450 dia.	ACPC	14801
450 dia.	ACP	14801-1
600 dia.	ACPC	14802
600 dia.	ACP	14802-1



450 dia.	ACPC	14029
450 dia.	ACP	14029-1
600 dia.	ACPC	13053
600 dia.	ACP	13053-1



450 dia.	ACPC	14032
450 dia.	ACP	14032-1
600 dia.	ACPC	13056
600 dia.	ACP	13056-1



450 dia.	ACPC	14709
450 dia.	ACP	14709-1
600 dia.	ACPC	14710
600 dia.	ACP	14710-1



450 dia.	ACPC	14711
450 dia.	ACP	14711-1
600 dia.	ACPC	14712
600 dia.	ACP	14712-1



450 dia.	ACPC	14713
450 dia.	ACP	14713-1
600 dia.	ACPC	14714
600 dia.	ACP	14714-1



450 dia.	ACPC	14030
450 dia.	ACP	14030-1
600 dia.	ACPC	13054
600 dia.	ACP	13054-1

IN THE KNOW

THERE ARE 2 MAIN TYPES OF REFLECTIVE FACING FOR ROAD SIGNS.

Class Ref 1 is lower grade and is only used on our temporary road signage.
Class Ref 2 is higher grade and is used on all our permanent road signage.



600 dia. ACPC 13057
600 dia. ACP 13057-1



600 dia. ACPC 13058
600 dia. ACP 13058-1



600 dia. ACPC 13059
600 dia. ACP 13059-1



600 dia. ACPC 13060
600 dia. ACP 13060-1





600 dia. ACPC 13061
600 dia. ACP 13061-1



600 dia. ACPC 13062
600 dia. ACP 13062-1



600 dia. ACPC 13063
600 dia. ACP 13063-1



600 dia. ACPC 13064
600 dia. ACP 13064-1





600 tri. ACPC 13066
600 tri. ACP 13066-1



600 tri. ACPC 13065
600 tri. ACP 13065-1



600 tri. ACPC 14716
600 tri. ACP 14716-1



600 tri. ACPC 13068
600 tri. ACP 13068-1

DON'T FORGET YOUR FIXINGS PAGE 144



600 tri. ACPC 13069
600 tri. ACP 13069-1



600 tri. ACPC 13070
600 tri. ACP 13070-1



600 tri. ACPC 13071
600 tri. ACP 13071-1



600 tri. ACPC 14715
600 tri. ACP 14715-1



600 tri. ACPC 13074
600 tri. ACP 13074-1



600 tri. ACPC 13075
600 tri. ACP 13075-1



600 tri. ACPC 13073
600 tri. ACP 13073-1

ALL OF OUR PERMANENT ROAD SIGNS HAVE A HIGH INTENSITY CLASS REF 2 FACING SUITABLE FOR PUBLIC HIGHWAY.



600 tri. ACPC 14717
600 tri. ACP 14717-1



600 tri. ACPC 14718
600 tri. ACP 14718-1



600 tri. ACPC 14719
600 tri. ACP 14719-1



600 tri. ACPC 13072
600 tri. ACP 13072-1



600 tri. ACPC 13076
600 tri. ACP 13076-1



600 tri. ACPC 14922
600 tri. ACP 14922-1



600 tri. ACPC 14720
600 tri. ACP 14720-1



600 tri. ACPC 14721
600 tri. ACP 14721-1



600 tri. ACPC 14722
600 tri. ACP 14722-1



600 tri. ACPC 13067
600 tri. ACP 13067-1

Material Key

ACP	Aluminium Composite Panel
ACPC	Aluminium Composite Panel with Channel

-1

These signs are available with or without channelling on the reverse.

Codes with the '-1' suffix have no channelling.
E.g. 13064 has a channel, 13061-1 has no channel.

Supplementary Road Signs

Permanent Road Signs manufactured on Aluminium composite panel, available with channel option for post fixing. High intensity Class Ref 2 facing suitable for public highway.

CLASS REF 2



879 X 484 ACPC 14045
879 X 484 ACP 14045-1



610 x 288 ACPC 14053
610 x 288 ACP 14053-1



659 x 188 ACPC 14803
659 x 188 ACP 14803-1




879 X 484 ACPC 14046
879 X 484 ACP 14046-1



610 x 288 ACPC 14054
610 x 288 ACP 14054-1



593 x 288 ACPC 14044
593 x 288 ACP 14044-1



350 x 300 ACPC 14060
350 x 300 ACP 14060-1



Custom Design

by **Spectrum** Services

OUR SIGN MANUFACTURING TEAM HAVE MANY YEARS OF EXPERIENCE DESIGNING, PRODUCING AND INSTALLING SIGNAGE.

This is just a small selection of the supplementary signs available, additional custom signs can be made on request. As the size of the text on a supplementary sign is a set parameter, the overall sign size can vary immensely.

If you have a specific requirement for your signs, we can work closely with you to provide a design service or alternatively you can send us your own artwork. The diversity of our production facilities is second to none, why not give us a call and see how we can help you.

Electric Vehicle Recharging Point

Help locate charging points easily.



Description	Material	Size	Code
Vehicle Recharging point	RPVC	300 x 200	14979
Vehicle Recharging point	RPVC	400 x 300	14980
Vehicle Recharging point	ACP	400 x 300	14981
Sign with Vertical Channel	ACPC	400 x 300	14982
Sign with Horizontal Channel	ACPC	400 x 300	14983



Description	Material	Size	Code
Vehicle Recharging point	RPVC	200 x 300	14984
Vehicle Recharging point	RPVC	300 x 400	14985
Vehicle Recharging point	ACP	300 x 400	14986
Sign with Vertical Channel	ACPC	300 x 400	14987
Sign with Horizontal Channel	ACPC	300 x 400	14988

Material Key

ACP	Aluminium Composite Panel
ACPC	Aluminium Composite Panel with Channel

FIND OUT MORE ABOUT REFLECTIVE CLASSIFICATIONS ON PAGE 139

Permanent Road Signs

Permanent Road Signs manufactured on Aluminium composite panel, available with channel option for post fixing.
High intensity Class Ref 2 facing suitable for public highway.

CLASS REF 2



600 x 450 ACPC 13100
600 x 450 ACP 13100-1



600 x 450 ACPC 13101
600 x 450 ACP 13101-1



600 x 450 ACPC 13106
600 x 450 ACP 13106-1



600 x 450 ACPC 14645
600 x 450 ACP 14645-1



600 x 450 ACPC 13102
600 x 450 ACP 13102-1



600 x 450 ACPC 14647
600 x 450 ACP 14647-1



600 x 450 ACPC 13103
600 x 450 ACP 13103-1



600 x 450 ACPC 13107
600 x 450 ACP 13107-1



600 x 450 ACPC 14646
600 x 450 ACP 14646-1



600 x 450 ACPC 13109
600 x 450 ACP 13109-1



600 x 450 ACPC 13104
600 x 450 ACP 13104-1



600 x 450 ACPC 13110
600 x 450 ACP 13110-1



600 x 450 ACPC 13111
600 x 450 ACP 13111-1



600 x 450 ACPC 13105
600 x 450 ACP 13105-1



600 x 450 ACPC 13108
600 x 450 ACP 13108-1



320 x 250 ACPC 13124
320 x 250 ACP 13124-1



320 x 250 ACPC 13125
320 x 250 ACP 13125-1



360 x 155 ACPC 13128
360 x 155 ACP 13128-1



320 x 160 ACPC 13127
320 x 160 ACP 13127-1



320 x 160 ACPC 13126
320 x 160 ACP 13126-1



600 x 450 ACPC 13077
600 x 450 ACP 13077-1



600 x 450 ACPC 13078
600 x 450 ACP 13078-1



600 x 450 ACPC 13079
600 x 450 ACP 13079-1



600 x 450 ACPC 13080
600 x 450 ACP 13080-1



480 x 480 ACPC 13091
480 x 480 ACP 13091-1



600 x 450 ACPC 13081
600 x 450 ACP 13081-1



600 x 450 ACPC 13082
600 x 450 ACP 13082-1



600 x 450 ACPC 13083
600 x 450 ACP 13083-1



600 x 450 ACPC 13084
600 x 450 ACP 13084-1



480 x 480 ACPC 13089
480 x 480 ACP 13089-1



600 x 450 ACPC 13085
600 x 450 ACP 13085-1



600 x 450 ACPC 13086
600 x 450 ACP 13086-1



600 x 450 ACPC 13087
600 x 450 ACP 13087-1



300 x 450 ACPC 13088
300 x 450 ACP 13088-1



700 x 800 ACPC 13090
700 x 800 ACP 13090-1

Road Sign Fixings and Posts

To be used with road signs that have channel on the reverse.

Manufactured from grey coated mild steel posts for excellent durability with standard 76mm (3") diameter.

Other sizes available on request.



Description	Code
1.5m Post	13092
1.8m Post	13093
3m Post	13201
Post Cap	13094



Post Clips

Anti-rotational post clips slide into the channel on the back of the road sign and fit around the road post.

Complete with fixings.



Description	Code
50mm dia. Post Clips (pair)	14654
76mm dia. Post Clips (pair)	13095
89mm dia. Post Clips (pair)	14655
114mm dia. Post Clips (pair)	14656



Back to Back Clip

These are used if you need to have two signs mounted on one pole back to back.



Description	Code
76mm Back-to-Back Clip (pair)	14657



Channel Adaptors

Channel adaptors help when unsure about what component to use when attaching a sign on to a signpost, lamppost, bollard or telegraph pole.



Description	Code
Channel Adaptors (ea.)	13096



Banding Straps

Banding straps are similar to an oversized hose clip that passes through a buckle and is then tightened using a standard screwdriver. Ideal for strapping lighter weight signs or Banner Supports to round or irregular shaped posts



Description	Code
Banding Straps (pair)	14034



Temporary Road Signs

Temporary Road Signs are manufactured with Class Ref 1 engineering grade reflective face onto Zintec plate.

Order the material code ZFM for your sign to be pre-set into a stanchion or ZIN for just the sign.



600 tri.	ZFM	13137
600 tri.	ZIN	13137-1
750 tri.	ZFM	13138
750 tri.	ZIN	13138-1



600 tri.	ZFM	13129
600 tri.	ZIN	13129-1
750 tri.	ZFM	13130
750 tri.	ZIN	13130-1



600 tri.	ZFM	13131
600 tri.	ZIN	13131-1
750 tri.	ZFM	13132
750 tri.	ZIN	13132-1



600 tri.	ZFM	13133
600 tri.	ZIN	13133-1
750 tri.	ZFM	13134
750 tri.	ZIN	13134-1



600 tri.	ZFM	13135
600 tri.	ZIN	13135-1
750 tri.	ZFM	13136
750 tri.	ZIN	13136-1



600 tri.	ZFM	13139
600 tri.	ZIN	13139-1
750 tri.	ZFM	13140
750 tri.	ZIN	13140-1



600 tri.	ZFM	13141
600 tri.	ZIN	13141-1
750 tri.	ZFM	13142
750 tri.	ZIN	13142-1



600 tri.	ZFM	14561
600 tri.	ZIN	14561-1
750 tri.	ZFM	14562
750 tri.	ZIN	14562-1



600 tri.	ZFM	14804
600 tri.	ZIN	14804-1
750 tri.	ZFM	14805
750 tri.	ZIN	14805-1



600 x 600	ZFM	14782
600 x 600	ZIN	14782-1
750 x 750	ZFM	14783
750 x 750	ZIN	14783-1



600 x 600	ZFM	14563
600 x 600	ZIN	14563-1
750 x 750	ZFM	14564
750 x 750	ZIN	14564-1



600 x 600	ZFM	14565
600 x 600	ZIN	14565-1
750 x 750	ZFM	14566
750 x 750	ZIN	14566-1



600 x 600	ZFM	13994
600 x 600	ZIN	13994-1
750 x 750	ZFM	13143
750 x 750	ZIN	13143-1



600 x 600	ZFM	14033
600 x 600	ZIN	14033-1
750 x 750	ZFM	13144
750 x 750	ZIN	13144-1



600 x 600	ZFM	14780
600 x 600	ZIN	14780-1
750 x 750	ZFM	14781
750 x 750	ZIN	14781-1



600 x 450	ZFM	13145
600 x 450	ZIN	13145-1
1050 x 750	ZFM	13146
1050 x 750	ZIN	13146-1



600 x 450	ZFM	13147
600 x 450	ZIN	13147-1
1050 x 750	ZFM	13148
1050 x 750	ZIN	13148-1



600 x 450	ZFM	13149
600 x 450	ZIN	13149-1
1050 x 750	ZFM	13150
1050 x 750	ZIN	13150-1



1050 x 750	ZFM	13997
1050 x 750	ZIN	13997-1



600 x 450	ZFM	14569
600 x 450	ZIN	14569-1
1050 x 750	ZFM	14570
1050 x 750	ZIN	14570-1



600 x 450	ZFM	13165
600 x 450	ZIN	13165-1
1050 x 750	ZFM	13166
1050 x 750	ZIN	13166-1



600 x 450	ZFM	13167
600 x 450	ZIN	13167-1
1050 x 750	ZFM	13168
1050 x 750	ZIN	13168-1



600 x 450	ZFM	14003
600 x 450	ZIN	14003-1



600 x 450	ZFM	14723
600 x 450	ZIN	14723-1
1050 x 750	ZFM	14724
1050 x 750	ZIN	14724-1



600 x 450	ZFM	13181
600 x 450	ZIN	13181-1
1050 x 750	ZFM	13182
1050 x 750	ZIN	13182-1

Material Key

ZFM	Mild Steel Sheet (in a mild Steel frame)
ZIN	Mild Steel Sheet (without frame)

KEY

This symbol indicates the sign has a moving part.

E.g. An arrow that can be turned either way.

Engineering Grade Class 1

All of our Temporary Road and Traffic Signs are Grade Class 1 engineered

KEY



600 x 450	ZFM	13157
600 x 450	ZIN	13157-1
1050 x 750	ZFM	13158
1050 x 750	ZIN	13158-1



600 x 450	ZFM	13993
600 x 450	ZIN	13993-1



600 x 450	ZFM	13179
600 x 450	ZIN	13179-1
1050 x 750	ZFM	13180
1050 x 750	ZIN	13180-1



600 x 450	ZFM	13151
600 x 450	ZIN	13151-1
1050 x 750	ZFM	13152
1050 x 750	ZIN	13152-1





600 x 450	ZFM	13153
600 x 450	ZIN	13153-1
1050 x 750	ZFM	13154
1050 x 750	ZIN	13154-1



600 x 450	ZFM	13173
600 x 450	ZIN	13173-1
1050 x 750	ZFM	13174
1050 x 750	ZIN	13174-1



600 x 450	ZFM	13161
600 x 450	ZIN	13161-1
1050 x 750	ZFM	13162
1050 x 750	ZIN	13162-1



600 x 450	ZFM	13163
600 x 450	ZIN	13163-1
1050 x 750	ZFM	13164
1050 x 750	ZIN	13164-1



600 x 450	ZFM	14924
600 x 450	ZIN	14924-1
1050 x 750	ZFM	14925
1050 x 750	ZIN	14925-1



1050 x 450	ZFM	13995
1050 x 450	ZIN	13995-1



600 x 450	ZFM	13159
600 x 450	ZIN	13159-1
1050 x 750	ZFM	13160
1050 x 750	ZIN	13160-1



600 x 450	ZFM	13175
600 x 450	ZIN	13175-1
1050 x 750	ZFM	13176
1050 x 750	ZIN	13176-1



600 x 450	ZFM	13177
600 x 450	ZIN	13177-1
1050 x 750	ZFM	13178
1050 x 750	ZIN	13178-1



Supplementary Plates



Supplementary Plates are used to provide more specific information about a temporary hazard.
To be used in conjunction with a Temporary Traffic Sign (see page 145) and a stanchion (see page 147).
Please ensure you choose a stanchion with the supplementary plate option.

For signs with a distance, please let us know the required number when ordering.



685 x 275	ZIN	14733
860 x 360	ZIN	14734



685 x 275	ZIN	14735
860 x 360	ZIN	14736



685 x 275	ZIN	14737
860 x 360	ZIN	14738



685 x 275	ZIN	14739
860 x 360	ZIN	14740



685 x 275	ZIN	14741
860 x 360	ZIN	14742



685 x 275	ZIN	14743
860 x 360	ZIN	14744



685 x 275	ZIN	14745
860 x 360	ZIN	14746



685 x 275	ZIN	14747
860 x 360	ZIN	14748



685 x 275	ZIN	14761
860 x 360	ZIN	14762



685 x 275	ZIN	14753
860 x 360	ZIN	14754



685 x 275	ZIN	14755
860 x 360	ZIN	14756



685 x 275	ZIN	14917
860 x 360	ZIN	14918



685 x 275	ZIN	14757
860 x 360	ZIN	14758



685 x 275	ZIN	14759
860 x 360	ZIN	14760

PLEASE STATE THE DISTANCE YOU REQUIRE WHEN ORDERING.

Temporary Road Signs & Supplementary Plates

650 triangle with a 685x275 plate
750 triangle with a 860x360 plate



DON'T FORGET YOUR FIXINGS PAGE 144

Road Sign Frames (Stanchions)

Our Road Sign Frames are manufactured from mild steel in a range of standard sizes.

Temporary triangular signs are printed and displayed using these stanchions.

If you require any non-standard sizes please contact our sales office.



Size	Code
600mm Triangle	13195
600mm Triangle with Supplementary Plate	13991
750mm Triangle	13196
750mm Triangle with Supplementary Plate	13990
750 x 750mm	13197
600 x 450mm	13198
600 x 450mm (Double Sided)	14658
600 x 600mm (overall height 1200mm)	14006
1050 x 450mm	13989
1050 x 750mm	13199
Frame Fixing Clips (Pack of 100)	13200
Frame Fixing Clips (Pack of 10)	14659

Acrylic Linemarker

Specially designed to produce hard wearing clearly visible lines. Suitable for hand or machine application, indoors and out.

- Ozone friendly
- Xylene free
- Supplied in singles



Colour swatches are not a true representation of product colour. These are for visual purposes only.

Description	Code
Yellow	14520
White	14521
Red	14522
Blue	14523
Green	14524
Orange	14525
Black	14526




Lollipop Signs and Banksman Paddles

CLASS REF 1

We manufacture a variety of stop and go signs which are ideal for a range of everyday uses such as managing traffic in roadworks or accidents and directing traffic outside of schools.


Manufactured from painted galvanised steel tube with Class 1 reflective face. Complete with foam padded handle grip.



Description	Code
Stop/Go Lollipop	14907
Stop Works Lollipop	14908
Stop Children	14921
Stop/Go Paddle	14909
Banksman Paddle	14910



Dimensions	
A	600mm
B	100mm
C	1600mm
D	2200mm
E	450mm
F	70mm
G	330mm
H	850mm
I	200mm
J	155mm



Roll-up Signs



These Roll-Up Road Signs fully comply with all appropriate regulations for Temporary Road Signs.

- Quick to install
- Lightweight, foldable for ease of storage and transport
- Standard grade reflective face
- Supplementary Plates are interchangeable



600 tri. CRU 14129
750 tri. CRU 14130



600 tri. CRU 14125
750 tri. CRU 14126



600 tri. CRU 14127
750 tri. CRU 14128



600 tri. CRU 14572
750 tri. CRU 14573



420 x 700 CRX 14571



600 tri. CRU 14119
750 tri. CRU 14120



600 x 450 CRU 14138



1050 x 750 CRU 14139



1050 x 750 CRU 14140



1050 x 750 CRU 14141



600 x 450 CRU 14135



600 x 450 CRU 14136



600 x 450 CRU 14137



600 dia. CRU 14131
750 dia. CRU 14132




600 dia. CRU 14133
750 dia. CRU 14134

Classic Triangular - One-piece unit

Classic Rectangular - Two-piece unit

- *Very easy to erect*
- *Different sizes available*
- *Rust-proof metalwork*
- *Suitable for use in temperature range between -5° to +30°*



Material Key

CRU	Classic Roll-up Sign
CRX	Lightweight Corrugated Plastic

KEY

This symbol indicates the sign has a moving part.

E.g. An arrow that can be turned either way.

10 PACK
2 PACK

This image means this signs comes in a multiple pack.

KEY

Non-Reflective Road Signs

These signs are manufactured from non-reflective materials and are suitable for private land, work and building sites as well as private access roads.





600 x 400 RPVC 13933
600 x 400 FMX 13932
600 x 450 RPVC 14574



600 x 400 RPVC 13935
600 x 400 FMX 13934
600 x 450 RPVC 14575



600 x 400 RPVC 13937
600 x 400 FMX 13936
600 x 450 RPVC 14576



600 x 400 RPVC 13931
600 x 400 FMX 13930
600 x 450 RPVC 14577



600 x 400 RPVC 13923
600 x 400 FMX 13922
600 x 450 RPVC 14578



600 x 400 RPVC 13939
600 x 400 FMX 13938
600 x 450 RPVC 14579



600 x 400 RPVC 13925
600 x 400 FMX 13924
600 x 450 RPVC 14580



600 x 400 RPVC 13941
600 x 400 FMX 13940
600 x 450 RPVC 14581



600 x 400 RPVC 13943
600 x 400 FMX 13942
600 x 450 RPVC 14582



600 x 400 RPVC 13980
600 x 400 FMX 13979
600 x 450 RPVC 14583



600 x 400 RPVC 13982
600 x 400 FMX 13981
600 x 450 RPVC 14584



600 x 400 RPVC 13927
600 x 400 FMX 13926
600 x 450 RPVC 14585



600 x 400 RPVC 13929
600 x 400 FMX 13928
600 x 450 RPVC 14586



600 x 400 FMX 4350
600 x 450 RPVC 14587



600 x 400 FMX 4351
600 x 450 RPVC 14588



600 x 400 FMX 4340
600 x 450 RPVC 14589



600 x 400 FMX 4341
600 x 450 RPVC 14590



600 x 400 RPVC 14592
600 x 400 FMX 14593
600 x 450 RPVC 14594



600 x 400 RPVC 14595
600 x 400 FMX 14596
600 x 450 RPVC 14597



600 x 400 RPVC 14601
600 x 400 FMX 14602
600 x 450 RPVC 14603



600 x 400 FMX 4355
600 x 450 RPVC 14591



600 x 400 FMX 4356
600 x 450 RPVC 14598



600 x 400 RPVC 14806
600 x 400 FMX 14807
600 x 450 RPVC 14808



600 x 450 RPVC 14508



600 x 450 RPVC 14509



600 x 400 FMX 4357
600 x 450 RPVC 14599



600 x 400 FMX 4358
600 x 450 RPVC 14600



400 x 600 FMX 14607



400 x 600 FMX 14608



400 x 600 FMX 14609



400 x 600 FMX 14610



400 x 400 FMX 4330



400 x 400 FMX 4331



400 x 400 FMX 4320



400 x 400 FMX 4321



400 x 400 FMX 4322
400 x 400 RPVC 13920



400 x 400 FMX 4323
400 x 400 RPVC 13921

Speed Control



600 x 400 PVC 13957



600 x 400 PVC 4252



600 x 400 PVC 4250




600 x 400 PVC 4251



400 x 300 RPVC 13953
600 x 400 PVC 4230
600 x 400 RPVC 13975



600 x 400 PVC 4300



600 x 400 PVC 4301



600 x 450 PVC 14508



600 x 450 PVC 14509



600 x 400 PVC 4500




400 x 400 FMX 4321
400 x 400 RPVC 12511



400 x 400 FMX 4322
400 x 400 RPVC 13920



400 x 400 FMX 4323
400 x 400 RPVC 13921



400 x 400 FMX 4330



400 x 400 FMX 4331



600 x 400 RPVC 14018
600 x 400 FMX 14017



600 x 400 RPVC 13923
600 x 400 FMX 13922



600 x 400 RPVC 13925
600 x 400 FMX 13924



600 x 400 RPVC 13927
600 x 400 FMX 13926



600 x 400 RPVC 13929
600 x 400 FMX 13928



600 x 400 RPVC 13937
600 x 400 FMX 13936



600 x 400 RPVC 13939
600 x 400 FMX 13938



600 x 400 RPVC 13943
600 x 400 FMX 13942



600 x 400 RPVC 13980
600 x 400 FMX 13979



600 x 400 RPVC 13931
600 x 400 FMX 13930



600 x 400 RPVC 13933
600 x 400 FMX 13932



600 x 400 RPVC 13935
600 x 400 FMX 13934




600 x 400 RPVC 13982
600 x 400 FMX 13981



600 x 400 RPVC 13941
600 x 400 FMX 13940



600 x 400 FMX 4350





600 x 400 FMX 4340



600 x 400 FMX 4341



600 x 400 FMX 4355



600 x 400 FMX 4356



600 x 400 FMX 4357



600 x 400 FMX 4358

Material Key

FMX	3mm Foamed PVC Board
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC

FIND OUR ROAD SIGN FRAMES ON PAGE 147

MOT Signs

Key range of MOT signs required for all MOT bays. DVSA standard signs that must be displayed by law includes; the 3 triangles logo, MOT parking, test bay and viewing area signs.



625 x 600 RPVC 18500



600 x 200 RPVC 18501



600 x 200 RPVC 18502



600 x 200 RPVC 18503



600 x 200 RPVC 18504



600 x 200 RPVC 18505




600 x 200 RPVC 18506

Remember to display your VT9, VT9A and AE Details!

Why not use one of our handy Snap Frames!

Improve the aesthetics, durability and security of our Safety Posters by placing them into one of our Snap Frames.

See Page 266 for our full range.





Safety Mirrors

Safety mirrors are easy to install, unbreakable, lightweight and are able to withstand extremes of weather.

The mirrors, frames and packaging are all manufactured in recyclable materials.



E0209



E0205

Size	Code
600mm Diameter Green Framed Mirror	E0202
400mm Diameter Standard Security Mirror	E0205
600mm Diameter Standard Security Mirror	E0206
500mm Diameter Convex Mirror	E0207
800mm Diameter Convex Mirror	E0208
600 x 400mm Internal Convex Mirror	E0209
225 x 40 x 120mm Forklift 180° Rear Mirror	E0210



E0210

See Page 255 for Steering Wheel Covers



Material Key	
RPVC	Rigid 1mm PVC Board (Non Adhesive)

FIND OUT MORE ABOUT SPECTRUM SERVICES ON PAGE 3

Grit Bins

Businesses have a responsibility to treat the areas around their premises during winter months to minimise the risk of slips, falls and skidding. Salt and Grit bins provide a safe solution for this, and our Grit bins are a sturdy and prominent offering, providing quick and easy access when required.



Winter Kit 1



Description	Code
1 x 200kg Grit Bin 8 x 25kg De-Icing Salt	20663

Winter Kit 2



Description	Code
1 x 400kg Grit Bin 16 x 25kg De-Icing Salt	20664

Rock Salt



Description	Code
30 x 10kg De-Icing Salt	20660



Description	Code
32 x 15kg De-Icing Salt	20661



Description	Code
21 x 25kg De-Icing Salt	20662





Covid Risk Management

Floor Graphics	*156*
Traffic Light Floor Graphic Pack	*157*
Floor & Wall Graphics	*158*
Self Adhesive Floor Distance Chevrons	*158*
Self Adhesive Stickers	*159*
Entrance Signs	*159*
Premises Management Poster	*159*
Hygiene Posters	*159*
Site Rules Safety Sign	*160*
Temporary Signs	*160*
Cleaning Inspection Insert	*160*
Banner	*161*
Economy A-Boards	*161*

COVID RISK MANAGEMENT

Social Distancing has become part of every-day life, and we offer a range of products designed to inform everyone of the measures put in place to keep everyone safe. These guidelines have shaped the way every business operates from instructing employees, visitors, customers and service providers. Social distancing is the new norm, with consumers expecting business to make their safety the top priority.

Signs & Posters

Signs and posters are usually used to provide the socially distancing message at point of entry or at other key points within the environment. They provide a larger platform for more detailed information, such as the correct way to wear a mask or wash your hands.

Freestanding Signs and Banners


Suitable for temporary or outdoor placement, these products are ideal for fixing to fencing or placing in open areas as a reminder that social distancing is still important even when outdoors.

Floor and Wall Graphics

The primary directive of social distancing is the message to keep a safe distance. Our wall graphics are an ideal method of reinforcing this message as they can be placed at the correct distance interval as directed by the latest government information. With a range of colours and designs available, we will have an option to suit all requirements.

Materials and Specification

Our floor graphics are digitally printed onto self adhesive vinyl with a permanent adhesive on the reverse. The graphic is then laminated with a clear matt embossed PVC laminate, which is certified to R9 grade for slip resistance. These signs should be applied to sealed flat surfaces such as laminates, painted or varnished floors or whole tiles, and are suitable for dry indoor locations.



A higher specification (R11) is suitable for outdoor conditions and is available on request, please ask for details.



The following range of signs are a simple way to communicate instructions to employees, visitors, customers or service providers, whether you are in retail, commercial, services, manufacturing, education or any other industry. This signage helps to educate about the need to maintain both a safe distance and hygiene practices by providing simple, clear and easy to follow messages. Our signs are available in a wide range of materials making them quick and easy to install from floor graphics, wall signs and entrance signs. We have developed a range which we know will suit the needs of most premises.

Floor Graphics

Reinforce important social distancing safety measures with these self adhesive floor signs.
Floor graphics are a unique and highly effective tactic for directing / instructing people on a site.



400 dia. FLR STP001



400 dia. FLR STP014



400 dia. FLR STP015



400 dia. FLR STP016



400 dia. FLR STP013



400 dia. FLR STP029



400 dia. FLR STP030



400 dia. FLR STP031



400 dia. FLR STP032



400 dia. FLR STP009



400 dia. FLR STP010



400 dia. FLR STP011



400 dia. FLR STP012



IN THE KNOW

Our floor graphics are printed digitally on self adhesive vinyl and laminated with a matt clear embossed PVC laminate.

The laminate is certified R9 grade for anti-slip.

Each graphic has a permanent adhesive on the reverse and is suitable for dry indoor locations, applied to sealed flat surfaces such as laminates, painted or varnished floors, or whole tiles. An outdoor specification is available on request.
We recommend testing for suitability before use*.

* No responsibility can be accepted for accidents to persons or damage caused on use/removal of products, suitability must be confirmed by customer prior to use.

Material Key	
FLR	Anti-Slip Laminated Floor Sign

CONTACT US FOR OUR FULL SOCIAL DISTANCING BROCHURE



400 dia. FLR STP006



400 dia. FLR STP007



400 dia. FLR STP008





400 dia. FLR STP003



400 dia. FLR STP005



400 dia. FLR STP002

Traffic Light Floor Graphic Pack

Green - This graphic would be situated next to a cashier bench or reception area so a far enough distance is created to keep the worker safe.

Amber - This would be situated behind the green graphic.

Red - This graphic should be situated prior to reaching the staff contact area.



400 dia. FLR STP004



400 dia. FLR STP027



200 dia. FLR STP250



200 dia. FLR STP254



200 dia. FLR STP252



200 dia. FLR STP251



200 dia. FLR STP253




200 dia. FLR STP270




200 dia. FLR STP272



200 dia. FLR STP271



400 dia. FLR STP024
200 dia. FLR STP269



400 dia. FLR STP023
200 dia. FLR STP268



200 dia. FLR STP258



200 dia. FLR STP260



200 dia. FLR STP255



200 dia. FLR STP257



400 dia. FLR STP026



400 dia. FLR STP017



400 dia. FLR STP019



400 dia. FLR STP020




400 dia. FLR STP022



400 dia. FLR STP025

Self Adhesive Floor & Wall Graphics



Used for distancing people from left to right. Can be used at counters or to compartmentalise people down aisles to stop them from standing too close to each other. This is particularly prevalent on aisles where people spend time browsing.

Graphic Size: 800mm x 100mm

Description	Code
Red	STP175
Blue	STP177

Stop Respect Social Distance Floor & Wall Graphics

Position around your premises to remind people to keep their distance.

Graphic Size: 800mm x 100mm



Description	Code
STOP Respect Social Distance	STP185



Self Adhesive Floor Distance Chevrons

Highly visible floor marker, to be used for reminding about separation for staff and visitors. For use in aisle areas with retail, gangways, corridors or entrance areas within commercial premises. Made from self adhesive vinyl with anti-slip properties



500 x 200 SAV STP230
800 x 320 SAV STP231



500 x 200 SAV STP232
800 x 320 SAV STP233

Self Adhesive Stickers

Ideal for toilets, washrooms and canteens to remind users of the social distancing measures in place.

Supplied in packs of 25



190 x 166 SAV STP302



190 x 166 SAV STP313



190 dia. SAV STP312



190 dia. SAV STP314

Entrance Signs



600 x 800 RPVC STP132



600 x 800 RPVC STP130



600 x 800 RPVC STP151



600 x 800 RPVC STP149

Premises Management Poster




200 x 300 RPVC STP138

An easy way to communicate to staff how many people are allowed within certain areas / rooms of the building at any one time.

Hygiene Posters



400 x 600 RPVC STP134



400 x 600 RPVC STP200

Material Key

FLR	Anti-Slip Laminated Floor Sign
SAV	Self Adhesive Vinyl
RPVC	Rigid 1mm PVC Board (Non Adhesive)

ALL OUR LAMINATED FLOOR GRAPHICS ARE CERTIFIED R9 FOR ANTI-SLIP

SEE PAGE 155 FOR MORE DETAILS

Site Rules Safety Sign



300 x 400 RPVC STP500



300 x 400 RPVC STP502



Temporary Signs

Provide a constant reminder to visitors on your premises to stay within the distancing guidelines.

An aluminium composite sign within a strong and robust metal frame, easy to transport and easy to set up. Ideal for communicating your social distancing programme.







Description	Code
2m distance	STP126
Keep your distance	STP128

Cleaning Inspection Insert

Display your Inspection and Cleaning schedule with these Inspection Notices. Available as a kit including either a magnetic or clip frame, or as handy refill packs.

Insert Size: 210x297mm
Material: 1.2mm Recyclable Polypropylene

Description	Qty	Code
Single Insert	1	15043-1
5 Inserts	5	15043-5
10 Inserts	10	15043-10
50 Inserts	50	15043-50
Kit 1	5 Inspection Inserts, 1 A4 Snap Frame, 1 Pen	15044
Kit 2	5 Inspection Inserts, 1 Magnetic Frame, 1 Pen	15045





FIND MORE FRAME OPTIONS ON PAGE 266

Material Key

RPVC	Rigid 1mm PVC Board (Non Adhesive)

CONTACT US FOR OUR FULL SOCIAL DISTANCING BROCHURE

Banner

Hemmed and eyeleted. Weatherproof as well as fire, cold and tear resistant. To be positioned at entrances to parks, on railings or above doorways to get the message across.



Description	Code
Keep a safe distance	STP153
Keep a 2m minimum distance	STP150






Economy A-Boards

4mm Lightweight Correx A-Board with supplied with signs. This lightweight but sturdy A-Board is ideal for temporary placement, to remind everyone of the importance of social distancing.

Dimensions



A	250mm
B	480mm
C	190mm





STP381



STP384



STP380



STP383




STP385



STP382





6S Lean Manufacturing

Cleaning Stations 166
Multi-purpose frames 168
Shadow Board Accessories 170
Site Safety Notice Board 172
Accident Free Day Signs 174

6S LEAN MANUFACTURING



- *6S lean is an adaptable set of tools that can be applied to any system.*
- *6S is easy to adapt for most environments and implemented 6S can lead to a cleaner and less cluttered workspace. Less clutter and more order means employees will always know where to find tools and waste will be eliminated.*
- *6S can also create a more welcoming environment for visitors to your premises.*

SORT

Organisation

Keeping only what is necessary and discarding everything else

SET IN ORDER

Orderliness

Arranging and labelling only necessary items for easy use and return by anyone

SHINE

Cleanliness

Keeping everything in the workplace clean and tidy

STANDARDISE

Standardise clean up

Establishing procedures to ensure repetition of the process.

SUSTAIN

Sustaining the discipline

Making a habit of properly maintaining correct procedures

SAFETY

Implementing strong safety processes

Improve productivity and eliminate waste.

Shadow Boards - Efficiency starts with organisation.

Shadow boards are often used within a manufacturing environment to improve a facilities lean capabilities. The aim is to achieve an organised workplace where tools, supplies and equipment are stored in locations close to work areas.

Shadow boards provide ideal colour coded storage for tools and hygiene equipment for

- *Food processing industries*
- *Engineering*
- *Manufacturing*
- *Production Boards*
- *Cleaning stations*

We offer a selection of pre-designed shadow board options or alternatively our boards can be custom designed and built to meet your specific needs in a choice of wall mounted, free standing or mobile options.



8 WASTES THAT OUR PRODUCTS ELIMINATE

1. *Reduces time searching for tools / equipment.*
2. *Increases life of equipment.*
3. *Helps to ensure correct equipment is used.*
4. *Ensures all tools / equipment is stored safely.*
5. *Frees up space to be used more effectively.*
6. *Clean and organised workplaces increase productivity and reduce accidents.*
7. *Custom made boards can be created for processes where unique tools and equipment are required.*
8. *Establish better standards.*

COLOUR

All Shadow Boards and components are supplied in a range of colours, with blue, red, yellow and green available for immediate delivery. Other colours are available on request. Lead times may vary.

Please contact us for more information.

BLUE	RED	YELLOW	GREEN
BL	RD	YL	GR




Multi-purpose Frame Option

Manufactured from extruded and anodised aluminium, our multi-purpose frames are an ideal vehicle for displaying your shadowboards. Available with a range of fitting options, you can choose from our range of standard designs or create a bespoke board tailored to your needs.

- ***Extruded anodised aluminium frame***
- ***Dimensions: 2000 x 1000 x 400mm (HxWxD)****
- ***Multiple fitting options possible***
- ***Range of accessories available***

If you require a shadowboard to be used with this stand please use the appropriate code found on page 169.

****Custom sizes and designs available on request***








Lean Stand Option

Manufactured from 20mm powder coated mild steel, these stands are ideal for displaying our shadow boards in temporary locations or difficult area's where wall fixing is not an option.


- ***20mm powder coated mild steel box tube***
- ***Adjustable rubber feet – for grip and stability***
- ***Folds flat for storage or transportation***
- ***Adjustable frame allows for 3 different angles of board display***

If you require a shadowboard to be used with this stand please use the appropriate code found on page 166, as the boards have different mounting holes to enable them to be fitted.

Custom sizes and designs available on request







Heavy Duty Trolley Option

Heavy duty trolleys can be supplied for all our Shadow Boards

Other sizes are available to order.
Please contact us for more information and lead times.

Stainless Steel

Stainless Steel tube with fully welded joints, ideal for the food industry.


Powder Coated

Ideal for use when a more economical solution is needed.

Design Options:

Size, food grade, powder coated, castors, stand offs and sealant - all fully customisable on request.





Cleaning Station - Board A

Supplied with Stainless Steel Hooks.
Some minor assembly required.

Board Size: 600 x 2000mm

Board	Code
Red Board A *(Filled)*	SB-BD01-RD
Yellow Board A *(Filled)*	SB-BD01-YL
Blue Board A *(Filled)*	SB-BD01-BL
Green Board A *(Filled)*	SB-BD01-GR
Red Board A *(Board Only)*	SB-BD01-RDNS
Yellow Board A *(Board Only)*	SB-BD01-YLNS
Blue Board A *(Board Only)*	SB-BD01-BLNS
Green Board A *(Board Only)*	SB-BD01-GRNS
Lean Stand	**Code**
Red Lean Stand A *(Filled)*	SBS-BD01-RD
Yellow Lean Stand A *(Filled)*	SBS-BD01-YL
Blue Lean Stand A *(Filled)*	SBS-BD01-BL
Green Lean Stand A *(Filled)*	SBS-BD01-GR
Red Lean Stand A *(Board Only)*	SBS-BD01-RDNS
Yellow Lean Stand A *(Board Only)*	SBS-BD01-YLNS
Blue Lean Stand A *(Board Only)*	SBS-BD01-BLNS
Green Lean Stand A *(Board Only)*	SBS-BD01-GRNS

Open Dustpan
325 x 323 x 98 mm (LxWxH)
SB-DPN01-BL

Medium Hand brush
317 x 52 x 135 mm (LxWxH)
SB-HBR01-BL

Aluminium Handle
1332 x 30 x 30 mm
SB-HAN01-BL

D-Grip Shovel
1140 x 259 x 113 mm (LxWxH)
SB-SHV01-BL

Sweeping Broom
305 x 75 x 127 mm (LxWxH)
SB-BRM01-BL



Lean Stand Option

For more information on lean stands see page 165





See page 168 for multi-purpose frame option

Cleaning Station - Board B

Supplied with Stainless Steel Hooks.
Some minor assembly required.

Board Size: 600 x 2000mm

Board	Code
Red Board B *(Filled)*	SB-BD02-RD
Yellow Board B *(Filled)*	SB-BD02-YL
Blue Board B *(Filled)*	SB-BD02-BL
Green Board B *(Filled)*	SB-BD02-GR
Red Board B *(Board Only)*	SB-BD02-RDNS
Yellow Board B *(Board Only)*	SB-BD02-YLNS
Blue Board B *(Board Only)*	SB-BD02-BLNS
Green Board B *(Board Only)*	SB-BD02-GRNS
Lean Stand	**Code**
Red Lean Stand B *(Lean Stand)*	SBS-BD02-RD
Yellow Lean Stand B *(Lean Stand)*	SBS-BD02-YL
Blue Lean Stand B *(Lean Stand)*	SBS-BD02-BL
Green Lean Stand B *(Lean Stand)*	SBS-BD02-GR
Red Lean Stand B *(Board Only)*	SBS-BD02-RDNS
Yellow Lean Stand B *(Board Only)*	SBS-BD02-YLNS
Blue Lean Stand B *(Board Only)*	SBS-BD02-BLNS
Green Lean Stand B *(Board Only)*	SBS-BD02-GRNS

Open Dustpan
325 x 323 x 98 mm (LxWxH)
SB-DPN01-RD

Medium Hand brush
317 x 52 x 135 mm (LxWxH)
SB-HBR01-RD

A-Board
290 x 300 x 620 mm (LxWxH)
4702

Aluminium Handle
1332 x 30 x 30 mm
SB-HAN01-RD

12 litre Mop Bucket
375 x 290 x 330 mm (LxWxH)
SB-BUK01-RD

Looped Hygiemix Mop
235 x 101 x 101 mm (LxWxH)
SB-MOP01-RD

Sweeping Broom
305 x 75 x 127 mm (LxWxH)
SB-BRM01-RD



Lean Stand Option

For more information on lean stands see page 165





See page 168 for multi-purpose frame option

Custom Design
by **Spectrum** Services
CONTACT US TO SEE HOW WE CAN CREATE BESPOKE SAFETY SIGNS TO SUIT YOUR NEEDS.

Stocked in 4 colours.

Blue, Red, Green, Yellow

**Other colours are available made to order*

KEY

Cleaning Station - Board C

Supplied with Stainless Steel Hooks.
Some minor assembly required.

Board Size: 650 x 2000mm

Board	Code
Red Board C *(Filled)*	SB-BD03-RD
Yellow Board C *(Filled)*	SB-BD03-YL
Blue Board C *(Filled)*	SB-BD03-BL
Green Board C *(Filled)*	SB-BD03-GR
Red Board C *(Board Only)*	SB-BD03-RDNS
Yellow Board C *(Board Only)*	SB-BD03-YLNS
Blue Board C *(Board Only)*	SB-BD03-BLNS
Green Board C *(Board Only)*	SB-BD03-GRNS
Lean Stand	**Code**
Red Lean Stand C *(Lean Stand)*	SBS-BD03-RD
Yellow Lean Stand C *(Lean Stand)*	SBS-BD03-YL
Blue Lean Stand C *(Lean Stand)*	SBS-BD03-BL
Green Lean Stand C *(Lean Stand)*	SBS-BD03-GR
Red Lean Stand C *(Board Only)*	SBS-BD03-RDNS
Yellow Lean Stand C *(Board Only)*	SBS-BD03-YLNS
Blue Lean Stand C *(Board Only)*	SBS-BD03-BLNS
Green Lean Stand C *(Board Only)*	SBS-BD03-GRNS

A-Board
290 x 300 x 620 mm (LxWxH)
4702

Aluminium Handle
1332 x 30 x 30 mm
SB-HAN01-GR

12 litre Mop Bucket
375 x 290 x 330 mm (LxWxH)
SB-BUK01-GR

Looped Hygiemix Mop
235 x 101 x 101 mm (LxWxH)
SB-MOP01-GR

Ultra Hygienic Squeegee
600 x 54 x 90 mm (LxWxH)
SB-SQG01-GR



Lean Stand Option

For more information on lean stands see page 165





See page 168 for multi-purpose frame option

Cleaning Station - Board D

Supplied with Stainless Steel Hooks.
Some minor assembly required.

Board Size: 490 x 470mm

Board	Code
Red Board D *(Filled)*	SB-BD04-RD
Yellow Board D *(Filled)*	SB-BD04-YL
Blue Board D *(Filled)*	SB-BD04-BL
Green Board D *(Filled)*	SB-BD04-GR
Red Board D *(Board Only)*	SB-BD04-RDNS
Yellow Board D *(Board Only)*	SB-BD04-YLNS
Blue Board D *(Board Only)*	SB-BD04-BLNS
Green Board D *(Board Only)*	SB-BD04-GRNS

Medium Hand brush
317 x 52 x 135 mm (LxWxH)
SB-HBR01-YL


Open Dustpan
325 x 323 x 98 mm (LxWxH)
SB-DPN01-YL



The board only options are supplied with hooks only, while the filled versions have the stock as displayed.

Product Description	Blue *(BL)*	Green *(GR)*	Red *(RD)*	Yellow *(YL)*
1360mm Swaged-End Aluminium Handle with Grip	SB-HAN01-BL	SB-HAN01-GR	SB-HAN01-RD	SB-HAN01-YL
317mm Professional Medium Banister Brush	SB-HBR01-BL	SB-HBR01-GR	SB-HBR01-RD	SB-HBR01-YL
320mm D-Grip Shovel	SB-SHV01-BL	SB-SHV01-GR	SB-SHV01-RD	SB-SHV01-YL
325mm Open Dustpan	SB-DPN01-BL	SB-DPN01-GR	SB-DPN01-RD	SB-DPN01-YL
305mm Professional Medium Sweeping Broom	SB-BRM01-BL	SB-BRM01-GR	SB-BRM01-RD	SB-BRM01-YL
600mm Ultra Hygienic Squeegee	SB-SQG01-BL	SB-SQG01-GR	SB-SQG01-RD	SB-SQG01-YL
Looped Hygiemix Mop	SB-MOP01-BL	SB-MOP01-GR	SB-MOP01-RD	SB-MOP01-YL
12 Litre Polypropylene Mop Bucket	SB-BUK01-BL	SB-BUK01-GR	SB-BUK01-RD	SB-BUK01-YL
120mm Wall Bracket - *for use with mop*	SB-BHK01-BL	SB-BHK01-GR	SB-BHK01-RD	SB-BHK01-YL

Multi-purpose frames



*Insert supplied separately

These multi-purpose frames can be used for a variety of purposes, simply combine the frame with the board insert of your choice and select your optional accessories to provide you with a high quality portable unit. Manufactured from extruded and anodised aluminium, each panel is 2m high and 1m wide, with 400mm wide feet with integral ground fixing holes. Different heights, widths or panel section sizes are available to order.

When used in combination with our optional accessories, these sections can be converted into temporary wall sections, mobile units on castors or even anchor them to permanent walls. In addition the pivot foot assembly enables sections to bend up to 90° from its partner, and a range of useful accessories allows you to provide hand sanitising or delivery points for pertinent information.

As with all our products, you have the ability to customise these inserts to suit your purpose – be that company branding, bespoke board designs or additional board attachments, please ask for details.

Frame Size: 1000 x 2000mm (WxH)
Window Size: 928 x 1915mm (WxH)

Panel inserts

Alongside the standard 3mm clear acrylic panel insert, you can also choose from foamed PVC or aluminium composite panel, printed and laminated to your specification. Hooks, fixing holes or other modifications can be requested to enable you to mount any equipment you may need.

Accessories

Board	Code
Base unit *Frame only (2000 x 1000 x 400mm HxWxD)*	MPF001
4pk Lockable castors	MPF002
Pump / Wipe Dispenser	MPF006
A5 Acrylic Brochure Holder	14090
DL Acrylic Brochure Holder	14903
90° Pivot Foot Assembly	MPF003
Flat connectors	MPF005
Wall Clips *(to attach to permanent wall)*	MPF004
3mm Clear Perspex Panel	MPF010
3mm Foamed PVC Panel	MPF011


Wheels


90° Pivot Foot


Acrylic Holder


Pump or Wipe Dispenser


Flat Connectors


Wall Clips



SEE PAGE 170 FOR FULL DETAILS OF CONTENTS AND REPLACEMENT PRODUCTS.



*Board shown includes optional wheels

Shadow Boards

Our frames can be used with a slightly larger version of our standard Shadow Board range as shown on page 166. The frames detailed below include a printed aluminium composite panel displaying the relevant shadows and can be used with the accessories shown on the opposite page. Alternatively we can display any combination of the stock shown on page 170 or use a design supplied by you.

Board	Code
Red Board A *(Filled)*	SBF-BD01-RD
Yellow Board A *(Filled)*	SBF-BD01-YL
Blue Board A *(Filled)*	SBF-BD01-BL
Green Board A *(Filled)*	SBF-BD01-GR
Red Board A *(Board Only)*	SBF-BD01-RDNS
Yellow Board A *(Board Only)*	SBF-BD01-YLNS
Blue Board A *(Board Only)*	SBF-BD01-BLNS
Green Board A *(Board Only)*	SBF-BD01-GRNS

Board	Code
Red Board B *(Filled)*	SBF-BD02-RD
Yellow Board B *(Filled)*	SBF-BD02-YL
Blue Board B *(Filled)*	SBF-BD02-BL
Green Board B *(Filled)*	SBF-BD02-GR
Red Board B *(Board Only)*	SBF-BD02-RDNS
Yellow Board B *(Board Only)*	SBF-BD02-YLNS
Blue Board B *(Board Only)*	SBF-BD02-BLNS
Green Board B *(Board Only)*	SBF-BD02-GRNS

Board	Code
Red Board C *(Filled)*	SBF-BD03-RD
Yellow Board C *(Filled)*	SBF-BD03-YL
Blue Board C *(Filled)*	SBF-BD03-BL
Green Board C *(Filled)*	SBF-BD03-GR
Red Board C *(Board Only)*	SBF-BD03-RDNS
Yellow Board C *(Board Only)*	SBF-BD03-YLNS
Blue Board C *(Board Only)*	SBF-BD03-BLNS
Green Board C *(Board Only)*	SBF-BD03-GRNS

Need a mobile version?

Dont forget to add castors

Set of 4 Castors Code: MPF002



SEE PAGE 173 FOR MORE INFORMATION ON NOTICE BOARDS

Custom Display Boards

The flexibility of our Multi-Purpose Frames makes them ideal for personalising to your exact requirements. When used with a composite or foamed PVC panel, they make ideal shadowboards or site safety boards. Alternatively when used with a clear insert they make a great personal or hygiene barrier.

Available with company branding, safety messages or even frosted vinyl decorations, they can even be physically modified for use in constrained spaced or around obstacles.

Speak to one of our team today and see how we can help.



Shadow Board Accessories

We offer a wide range of accessories that are fundamental to making shadow boards work for your company.

1360mm Swaged-End Aluminium Handle with Polypropylene Grip

Anodised Aluminium handle with a coloured hand grip, and swaged tip.



Description	Code
Blue	SB-HAN01-BL
Red	SB-HAN01-RD
Yellow	SB-HAN01-YL
Green	SB-HAN01-GR

Professional Medium Sweeping Broom

305mm heavy duty general purpose broom, Polypropylene block, filled medium Polyester.



Description	Code
Blue	SB-BRM01-BL
Red	SB-BRM01-RD
Yellow	SB-BRM01-YL
Green	SB-BRM01-GR

600mm Ultra Hygienic Squeegee

600mm single blade Polypropylene squeegee, with overmoulded single rubber blade.



Description	Code
Blue	SB-SQG01-BL
Red	SB-SQG01-RD
Yellow	SB-SQG01-YL
Green	SB-SQG01-GR

Looped Hygiemix Mop

Mix of cotton, Viscose, and Polyester looped yarn mop, 250g.



Description	Code
Blue	SB-MOP01-BL
Red	SB-MOP01-RD
Yellow	SB-MOP01-YL
Green	SB-MOP01-GR

Polypropylene Mop Bucket

12 litre Polypropylene mop bucket with rose and pouring lip.



Description	Code
Blue	SB-BUK01-BL
Red	SB-BUK01-RD
Yellow	SB-BUK01-YL
Green	SB-BUK01-GR

Open Dustpan

325mm dustpan made from 3mm thick Polypropylene for tough environments.



Description	Code
Blue	SB-DPN01-BL
Red	SB-DPN01-RD
Yellow	SB-DPN01-YL
Green	SB-DPN01-GR

Professional Medium Banister Brush

Light and agile Polypropylene block, filled medium stiffness Polyester.



Description	Code
Blue	SB-HBR01-BL
Red	SB-HBR01-RD
Yellow	SB-HBR01-YL
Green	SB-HBR01-GR

320mm D-Grip Shovel

Metal free, shock and crack resistant, light, strong and easily cleaned.



Description	Code
Blue	SB-SHV01-BL
Red	SB-SHV01-RD
Yellow	SB-SHV01-YL
Green	SB-SHV01-GR

Heavy Duty A-Board Warning Wet Floor



Description	Code
A-board	4702



Stainless Steel Tray



Description	Code
Stainless Steel Tray	SB-FIT02

120mm Wall Bracket



Description	Code
Blue	SB-BHK01-BL
Red	SB-BHK01-RD
Yellow	SB-BHK01-YL
Green	SB-BHK01-GR

Hangers



Description	Code
Blue	SB-HNG01-BL
Red	SB-HNG01-RD
Yellow	SB-HNG01-YL
Green	SB-HNG01-GR
Black	SB-HNG01-BK

Eyebolt



Size	Thread	Code
38 x 28mm, 17mm dia	6mm dia x 12mm (L)	SB-FIT01

Stainless Steel Standoffs



Size	Thread	Code
19 x 25mm	9mm dia x 20mm (L)	HE89L

Stainless Steel Hooks



Size	Thread	Code
4mm dia x 70mm	3mm dia x 14mm (L)	HE85L

Site Safety Notice Board

Our site safety notice boards are ideal for displaying site notices and emergency information. Our custom sign services also enables us to tailor make your site safety notice board to your requirements to ensure you are setting the right standard for safety on your site.

SEE PAGE 267 FOR DRYWIPE MARKERS

Manufactured on 3mm ACP, pre-drilled and complete with steel stand-off fixings.

Fire Action Station

This station provides pertinent information for fire safety, and a central point of call when dealing with the safety checks and procedures needed for the modern workplace.

Designed for indoor use, the board is laminated to allow details of the fire marshals to be written and updated directly onto the board.



Board dimensions (WxH): 800 x 600mm

Description	Code
First Action Station	SB-BD31

Contents	Code
Wall Fix Literature Holder (A4)	14091
Fire Safety Log Book	14901

First Aid Station A

Designed for indoor use, the board is laminated to allow the first aider details to be written and updated directly onto the board.



Board dimensions (WxH): 800 x 600mm

Description	Code
First Aid Station A	SB-BD42

Contents	Code
First Aid Kit (1-10 Person)	P0250
Wall Fix Literature Holder (A4)	14091
Accident Report Book	14900

First Aid Station B

Designed for indoor use, the board is laminated to allow the first aider details to be written and updated directly onto the board with a drywipe marker.



Board dimensions (WxH): 800 x 1000mm

Description	Code
First Aid Station B	SB-BD43

Contents	Code
First Aid Kit (1-10 Person)	P0250
Wall Fix Literature Holder (A4)	14091
Accident Report Book	14900
Eyewash Station (with 25 pods)	14343


TO ORDER REPLACEMENT EYEWASH PODS USE CODE 14344, SEE PAGE 265

Site Hazard Station

Designed for internal or external use in a sheltered position, this laminated hazard board provides a central point allowing details of unexpected hazards to be identified in a clear and conspicuous place.

By noting issues in this way appropriate measures can be put in place for rectification.

Board dimensions (WxH): 1200 x 900mm



Description	Code
Site Hazard Station	SB-BD50

Site Safety Notice Board A

Designed for internal or external use in a sheltered position, this Site Notice Board presents a central point of storage for the important documentation which is needed on a new site. This board comes complete with 6 pockets mounted to the front, allowing for documentation to be held securely in one place.

Board dimensions (WxH): 2000 x 1200mm

Description	Code
Site Safety Notice Board A	SB-BD60

Contents	Code
Health and Safety Law Poster (A2)	HSE01
Clear Wallet (A4)	14629
Accident Report Book	14900



Site Safety Notice Board B

Designed for internal or external use in a sheltered position, this Site Notice Board point presents a central point to detail safety information for a site. The board includes the Health and Safety Poster, which must be displayed by employers by law, along with details of the first aiders and an accident report book in a fixed wallet. It also has a drywipe finish for adding further information in the 'Notices' section.

Board dimensions (WxH): 1600 x 700mm

Description	Code
Site Safety Notice Board B	SB-BD61

Contents	Code
Health and Safety Law Poster (A2)	HSE01
Clear Wallet (A4)	14629
Accident Report Book	14900



NEED A PORTABLE OR FREE STANDING VERSION?

See page 168 for more information on multi-purpose frames

Accident Free Day Signs

Our Accident Free Day Signs are an excellent way to show Health and Safety Incident data.

By displaying an accident free day sign a company is promoting its commitment to safety in the workplace. Studies show that employees who are motivated and happy on the job are less likely to suffer a serious injury and are altogether more productive. Attaining these safety goals ultimately means saving money, increased production and a happy healthy workforce.

All units are suitable for display indoors or outdoors, and is an eye-catching way to highlight data to staff and visitors.



Features & Benefits

- Manufactured in UK
- Fully assembled
- Weather and waterproof
- LED Digital counter
- Remote control operation
- High quality construction
- Ease of installation and servicing
- May be located outdoors
- Highly visible and eye-catching
- Ease of resetting the digital display

IN THE KNOW

*Ultra-Bright built-in LED 4 Digit Counter**

LED Counter	4 Numerals
LED Numeral Size	100mm
LED Brightness	3000mcd
Display Colour	Red
Viewing Distance	60 metres plus Depending on Light Source
Enclosure Finish	Aluminium Powder Coated Black For outdoor use
Anti-glare Screen	
Communication Control	RS232 Interface or Remote
Power Supply	230v ac. 90 days back up memory
Power Consumption	36watts
Complete with Handheld IR Keyboard, Software	
Data Cable & Power Cable	1.5m Extended Cable Available Upon Request.

**These technical specifications are applicable to our standard accident free day signs. Other LED sizes, colours and interface options are available on request*





Description	Code
Style A - 900 x 1200mm	ADFSign-A



Description	Code
Style B - 900 x 1200mm	ADFSign-B



Description	Code
Style D - 900 x 1200mm	ADFSign-D



Description	Code
Style C - 900 x 1200mm	ADFSign-C



Description	Code
Style E - 900 x 1200mm	ADFSign-E

Custom Design

We can help you create custom artwork and implement a consistent message throughout your facility. It could be the idea of making it home safely to see your family, a group weight loss target or the pride of a job well done. Including aspects like built up lettering, LED backlit company logos and bespoke programming to create a unified visual campaign.

- Accident free days / hours
- Production Statistics
- Scrolling Messages
- Time & Temperature
- And more!



Contact us for more information on how we can help bring accident free day boards to your workplace.



Labels

Electrical Labels 178
Electrical Safety Signs 180
PAT Testing Labels 181
Quality Control Labels 182
Packaging Labels 183
Door Labels 183
Asbestos Labels 183
Hazardous Substances Labels 184
Labels On A Roll / Label Packs 185
Hazardous Substances Sheets 186
UN Placards to IMDG Code 186
Globally Harmonised System (GHS) Labels 187
Label Rolls 187

LABELS

Labels are an essential ingredient in nearly all modern-day work, providing important safety or procedural information at point of contact. We use quality printing methods and strong label materials to produce a wide range of safety labels including,

- ***Electrical Labels***
- ***PAT Testing Labels***
- ***Quality Control Labels***
- ***Hazardous Substances***
- ***and much more***

In many instances products and methods to be labelled are law. Electrical labelling is most importantly about safety, with correct identification potentially saving injury or, in serious cases life. The main reason for labelling objects is to indicate a danger or an instruction.

Labelling provides a clear picture across many applications which in turn improves safety.



Electrical Labels help to warn of potential hazards and identify if equipment has been tested or requires testing.
This simple measure can decrease the chance of injuries to employees or the public.
Our labels are available in 3 materials, 4 sizes and 5 pack quantities.

We also manufacture electrical safety signs to use along with these labels to show hazard warnings, quality control and prohibited actions, see these from page 54



Electrical Labels

Danger 230 Volts



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0001
SAV	25	75 x 25mm	LAB0002
SAV	250	75 x 25mm	LAB0003
SAV	5	75 x 75mm	LAB1000
SAV	25	75 x 75mm	LAB1001
SAV	100	75 x 75mm	LAB1002
PVC	5	75 x 25mm	LAB2000
PVC	5	75 x 75mm	LAB3000
EGR	5	75 x 25mm	LAB8000

Danger 240 Volts



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0004
SAV	25	75 x 25mm	LAB0005
SAV	250	75 x 25mm	LAB0006
SAV	5	75 x 75mm	LAB1003
SAV	25	75 x 75mm	LAB1004
SAV	100	75 x 75mm	LAB1005
PVC	5	75 x 25mm	LAB2001
PVC	5	75 x 75mm	LAB3001
EGR	5	75 x 25mm	LAB8001

Danger 400 Volts



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0007
SAV	25	75 x 25mm	LAB0008
SAV	250	75 x 25mm	LAB0009
SAV	5	75 x 75mm	LAB1006
SAV	25	75 x 75mm	LAB1007
SAV	100	75 x 75mm	LAB1008
PVC	5	75 x 25mm	LAB2002
PVC	5	75 x 75mm	LAB3002
EGR	5	75 x 25mm	LAB8002

Electrical Safety

Warn of potential hazards

FIND THE FULL RANGE OF ELECTRICAL SIGNAGE FROM PAGE 52



Material Key

SAV	Self Adhesive Vinyl
PVC	Self Adhesive Semi Rigid PVC
EGR	Rigid Engraved

CAN'T FIND WHAT YOU'RE LOOKING FOR?

CONTACT US TO SEE HOW WE CAN CREATE BESPOKE SAFETY SIGNS TO SUIT YOUR NEEDS.

Danger 415 Volts



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0010
SAV	25	75 x 25mm	LAB0011
SAV	250	75 x 25mm	LAB0012
SAV	5	75 x 75mm	LAB1009
SAV	25	75 x 75mm	LAB1010
SAV	100	75 x 75mm	LAB1011
PVC	5	75 x 25mm	LAB2003
PVC	5	75 x 75mm	LAB3003
EGR	5	75 x 25mm	LAB8003

Danger High Voltage



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0013
SAV	25	75 x 25mm	LAB0014
SAV	250	75 x 25mm	LAB0015
SAV	5	75 x 75mm	LAB1012
SAV	25	75 x 75mm	LAB1013
SAV	100	75 x 75mm	LAB1014
PVC	5	75 x 25mm	LAB2004
PVC	5	75 x 75mm	LAB3004
EGR	5	75 x 25mm	LAB8004

Warning Isolate Elsewhere



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0016
SAV	25	75 x 25mm	LAB0017
SAV	250	75 x 25mm	LAB0018
SAV	5	75 x 75mm	LAB1015
SAV	25	75 x 75mm	LAB1016
SAV	100	75 x 75mm	LAB1017
PVC	5	75 x 25mm	LAB2005
PVC	5	75 x 75mm	LAB3005
EGR	5	75 x 25mm	LAB8005

Warning More Than One Point Of Isolation



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0025
SAV	25	75 x 25mm	LAB0026
SAV	250	75 x 25mm	LAB0027
PVC	5	75 x 25mm	LAB2011
SAV	5	75 x 75mm	LAB1025
SAV	25	75 x 75mm	LAB1026
SAV	100	75 x 75mm	LAB1027
PVC	5	75 x 75mm	LAB3011

Danger 415V Exists Between ← →



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0019
SAV	25	75 x 25mm	LAB0020
SAV	250	75 x 25mm	LAB0021
PVC	5	75 x 25mm	LAB2012
SAV	5	75 x 75mm	LAB1019
SAV	25	75 x 75mm	LAB1020
SAV	100	75 x 75mm	LAB1021
PVC	5	75 x 75mm	LAB3012
EGR	5	75 x 25mm	LAB8006

Safety Electrical Connection



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0022
SAV	25	75 x 25mm	LAB0023
SAV	250	75 x 25mm	LAB0024
SAV	5	75 x 75mm	LAB1022
SAV	25	75 x 75mm	LAB1023
SAV	100	75 x 75mm	LAB1024
PVC	5	75 x 25mm	LAB2006
PVC	5	75 x 75mm	LAB3006

Danger Arc Flash



Material	Pack / Roll	Size	Code
SAV	5	75 x 25mm	LAB0028
SAV	25	75 x 25mm	LAB0029
SAV	250	75 x 25mm	LAB0030
SAV	5	75 x 75mm	LAB1028
SAV	25	75 x 75mm	LAB1029
SAV	100	75 x 75mm	LAB1030

RCD Test Label



Material	Pack / Roll	Size	Code
SAV	5	75 x 75mm	LAB4003
SAV	25	75 x 75mm	LAB4004
SAV	100	75 x 75mm	LAB4005
PVC	5	75 x 75mm	LAB3008

Periodic Inspection



Material	Pack / Roll	Size	Code
SAV	5	150 x 75mm	LAB4000
SAV	25	150 x 75mm	LAB4001
SAV	100	150 x 75mm	LAB4002
PVC	5	75 x 75mm	LAB3007

Mixed Cable Notice



Material	Pack / Roll	Size	Code
SAV	5	75 x 75mm	LAB4006
SAV	25	75 x 75mm	LAB4007
SAV	100	75 x 75mm	LAB4008

Harmonised Cable Notice



Material	Pack / Roll	Size	Code
SAV	5	75 x 75mm	LAB4009
SAV	25	75 x 75mm	LAB4010
SAV	100	75 x 75mm	LAB4011

PV Array

15 labels of
8 different designs.



Material	Sheets	Size	Code
Label Sheets	5	155 x 230mm	LAB9000

Electrical Safety Signs

These signs highlight accompanying safety messages when using Electrical Labels.

Visit pages 52 for our full range of Hazard Warning Signs.



148 x 210 RPVC 17402P

Complete with holes for hanging.



148 x 210 RPVC 17403P

Description	Material	Roll	Size	Code
Warning Electrician Working	RPVC	250	148 x 210mm	17402P
Danger 400 Volts	RPVC	250	210 x 148mm	17403P

Warning Danger Live DC Cables

With corner holes to allow for secure fitting around a cable.



Material	Pack / Roll	Size	Code
PVC (Non Adhesive)	10	75 x 20mm	17401P

PAT Test Label

Printed on self adhesive Vinyl, allowing the correct compliance details to be written directly on to the label.



Material	Pack / Roll	Size	Code
SAV	50	50 x 15mm	LAB6000
SAV	250	50 x 15mm	LAB6001
SAV	50	50 x 35mm	LAB7000
SAV	250	50 x 35mm	LAB7001

FAIL Test Label

Printed on self adhesive Vinyl, allowing the correct compliance details to be written directly on to the label.



Material	Pack / Roll	Size	Code
SAV	50	50 x 15mm	LAB6002
SAV	250	50 x 15mm	LAB6003
SAV	50	50 x 35mm	LAB7002
SAV	250	50 x 35mm	LAB7003

PAT Testing Labels

50 x 25mm labels,
supplied in rolls of 500 in self adhesive Vinyl.



50 x 25 SAV R3020.500



50 x 25 SAV R3021.500



PAT Test Label - Self Laminating

Protect important information from malicious damage and the weather with these self-laminating labels.

After writing, use the over-laminate to ensure text cannot be changed.

Supplied in rolls of 250 labels.




Material	Roll	Size	Code
SAV	250	35 x 15mm	LAB6100
SAV	250	42.5 x 32.5mm	LAB7100













Material Key

SAV	Self Adhesive Vinyl
PVC	Self Adhesive Semi Rigid PVC

CONTACT US TO SEE HOW SPECTRUM SERVICES CAN HELP YOUR BUSINESS NEEDS.

SEE PAGE 3 FOR MORE INFORMATION

Quality Control Labels

Self Adhesive Vinyl 50 x 25mm labels

Supplied in rolls of 250



50 x 25 SAV R3000.250



50 x 25 SAV R3001.250



50 x 25 SAV R3014.250



50 x 25 SAV R3002.250



50 x 25 SAV R3024.250



50 x 25 SAV R3005.250



50 x 25 SAV R3015.250



50 x 25 SAV R3016.250



50 x 25 SAV R3012.250



50 x 25 SAV R3003.250



50 x 25 SAV R3006.250




50 x 25 SAV R3008.250



50 x 25 SAV R3018.250



50 x 25 SAV R3017.250



50 x 25 SAV R3007.250



50 x 25 SAV R3019.250



50 x 25 SAV R3010.250



50 x 25 SAV R3011.250



50 x 25 SAV R3022.250



50 x 25 SAV R3025.250



50 x 25 SAV R3013.250



Training
by **Spectrum** Services

OUR EXPERIENCED TEAM IS ON HAND TO DELIVER TRAINING ACROSS THE FULL BREADTH OF OUR RANGE.

Material Key

SAV	Self Adhesive Vinyl
SAP	Paper (Self Adhesive)

FIND OUR FULL RANGE OF SAFETY SIGNS STARTING ON PAGE 14

Packaging Labels

Internationally recognised paper packaging labels

Supplied in rolls of 1000





100 x 150 SAP 13868



100 x 150 SAP 13871



100 x 150 SAP 14789



100 x 150 SAP 14210



100 x 150 SAP 13872



100 x 150 SAP 13870



100 x 150 SAP 13873

Door Labels

Available as singles or roll of 100



150 x 150 SAV 11326
100 x 100 SAV R5000.100



150 x 150 SAV 11330
100 x 100 SAV R5001.100



150 x 150 SAV 11338
100 x 100 SAV R5002.100



150 x 150 SAV 11350



150 x 150 SAV 11334



150 x 150 SAV 11510





150 x 150 SAV 13876



150 x 150 SAV 13877



150 x 150 SAV 13878

Asbestos Labels

Printed on self adhesive polypropylene

500 labels per roll



25 x 50 SAV 3210



25 x 50 SAV 3211



Hazardous Substances Labels

It is important to mark those areas, rooms or enclosures used for the storage of significant quantities of hazardous substances or mixtures by a suitable warning sign, unless the warning labels on individual containers are clearly visible from outside or nearby.

Supplied in singles



100 x 100 SAV 1852S
200 x 200 SAV 1857S



100 x 100 SAV 1850S
200 x 200 SAV 1855S



100 x 100 SAV 1851S
200 x 200 SAV 1856S



100 x 100 SAV 1854S
200 x 200 SAV 1859S



100 x 100 SAV 1853S
200 x 200 SAV 1858S



100 x 100 SAV 1870S
200 x 200 SAV 1871S



100 x 100 SAV 1860S
200 x 200 SAV 1865S



100 x 100 SAV 1861S
200 x 200 SAV 1866S



100 x 100 SAV 1862S
200 x 200 SAV 1867S



100 x 100 SAV 1863S
200 x 200 SAV 1868S



100 x 100 SAV 1864S
200 x 200 SAV 1869S



100 x 100 SAV 13723
200 x 200 SAV 13724



100 x 100 SAV 13725
200 x 200 SAV 13726



100 x 100 SAV 13741
200 x 200 SAV 13742



100 x 100 SAV 13739
200 x 200 SAV 13740



100 x 100 SAV 13727
200 x 200 SAV 13728



100 x 100 SAV 13729
200 x 200 SAV 13730



100 x 100 SAV 13731
200 x 200 SAV 13732



100 x 100 SAV 13745
200 x 200 SAV 13746



100 x 100 SAV 13743
200 x 200 SAV 13744



100 x 100 SAV 13733
200 x 200 SAV 13734



100 x 100 SAV 13735
200 x 200 SAV 13736




100 x 100 SAV 13737
200 x 200 SAV 13738



100 x 100 SAV 13747
200 x 200 SAV 13748



100 x 100 SAV 13749
200 x 200 SAV 13750





100 x 100 SAV 13753
200 x 200 SAV 13754



100 x 100 SAV 13755
200 x 200 SAV 13756



100 x 100 SAV 13757
200 x 200 SAV 13758



100 x 100 SAV 13759
200 x 200 SAV 13760



100 x 100 SAV 13751
200 x 200 SAV 13752



100 x 100 SAV 13761
200 x 200 SAV 13762



Labels On A Roll / Label Packs

These labels are manufactured from a laminated Polypropylene.


100mm² labels are supplied in rolls of 250.
250mm² labels supplied in a packs of 10.



100 x 100 SAV R6001.250



100 x 100 SAV R6000.250



100 x 100 SAV R4000.250
100 x 100 SAV R4000.500
250 x 250 SAV RS4000.10



100 x 100 SAV R4001.250
250 x 250 SAV RS4001.10



100 x 100 SAV R4550.250
250 x 250 SAV RS4550.10



100 x 100 SAV R4100.250
250 x 250 SAV RS4100.10



100 x 100 SAV R4101.250
250 x 250 SAV RS4101.10



100 x 100 SAV R4102.250
250 x 250 SAV RS4102.10



100 x 100 SAV R4150.250
250 x 250 SAV RS4150.10



100 x 100 SAV R4151.250
250 x 250 SAV RS4151.10



100 x 100 SAV R4153.250
250 x 250 SAV RS4153.10



100 x 100 SAV R4152.250
250 x 250 SAV RS4152.10



100 x 100 SAV R4250.250
250 x 250 SAV RS4250.10



100 x 100 SAV R4251.250
250 x 250 SAV RS4251.10



100 x 100 SAV R4252.250
250 x 250 SAV RS4252.10



100 x 100 SAV R4300.250
250 x 250 SAV RS4300.10



100 x 100 SAV R4301.250
250 x 250 SAV RS4301.10



100 x 100 SAV R4303.250
250 x 250 SAV RS4303.10



250 x 250 SAV RS4302.10



100 x 100 SAV R4400.250
250 x 250 SAV RS4400.10



100 x 100 SAV R4450.250
250 x 250 SAV RS4450.10



100 x 100 SAV R4500.250
250 x 250 SAV RS4500.10

Material Key

SAV	Self Adhesive Vinyl

FIND OUR FULL MATERIAL KEY ON PAGE 12

Hazardous Substances Sheets

Each sheet has 3 vinyl labels which can be easily cut as required.

1 x 200mm² and 2 x 100mm² labels per sheet.



1 x 200mm²
2 x 100mm² SAV 1852



1 x 200mm²
2 x 100mm² SAV 1850



1 x 200mm²
2 x 100mm² SAV 1851



1 x 200mm²
2 x 100mm² SAV 1854




1 x 200mm²
2 x 100mm² SAV 1853



1 x 200mm²
2 x 100mm² SAV 1860



1 x 200mm²
2 x 100mm² SAV 1861



1 x 200mm²
2 x 100mm² SAV 1862



1 x 200mm²
2 x 100mm² SAV 1863



1 x 200mm²
2 x 100mm² SAV 1864

UN Placards to IMDG Code

Supplied with a blank space allowing you to fill in the appropriate numbers (must be 65mm high and in black).

Alternatively we can print them for you, contact us for details



250 x 250 SAV 13763



250 x 250 SAV 13764



250 x 250 SAV 13765



250 x 250 SAV 13766



250 x 250 SAV 13767



250 x 250 SAV 13768



250 x 250 SAV 13769



250 x 250 SAV 13770



250 x 250 SAV 13771



250 x 250 SAV 13772



250 x 250 SAV 13773



250 x 250 SAV 13774



250 x 250 SAV 13775



250 x 250 SAV 13776

IN THE KNOW

UN substance numbering is a requirement on road and rail tanks, freight wagons, vehicles and containers.

Globally Harmonised System (GHS) Labels

Printed on self adhesive Vinyl.

50mm supplied in packs of 10
100mm supplied individually.



50 x 50 SAV 18000
100 x 100 SAV 18001



50 x 50 SAV 18002
100 x 100 SAV 18003



50 x 50 SAV 18004
100 x 100 SAV 18005



50 x 50 SAV 18006
100 x 100 SAV 18007



50 x 50 SAV 18008
100 x 100 SAV 18009



50 x 50 SAV 18010
100 x 100 SAV 18011



50 x 50 SAV 18012
100 x 100 SAV 18013



50 x 50 SAV 18014
100 x 100 SAV 18015



50 x 50 SAV 18016
100 x 100 SAV 18017

Label Rolls

Supplied in rolls, these labels are available in a range of sizes and roll quantities. The quantity in each pack is shown by the last numbers in the code.



50 x 50 SAV R1203.250
50 x 50 SAV R1203.500



50 x 50 SAV R1204.250
50 x 50 SAV R1204.500



50 x 50 SAV R1205.250
50 x 50 SAV R1205.500



50 x 50 SAV R1206.250
50 x 50 SAV R1206.500



50 x 50 SAV R1207.250
50 x 50 SAV R1207.500



50 x 50 SAV R1208.250
50 x 50 SAV R1208.500



50 x 50 SAV R1209.250
50 x 50 SAV R1209.500



50 x 50 SAV R1210.250
50 x 50 SAV R1210.500



50 x 50 SAV R1211.250
50 x 50 SAV R1211.500



50 x 50 SAV R1200.250
50 x 50 SAV R1200.500



50 x 50 SAV R1201.250
50 x 50 SAV R1201.500



50 x 50 SAV R1202.250
50 x 50 SAV R1202.500



50 x 50 SAV R1100.250
50 x 50 SAV R1100.500



50 x 50 SAV R1101.250
50 x 50 SAV R1101.500



50 x 50 SAV R1102.250
50 x 50 SAV R1102.500



50 x 50 SAV R1103.250
50 x 50 SAV R1103.500



50 x 50 SAV R1000.250
50 x 50 SAV R1000.500


Material Key

SAV	Self Adhesive Vinyl

R3201.250 - ROLL OF 50 X 25MM LABELS, 250 LABELS PER ROLL
R3201.500 - ROLL OF 50 X 25MM LABELS, 500 LABELS PER ROLL

Electric Vehicle Recharging Stencil

Help locate charging points easily





LOCKOUT TAGOUT

Lockout Tagout is the correct procedure for isolating and shutting down equipment safely, ensuring it cannot be started up again until safe to do so.



Lockout Tagout

Safety Lockout Padlocks	192
Long Shackle Padlock	192
Di-electric Padlock	192
Brass Lockout Padlocks	193
Wire Padlock	194
Padlock Caddy	194
Padlock Cabinet	195
Padlock Station	195
Ladder Lockout	195
Security Padlocks	196
Lockboxes	197
Hasps	198
Gate Valve Lockout	200
Ball Valve Lockout	202
Cable Lockout	204
Electrical Lockout	206
Lockout Stations	214
Advanced Lockout Stations	217
Tag Station	221
Lockout Kits	222
Plug and Hoist Control Cover	225
Premium Lockout Bag	225
Premium Lockout Pouch	225
Lockout Satchel	225
Lockout Toolbox	225
Lockout Tags	226
Lockout Signs	228

LOCKOUT TAGOUT

Lockout is a physical method of isolating equipment to prevent it being re-energised or stop the release of any stored energy.

Tagout is a highly visible written warning attached to the locked out device highlighting that the equipment should not be used until the Lockout is removed.

Why Lockout Tagout?

Planned Lockout Tagout Procedures are an effective way of reducing the risks involved when maintaining, cleaning or repairing equipment. Now considered a best practice procedure worldwide, correct implementation can reduce downtime and increase productivity. It helps to ensure worker safety and reduces the risk of employers exposure to liability and prosecution, as well as indirect costs such as repairs to equipment.

How to implement a planned LOTO Programme?

A clearly designed LOTO programme will detail all the necessary steps to ensure equipment energy is safely isolated.

1: Evaluate and Plan
Prepare a written LOTO policy and implementation plan, describing all processes required for a successful hazardous energy control programme.

The policy will describe responsibilities, training, isolation procedures and restoring equipment to normal operation, contractor control, LOTO products, permits to work, etc.

Tip!
We can put you in touch with competent safety professionals to help evaluate and deliver your LOTO Programme.

2: Equipment Appraisal
Identify all equipment requiring energy isolation during maintenance, cleaning or repair activities.

For each item of equipment, gather details of associated energies, isolation points (valves, switches, breakers etc) and the sequence of isolation. Consider environmental factors such as confined spaces, adjacent activities and any essential equipment adaptations. Consideration must also be made for mechanical valves and/or LSS (Life Safety Systems) that are required to remain ON for safety purposes during these activities. Specific "On State" isolation must be included as required and possible downstream effects of same must be risk assessed and documented.

3: Equipment Specific Procedures
Use equipment appraisal information to develop equipment specific procedures. This activity also helps define lockout product requirements for each item of equipment or work area. Once proven through testing, equipment specific procedures should be posted alongside the equipment.

4: Training, Procedure Awareness and Lockout / Tagout products
Equip authorised employees with the relevant lockout products and tags as detailed in the audit. For safety reasons, only products specifically designed for implementing Lockout Tagout procedures should be used.

5: Implementation
A new Lockout programme involves a workforce having to think and work in a new way, posing a challenge in terms of changing safety culture and mindset. Leadership participation and backing is therefore crucial during planning and implementation stages. Monitor behaviours, listen to the workforce and adapt the programme to ensure it is embraced successfully and exceed corporate and legal requirements.

Types of Energy

Dangerous energy sources can take many forms, including:

Electrical Energy
Commonly found powering nearly all workplace equipment.

Hydraulic Energy
Found powering forklifts, cutting equipment and pumps.

Mechanical Energy
Can be found in all machinery with moving parts.

Thermal Energy
In ovens or freezers (hot or cold).

Pneumatic Energy
Most commonly found powering machinery via compressed air or gas.

Potential Energy
Found in compressed springs or suspended weights.

Safety Lockout Padlocks


With a ribbed Nylon body for easy gripping and handling. Compact high security padlocks with a 6-pin lock mechanism which will not release the key until the shackle is closed.

- ***6-pin precision-machined cylinder for extra security.***
- ***Non-conductive, non-sparking reinforced Nylon body.***
- ***Resistant to chemicals and corrosion.***
- ***Colour coded for easy identification with a photoluminescent label.***
- ***Key retaining feature.***
- ***Etched numbers/serials/initials***
- ***Each padlock is supplied boxed with 1 key and keyring.***



Colour	Keyed Different (KD)	*Keyed Alike (KA)
Red	LOK007-L	LOK174
Yellow	LOK008-L	LOK183
Green	LOK009-L	LOK180
Blue	LOK010-L	LOK177
Black	LOK011-L	Available on request
Orange	LOK012-L	Available on request

Dimensions				
Shackle height (A)	Body height (B)	Body width (C)	Shackle dia (D)	Body depth (E)
40mm	45mm	42mm	6mm	20mm
Each padlock is supplied in a box with 1 key and 1 keyring				



*IMPORTANT: Keyed alike padlocks should only be used as part of a planned energy control programme, as incorrect use may compromise the security of the LOTO procedure.
Please see opposite page for further information on the key differences.


Long Shackle Padlock

A long shackle variant of our standard safety lockout padlocks Ideal for areas where standard length padlocks are too restrictive.



Description	Code
Red	LOK197-L
Yellow	LOK198-L
Green	LOK199-L
Blue	LOK200-L
Black	LOK202-L
Orange	LOK201-L

Dimensions				
Shackle height (A)	Body height (B)	Body width (C)	Shackle dia (D)	Body depth (E)
82mm	45mm	42mm	6mm	20mm
Each padlock is supplied in a box with 1 key and 1 keyring				




Di-electric Padlock

A di-electric variant of our standard safety lockout padlock, with a nylon shackle to be used for an extra layer of protection in areas of electrical hazard.



Description	Code
Red	LOK068
Yellow	LOK263
Green	LOK264
Blue	LOK265
Black	LOK266
Orange	LOK267

Dimensions				
Shackle height (A)	Body height (B)	Body width (C)	Shackle dia (D)	Body depth (E)
40mm	45mm	42mm	6mm	20mm
Each padlock is supplied in a box with 1 key and 1 keyring				



MORE COLOURS AVAILABLE ON REQUEST


IN THE KNOW

WHAT PADLOCK AND KEY DO I NEED?

Padlocks are an essential part of a lockout tagout programme, there are also various types of keying systems that can be used as part of an effective loto programme. Choose the type which is suitable for the intended process, bearing in mind its place within the overall lockout procedure.


PADLOCKS AND KEYING SYSTEMS

The correct keying system for your site will be dictated by LOTO procedures, identified through a LOTO audit. There are varying options listed below:



KEYED DIFFERENT (KD)


Each padlock can only be opened using a single unique key.



KEYED ALIKE (KA)

All padlocks in a Keyed Alike team have their own key.

That same key can open any padlock within the same team.



MASTER KEYED (MK) & GRAND MASTER KEYED (GMK)

The padlocks in this system each have their own unique key, which can only open the corresponding padlock.

The Master Key for this team can open any of the padlocks within its own team. This can be further extended over multiple teams, with a Grand Master Key able to open any padlock within any team.

Eagle-ID
by **Spectrum** Services

OUR UNIQUE KEY RECORDING SYSTEM DESIGNED TO GUARANTEE THE ONSITE SAFETY ISSUES SURROUNDING DUPLICATE KEYS.


The Eagle-ID scheme can be implemented on any of the Lockout Tagout padlocks we supply and will provide an ironclad guarantee that your site is free from key duplications and the safety implications this can present.

Every padlock supplied has its unique key reference recorded on our internal system, and subsequent orders are cross-referenced against this database to ensure no duplications can ever be issued to the user, regardless of site location or company organisational structure. For further details and help on implementing the Eagle-ID please contact our sales office.


Brass Lockout Padlocks

Brass lockout padlocks are one of the most commonly used padlocks in high risk environments. Many industries use them exclusively due to their spark proof, rust proof and high durable qualities.

Available with or without a dust cap which can protect the internal mechanism keeping it free of blockages and extending the locks usability. Other options include colour coding, engraving and steel shackles.



Description	Code
32mm	LOK294
32mm with dust cover	LOK295
38mm	LOK296
38mm with dust cover	LOK297



KEY

Extended Delivery Time

These products will have an extended delivery time please contact us for further information or delivery times.

CUSTOMISATION AVAILABLE SAFETY PADLOCKS CAN BE LASER ETCHED WITH NAMES, NUMBERS OR COMPANY DETAILS

IN THE KNOW

ENGRAVING AND NUMBERING

To reinforce a key registering programme, safety padlocks can be laser etched with names, registration numbers, company details or other identifying information.



Wire Padlock


A compact padlock with 3mm flexible wire shackle.

Supplied keyed to differ, this padlock is ideal for use on smaller MCB Lockouts or when a standard padlock is unsuitable.

Description	Code
Red	LOK185



Dimensions	
Shackle height (A)	71mm
Wire length unstressed	146mm
Body height (B)	45mm
Body width (C)	42mm
Shackle dia (D)	3mm
Body depth (E)	20mm
Each padlock is supplied in a box with 1 key and 1 keyring	



Padlock Caddy

A simple and useful method to carry multiple padlocks. Hooks over a belt or pocket and comes complete with a retractable strap.

Accommodates up to 12 padlocks.

Description	Code
Yellow Padlock Caddy	LOK146








Padlock Cabinet

Red powder coated steel padlock cabinet with interior racks for the storage of padlocks.

- ***Stores up to 21 padlocks.***
- ***Quality powder coated Steel.***
- ***Wall mountable.***
- ***Fixings included.***
- ***2 keys included.***





Size (HxWxD)	Code
460 x 390 x 55mm	LOK059

Padlock Station

These powder coated metal padlock stations are an ideal method for the storage and display of Lockout safety padlocks.



Description	Code
6 Padlocks (72 x 126 x 31mm)	LOK143
12 Padlocks (72 x 265 x 31mm)	LOK144
18 Padlocks (72 x 368 x 31mm)	LOK145

Ladder Lockout

Manufactured from flexible woven PVC, this device is placed over the rungs of a ladder or the steps of other climbing apparatus to prevent its use. The integral eyelet allows it to be locked out with a suitable padlock and tag.




Description	Code
Ladder Lockout	LOK245





Dimensions		
(A)	(B)	(C)
1775mm	800mm	330mm



Download our
LOTO Handbooks
from spectrum-industrial.co.uk



Security Padlocks

These padlocks are ideal for general security use and are ***not for use as part of a LOTO programme.***

Blue Jacket Padlock



Regular shackle brass padlock encapsulated in an injection moulded jacket.

Supplied with warning label and 3 keys.

Size	Code
40mm	LOK070

Laminated Padlock



Supplied with 2 keys.

Size	Code
40mm	SP150P
50mm	SP151P

Brass 'Tri-circle' Padlock



Standard brass padlocks.

Supplied with 2 keys.

Size	Code
20mm	SP168L
25mm	SP137L
32mm	SP138L
38mm	SP139L
50mm	SP140L
63mm	SP169L

Weather Resistant Padlock



Supplied with 2 keys.

Size	Code
40mm	SP160P

Discus Padlock



Supplied with 2 keys.

Size	Code
70mm	SP165P





Lockboxes

Provision of a safe location to store keys and other activation devices during maintenance or repair.

Once equipment has been isolated and made safe, any keys or other activating equipment can be stored safely in a lockbox to prevent accidental re-energisation. Multiple padlocks can be affixed to the Lockbox which all must be removed before gaining access to the contents.



Lockbox

Red powder coated steel lockbox for storage of keys or other machine activation devices.

Once a machine has been isolated and made safe, its keys are placed in the Lockbox; each authorised person working on the machine then applies their own padlock to the lockbox, ensuring the keys cannot be accessed until every authorised user is satisfied the machine is safe.

- ***13 padlock fixing holes***
- ***Carry handle on top***



*Padlocks not included

Size (HxWxD)	Code
155 x 255 x 100mm	LOK015

Compact Lockbox

A compact version of the Lockbox.

Suitable for up to 7 padlocks



Size (HxWxD)	Code
155 x 115 x 110mm	LOK150

Wall Mount Lockbox

A compact Lockbox suitable for wall fixing or use as a mobile unit.

Suitable for up to 15 padlock



Size (HxWxD)	Code
258 x 160 x 85mm	LOK169



Hasps

When more than one padlock needs to be fitted to an isolation point a hasp can be fitted to expand the number of lockout points available. The design of a hasp ensures that all the padlocks need to be removed before the hasp can be detached.



Standard Hasps



Manufactured from hardened powder coated Steel, this hasp utilises a simple scissor action to lockout an isolation point.

The 25mm version has a double locking arrangement whilst the 38mm is a single locking system.


Description	Code
25mm	LOK048
38mm	LOK069



Manufactured from high tensile Steel sheet which has in turn been electro-plated to prevent corrosion.

The padlock fixing section is Vinyl coated to improve grip and provide greater visibility.

Description	Code
25mm	LOK044
38mm	LOK045



Hasp Dimensions			
Description	Jaw Size (A)	# Of Holes (Padlock)	Padlock Hole dia.
Standard	25mm	6	9mm
Standard	38mm	6	9mm
Vinyl Coated	25mm	6	10mm
Vinyl Coated	38mm	6	10mm

Aluminium Hasps



Manufactured from Aluminium with injection moulded Nylon grip. The hasp jaws are rounded to provide easy fixing on smaller isolation points and Lockout devices.

Suitable for 6 padlocks with a maximum shackle diameter of up to 8mm.

Description	Code
25mm	LOK191
38mm	LOK192

Stainless Steel Hasp



Manufactured from Stainless Steel and available in powder coated black/yellow.

Suitable for 6 padlocks with a maximum shackle diameter up to 8mm.

Description	Code
Black / Yellow	LOK129
Stainless Steel	LOK261

Die Cast Steel Hasp



Corrosion resistant Die Cast Steel Hasp with drop down opening system.

Suitable for 3 padlocks with a shackle diameter up to 8mm.

Description	Code
Steel	LOK163

Extra Large Hasps



For use in situations where multiple users need to lock out equipment.

Manufactured from hardened powder coated Steel.


Description	# Of Holes	Code
25mm	12 Holes	LOK133
25mm	24 Holes	LOK134

Dual Lockout Hasps



This dual scissor action hasp has a Steel body with a powder coating to prevent corrosion. The Aluminium pivot provides smooth movement. The two different jaw sizes ensure ultimate adaptability when lockout conditions vary.

Description	Code
Dual Lockout	LOK047



Dual Lockout Hasp Dimensions	
Inside Height (A)	31mm
Inside Width (B)	45mm
Inside Height (C)	18mm
Inside Width (D)	20mm
# Of Holes (Padlock)	6
Padlock hole dia.	11mm

Di-electric Lockout Hasp



Non-conductive reinforced Nylon hasp which opens using a pull and spring method.

With a shackle thickness of 6mm, the hasp can be locked out by up to 6 padlocks.


# Of Holes	Code
6 Holes	LOK127



Our premier Dielectric Lockout Hasp utilises a unique swing lock system to securely fasten the thread.

Available in 3mm and 6mm thread sizes, each has 4 integral holes for multiple padlock use.

# Of Holes / Thread Size	Code
4/3mm	LOK119
4/6mm	LOK120



Manufactured from reinforced Nylon, these hasps are tough, flexible and have the added benefit of being completely non-conductive.

Accepts padlocks with a shackle diameter up to 9mm.

# Of Holes / Thread Size	Code
3/3mm	LOK053
3/6mm	LOK054
6/6mm	LOK046

Sign Hasps

This hasp combines the benefits of a standard hasp and tag simultaneously.

Manufactured from powder coated Aluminium.

Supplied with spare label.

Code
LOK049




Similar to the first hasp, this version has a smaller head allowing application in less accessible locations.

Available in 3 sizes.



# Of Holes	Code
6 Holes	LOK130
8 Holes	LOK131
10 Holes	LOK132

Sign Hasp Dimensions			
Inside height. (A)	Inside height. (B)	# Of Holes (Padlock)	Padlock Hole dia.
43mm	81mm	10	8mm



Sign Hasp Dimensions Inside Height. (C)
25mm

Gate Valve Lockout

A simple solution for isolating gate valves. Once the valve is in the appropriate position, simply slip the lockout over the top of the handle, rotating freely around the valve stem and thus preventing access and movement of the valve.

The different sizes cover the most commonly used valve diameters. Where a gate valve lockout cannot be used due to fitting or other restraints, consider using a cable lockout system to isolate the valve

- *Resistant to cracking and abrasion*
- *Dielectric properties*
- *Rotates freely around valve handles*
- *Resistant to extreme temperatures*
- *Suitable for hasps and padlocks*
- *Available in various sizes*





IN THE KNOW

USING A GATE VALVE LOCKOUT

Slip the Lockout over the top of the valve handle.
Once in position the cover will rotate freely thereby preventing the valve from turning.


DIRECTIONS FOR USE:



STEP 1

Ensure the valve is in the required locked off position (on/off).

Select the appropriate sized lockout for the gate valve.



STEP 1b *(Optional)*

Optional clip out centre. Please specify if you would like the lockout with pop out centre when placing your order.

(For use on valves with a rising stem).



STEP 2

Place the lockout device over the valve wheel and close, ensuring it can rotate freely around the wheel.



STEP 3

Secure Lockout with a safety padlock and attach a tag to communicate your chosen safety message.

Use a hasp if more padlocks are required.

Keep your lockout tagout equipment easily accessible

Keeping your workplace tidy.



FIND THE FULL RANGE OF LOCKOUT STATIONS ON PAGE 214

Gate Valve Lockout

Comprising of two flattened half moons with a hollow centre. Hinged at one side, they are placed over the valve and then closed, ensuring that the valve wheel is tamper-proof.

Use a hasp if more than one padlock is required to Lockout the device.


Please ask if you require the gate valve lockout with a clip out centre.



Millimetres	Inches	Code
25 - 63.5mm	1" - 2 1/2"	LOK001
63.5 - 127mm	2 1/2" - 5"	LOK002
127 - 165mm	5" - 6 1/2"	LOK003
165 - 254mm	6 1/2" - 10"	LOK004
254 - 355mm	10" - 14"	LOK005

Dimensions	(A)	(B)	(C)	(D)	(E)
25 - 63.5mm	70	32	76	38	N/A
63.5 - 127mm	130	34	140	44	33
127 - 165mm	170	41	177	50	53
165 - 254mm	257	50	267	63	70
254 - 355mm	355	63	368	74	74

(A) Inside diameter
(B) Inside depth
(C) Outside diameter
(D) Outside depth
(E) Inner hole diameter



Extra Large Gate Valve Lockout


Our largest sized Gate Valve Lockout is suitable for valve handles with a diameter of 330mm up to 450mm. It has an integral clip out centre and a built in facility to use up to 4 padlocks without the need for a hasp.

When not in use one side of the lockout fits within the other for transportation and storage.

Millimetres	Inches	Code
330 - 450mm	13" - 18"	LOK204

Dimensions	(A)	(B)	(C)	(D)	(E)
330 - 450mm	470	75	475	90	90

(A) Inside diameter
(B) Inside depth
(C) Outside diameter
(D) Outside depth
(E) Inner hole diameter
All sizes in millimetres





Adjustable Gate Valve Lockout

Two separate pieces which slide over the valve and lock together.

Fits valve hand wheels between 25.5mm and 165mm in diameter.

Millimetres	Inches	Code
25.5 - 165mm	1" - 6 1/2"	LOK006





Ball Valve Lockout

This lockout device is placed over the top of the ball valve to prevent the valve handle from being turned. Once in the correct isolated position, the handle of the valve is trapped within the body of the lockout, preventing the handle from being operated.



IN THE KNOW

USING A BALL VALVE LOCKOUT

Once in position, the handle of the valve is trapped within the body of the lockout, preventing the handle from being operated.

DIRECTIONS FOR USE:



STEP 1


Turn the valve handle to the correct position,

Either on or off.



STEP 2

Lockout the device by placing the main body over the top of the valve handle. Ensure the valve handle sits inside channel.



STEP 3

Move slider section down the shaft of the lockout until tight against the valve body.



STEP 4

Insert a padlock or hasp through the most appropriate hole which keeps the slider secure.

PLEASE NOTE:

Holes on the slider section have a staggered repeat which ensures that at least one hole will be tight when placed against the valve. If more than one padlock is required then a hasp should be used.



Ball Valve Lockout

This lockout device is placed over the top of the ball valve to prevent the valve handle from being turned.



3 sizes available.

Size	Code
9.5 - 31mm	LOK023
32 - 63mm	LOK024
50 - 203mm	LOK025

Butterfly Valve Lockout

When slid into position the wedge on the slider section prevents the compression handle being squeezed, preventing operation of the valve.

Working in a similar way to the standard ball valve lockouts, the wedge on the slider section sits between the compression handle and lever, preventing operation.



Size	Code
8 - 45mm	LOK018

Flange Ball Valve Lockout

Once the flange ball valve is in the desired position and the handle removed, this lockout device fits over the top of the stem ring.

The two sections of the device slide together over the top of the stem, ensuring it is suitable for various sizes of valves.



Hole size: 46 x 38mm

Size	Code
150 x 220 x 70mm	LOK186

IN THE KNOW

DIRECTIONS FOR USE:

STEP 1



STEP 2



STEP 3



Cable Lockout

Cable lockouts are ideal when there is a need to lockout multiple energy sources with one device or when the design or placement of the energy source prevents other types of lockout being used. Use the flexible cable to tie off the energy source and then secure using the grip handle. The handle traps the cable and prevents it from becoming loose.

Multi-Purpose Cable Lockout

This cable lockout has been ergonomically designed to fit the hand, making placement and use fast and simple.

Route the cable where necessary to Lockout the device then feed the cable down the centre of the open lockout. When the cable is tight and the source is locked out, squeeze the handle closed and apply padlock.

Available in vinyl coated steel and nylon cable versions.

Cable Type	Code
2.5m Steel Core (Blue)	LOK013
2.5m Nylon Core (Yellow)	LOK014





Retractable Cable Lockout

This unique cable lockout has an integral rewinding mechanism, pulling the cable taut once it has been routed to lockout the equipment. It can house up to two padlocks of a maximum diameter of 7mm.

Dimensions	Cable Length	Cable diameter	Code
110 x 110 x 40mm	1.8m	2mm	LOK217





IN THE KNOW

DIRECTIONS FOR USE:

STEP 1

Pull out the cable and route it through the equipment to lockout the device. Feed the cable back to the cable lockout and place the loop around the hook.



STEP 2

Push the winding button and the cable will automatically retract, pulling it tight.



STEP 3

Push in the black grip handle to lock the cable in place. Affix up to two padlocks on the unit (more can be fitted using a hasp) and tagout as appropriate.



PLEASE NOTE: To remove, push in the black grip handle to release the cable.

Heavy Duty Cable Lockout

A heavy duty cable lockout that can be applied to large valves. Suitable for the most extreme weather conditions including offshore installations.

Due to its metal construction and stainless steel nut this lockout provides reliable and corrosion resistant use.

(Please note that the Stainless Steel cable is supplied separately)

Description	Code
Lockout Only	LOK135
2m Stainless Steel Cable	LOK136
5m Stainless Steel Cable	LOK137







Mobile LOTO Display unit

We can supply custom made LOTO distribution equipment to suit your needs. These units are ideal for the immediate deployment of LOTO equipment to the areas where you need it, either via forklift or the integral lockable wheels. The LOTO boards can be designed to display the stock you require and can be mounted on one of both sides of the unit. The optional lockable cupboard can house the equipment which will not fit on the boards.

- Integral and customisable LOTO Boards
- Single or double sided board display
- Customisable vinyl graphics and company logos
- Mobile or static options
- Lockable cupboard section

Speak to one of our team today and see how we can help.











Electrical Lockout

We have a range of lockout devices designed to be used to lockout modern workplace equipment. These are usually fixed to the power control switch of the electrical equipment, and when used with the appropriate tag and padlock are an effective way to ensure the equipment cannot be activated until safe to do so.




Universal Mini Circuit Breaker Lockout

This universal MCB lockout has been designed to fit almost any size of MCB, regardless of size or the position of the holes on the breaker.

Simply turn off the breaker and place the lockout over the switch. Use the thumbscrew to tighten the internal grub screw onto the switch, locking the unit into place.

The thumbscrew will then fold down on its integral hinge, allowing a padlock to be fitted preventing access to the thumbscrew.





Clamp Size	Code
10 x 20mm	LOK043

Universal Mini MCB Lockout

Our smallest MCB toggle is easy to use - simply place over the breaker and tighten the internal grub screw.

Once secure fit a padlock or appropriate hasp through the hole to prevent unauthorised removal.

Maximum clamping size ≤ 6mm.





Clamp Size	Code
≤ 6mm	LOK161

Universal 'Tool Free' MCB

This MCB lockout device utilises a thumb-screw for easy 'no tools' installation and is suitable for use on virtually all ISO/DIN circuit breakers. It can be fitted vertically or horizontally, and is small enough to be used side by side on adjacent breakers.

Simply lift up the cover and fit the unit onto the MCB toggle when in the OFF position, screw down the thumbscrew tight and close the cover, locking out the unit with a padlock. The device also has two locking options providing flexibility when applying a padlock either vertically or horizontally.



Clamp Size	Code
8 x 15mm	LOK277

Mini Circuit Breakers

Our range of miniature circuit breaker (MCB) lockouts have been designed to fit most modern single and multiple pole miniature circuit breakers. The lockout prevents the circuit breaker toggle from being turned on, use appropriate padlock to prevent unauthorised removal.

Due to the size of these MCB lockouts, should you need to use a hasp to increase the number of padlocks we recommend the di-electric hasp ***(LOK053)*** or wire padlock ***(LOK185)***. All of the following MCB lockouts can be locked out using a single safety padlock with a maximum shackle diameter of 7mm.




Clamp Size	Code
'Pin Out'	LOK205
'Pin In'	LOK206
'Pin Out Wide'	LOK208
Tie Bar Lockout	LOK207

IN THE KNOW

PIN OUT

Designed to fit most popular breakers up to 60 Amp.



LOK205

PIN IN

Designed to fit most popular breakers up to 60 Amp.



LOK206

PIN OUT WIDE

This MCB has an extra wide body to fit breakers greater than 60 Amp.



LOK208

TIE BAR

Adjustable thumb wheel operation fits larger or multi-pole circuit breakers connected with a cross bar. Requires no holes in the breaker to fit.



LOK207

Universal MCB Lockout

A universal Lockout which is fitted using an internal grub screw or thumb turn screw.

Suitable for single or multi-pole breaker.

Width	Code
10mm	LOK121
10mm	LOK122
22mm	LOK141



LOK121



LOK122



LOK141

Universal MCB Lockout

Fitted using an internal grub screw.
This version is suitable for most Siemens style branded circuit breakers.
Maximum clamping size ≤ 5mm.

Clamp Size	Code
6 x 4mm	LOK138






Large MCB Lockout

Fitted using an internal grub screw, this universal lockout is suitable for larger circuit breakers and can be fitted to toggles ≤ 35mm in depth and 40mm wide.

Clamp Size	Code
≤ 35mm x 40mm	LOK142



Dimensions	
(A)	40mm
(B)	22mm
(C)	40mm
(D)	8mm
(E)	47mm




3 Phase Circuit Breakers Lockout

Designed for 3 phase breakers, this large lockout fits over the switch and then the screw is tightened using the clock style section. When tight the clock section is locked to the main body through a sliding section fitted to the main body.

Will accept 3 separate padlocks with a shackle diameter up to 8mm.

Clamp Size	Code
77 x 25mm	LOK055





Dimensions	
(A)	93mm
(B)	20mm
(C)	30mm
(D)	8mm
(E)	78mm


Fuse Lockout

Fitted using an internal grub screw, the universal fuse lockout is suitable for use on fuse holders from 20 Amp to 400 Amp, manufactured from nylon.
Maximum clamping size ≤ 5mm.

Clamp Size	Code
5 x 9mm	LOK140



Dimensions					
(A)	29mm	(B)	6mm	(C)	19mm
(D)	9mm	(E)	10mm		



Medium Circuit Breaker Lockout


For use on medium sized circuit breakers, turn the circuit breaker into the off position and place the lockout over the toggle switch. Tighten the screw thread until tight to the toggle with the integral pedal sitting into the housing of the breaker to prevent removal.

Maximum toggle width: 20mm

Description	Code
With Pedal	LOK209



Dimensions		
(A)	(B)	(C)
45mm	39mm	8mm





Multi-Function Circuit Breaker Lockout


Fits on top of a variety of push button breakers. This unit traps the button to help prevent it being pushed. Designed primarily as a visual deterrent to prevent accidental reactivation of the circuit.

Maximum toggle width / height: 20mm

Description	Code
Without Pedal	LOK210



Dimensions		
(D)	(E)	(F)
19mm	7mm	29mm



Large Circuit Breaker Lockout

Designed to fit on the largest circuit breakers. Turn the circuit breaker into the off position and place the lockout over the toggle switch. Tighten the screw thread until tight to the toggle with the integral pedal sitting into the housing of the breaker to prevent removal.

This unit is available in 2 sizes to allow for fitting to various sizes of breaker.


Maximum toggle height: 20mm - 30mm

Description	Code
Small (20mm)	LOK211
Large (30mm)	LOK212





Dimensions					
(A)	70mm	(D)	24mm	(F)	8mm
(B)	42mm	(E)	30mm	(G)	25mm
(C)	5mm				




Plug / Pneumatic Lockout

Manufactured from industrial reinforced polystyrene, the unit has been developed to completely enclose electrical plugs to prevent a machine being energized. The plug sits inside the unit with the cable being fed through an access hole.

Small Unit: Suitable for a variety of electrical connections up to 40mm diameter. Accepts up to 4 safety padlocks.


Large Unit: Suitable for standard and larger electrical plugs, including 3 phase connectors. It also has 4 holes of 3 different sizes suitable for pneumatic male air hose connectors. Accepts for up to 4 safety padlocks.

Description	Code
Small (4 Holes)	LOK029
Large (4 Holes)	LOK030





Dimensions	Small	Large
Inside height (A)	43mm	85mm
Inside width (B)	81mm	155mm
Inside depth (C)	43mm	85mm
Padlock Hole (dia.)	8mm	8mm
Electrical access Holes (dia.)	1 @ 13mm	1 @ 11mm 1 @ 19mm
Pneumatic access Holes (dia.)	-	1 @ 7.5mm 2 @ 9.5mm 1 @ 12mm



Electrical Plug Lockout

Manufactured from polypropylene, the hexagon design opens up in two halves and is suitable for a variety of industrial plugs.

Small Unit: Can accommodate 2 padlocks.


Large Unit: Can accommodate 4 padlocks.

Accepts padlocks with a shackle diameter of 7mm or less.

Description	Code
Small (4 Holes)	LOK188
Large (4 Holes)	LOK190







Dimensions	Small	Large
(A) height	51mm	83mm
(B) width	89mm	178mm
(C) depth	51mm	83mm
(D) circle dia	13mm	25mm
# of holes	2	4
Inner height	42mm	74mm
Inner length	80mm	165mm

Electrical Cylinder Lockout

This large electrical plug Lockout has two interlocking cover plates allowing plugs with various sizes of cable to be inserted.

Interior size of 84mm dia. x 150mm and will accept cable widths up to 34mm dia.


Description	Code
97mm dia x 160mm	LOK058






IN THE KNOW


1. *Shown with both plates open allowing insertion of the plug.*



2. *Shown with cover plate A in place giving a cable access hole of 34mm.*



3. *Shown with cover plate B in place giving a cable access hole of 16mm.*



4. *Shown with both plates in place giving a cable access hole of 10 x 15mm.*



Switch and Socket Cover

Ensure vital equipment cannot be accessed by locking off the socket at the wall outlet. This lockout is suitable for standard UK single sockets, and can be used for switches, power sockets, network points etc.

To fit, isolate the power to the outlet, loosen the screws and place the cover behind the faceplate. Re-tighten the screws pulling the cover into place. To use cover with plug sockets, turn the cover 90°. Up to two padlocks can be fitted, if more are needed consider using a suitable hasp.

Note: Cable gaps are located at the side and may not be suitable for thicker/rigid cables

Size	Code
Single Gang	LOK215



Electrical Labels
Warn of potential hazards



FIND THE FULL RANGE OF ELECTRICAL LABELS FROM PAGE 176

Button Lockout

Manufactured from glass resin polycarbonate, these lockouts permanently fit over the stem of the button and adhere to the back panel.


Available in two sizes, they can be locked out using our standard padlocks or a suitable hasp.

Hole Diameter	Code
22mm	LOK193
30mm	LOK194





Dimensions		
Size	22mm	30mm
(A) Dia.	46mm	46mm
(B) Inner circle dia.	22mm	30mm
(C) height	31mm	31mm
(D) Inner width	44mm	44mm
# of holes	1	1



Push Button Lockout

Designed to encapsulate standard push buttons, this lockout comes with a locking cap to ensure the enclosure cannot be removed without fully removing the padlock.

Small: 75mm diameter by 40mm high, with a 30mm hole to sit around the foot of the button.

Large: 70mm diameter by 80mm high, with a 30mm hole to sit around the foot of the button.

Size	Code
Small	LOK125
Large	LOK126








Button Lockout

This lockout unit fits around the stem of a button which can then be locked out using up to two standard padlocks. Manufactured from glass resin polycarbonate.


Hole diameter of 22 - 30mm

Description	Code
Button Lockout	LOK187


Dimensions						
(A)	(B)	(C)	(D)	(E)	(F)	(G)
50mm	8mm	18mm	35mm	50mm	33mm	22mm



IN THE KNOW



STEP 1



STEP 2



STEP 3




Button Lockout

Manufactured from glass resin polycarbonate, this lockout unit fits around the stem of a button which can then be locked out using a standard padlock. This unit can be fixed either permanently or temporarily. To fit permanently, use the circular section around the stem of the button and shut the cover in place when needed.

To fit temporarily, use the semi-circular section to sit round the stem prior to fitting the cover and remove when finished.

Description	Code
Button Lockout	LOK195

Dimensions								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
60mm	46mm	49mm	55mm	52mm	35mm	22mm	40mm	29mm



IN THE KNOW

STEP 1



STEP 2



STEP 3



STEP 4



Pin and Sleeve Plug Lockout

This lockout fits onto the rim of the male socket, locking in place and preventing insertion into the socket.

To use, open the lockout and slip it over the top of the locating tab on the rim of the plug.
Close the lockout and secure it with a padlock and affix a tag to display the relevant safety information.

Fits Plug Size	Code
16A - 125A	LOK168

IN THE KNOW

STEP 1



STEP 2



STEP 3



STEP 4



3 Pin Plug Lockout

Ideal for use with power supplies of computers and similar devices. This lockout inserts into the back of the power supply and the circular paddle is then rotated to lock the device in position.

A padlock can then be used to prevent the device being removed.

Size	Code
33 x 130 x 29mm	LOK123





Electrical Panel Lockout

Use these lockout electrical panel buttons and switches when these is no in built lockdown provision.

4 different designs.


- ***2-stage operation***
- ***Push / mushroom panel buttons***
- ***Square units - switch levers***
- ***Adhesive backing***



Attach the base plate directly onto the electrical panel. Isolate the unit by placing the housing unit over the top preventing access to the switch.

Size	Code
Small Round	LOK064
Large Round	LOK065
Large Square 45°	LOK066
Large Square 90°	LOK067

Dimensions				
Description	Inside size HxW (A)	Plate size HxW (B)	Cover size HxW (C)	No. of Padlock holes
LOK064 - Small Round	35mm dia.	50 x 50mm	45mm dia.	1
LOK065 - Large Round	45mm dia.	60 x 60mm	55mm dia.	1
LOK066 - Square 45 Degree	65 x 74mm	95 x 95mm	85 x 85mm	2
LOK067 - Square 90 Degree	65 x 74mm	95 x 95mm	85 x 85mm	2



Each unit is supplied complete with ones small Brass padlock and 3 keys.

Gas Cylinder Lockout

Used to prevent access to the main cylinder valve, the unit encloses the valve head and is locked in place with two interlocking plates.

Installs in seconds and provides quick and easy identification of a full cylinder with the security of a padlock to lock the device in place to prevent unauthorised use.

Each Lockout is supplied with two extra labels which can be fixed onto the Lockout to depict if the cylinder currently being locked out is full or empty.



Interior size of 84mm dia. x 150mm, accepts neck rings up to 34mm dia

Size	Code
97mm dia x 160mm	LOK056






Pneumatic Lockout

Manufactured from solid stainless steel this pneumatic lockout is strong, durable, resistant to corrosion and fits virtually all pneumatic fittings used in manufacturing facilities.

To use, place the pneumatic male fitting between the appropriate sized hole and close with a scissor action, this then prevents the hose from being used. Once the lockout is in its closed position it can be locked using up to two safety padlocks.







Description	Code
Pneumatic Lockout	LOK063

Lockout Stations

Lockout stations provide storage and display solutions for your lockout equipment when not in use.

A lockout station should be located wherever it is deemed most appropriate for its desired purpose. This could be next to the equipment to be locked out, in a maintenance department or a central location.



Lockout Station A


Pre-drilled ACP panel with a anti-scuff laminate.

***Board dimensions** (WxH): 500 x 675mm*

Description	Code
Lockout Station A	LOK288

Description	Qty	Code
Red Safety Lockout Padlocks ***(KD)***	5	LOK007-L
Blue Safety Lockout Padlocks ***(KD)***	5	LOK010-L
25mm Stainless Steel Lockout Hasp ***(Nickel Plated)***	2	LOK261
Do Not Operate Tags ***(Pack of 10)***	2	LOK050
Shadow Board Hook	12	HE85L
Lockout Tag Holder	2	LOK154

CONTENTS



Lockout Station B

Pre-drilled ACP panel with a anti-scuff laminate.

***Board dimensions** (WxH): 1075 x 965mm*

Description	Code
Lockout Station B	LOK289

Description	Qty	Code
Red Safety Lockout Padlocks ***(KD)***	12	LOK007-L
Pneumatic Lockout	1	LOK063
25mm Stainless Steel Lockout Hasp ***(Nickel Plated)***	5	LOK261
Do Not Operate Tags ***(Pack of 10)***	2	LOK050
Multi-purpose Cable Lockout with 2.5m Coated Steel Cable	1	LOK013
Ball Valve Lockout ***(Small)***	1	LOK023
Ball Valve Lockout ***(Large)***	1	LOK024
Gate Valve Lockout ***(25 - 63.5mm)***	1	LOK001
Gate Valve Lockout ***(63.5 - 127mm)***	1	LOK002
Gate Valve Lockout ***(127 - 165mm)***	1	LOK003
A4 Wallfix Literature Holder	1	14091
Lockout Tag Holder	2	LOK154
Shadow Board Hook	36	HE85L
Aluminium MCB Lockout Toggle	2	LOK161
Miniature Circuit Breaker Lockout Pin Out Standard	2	LOK205
Miniature Circuit Breaker Lockout Pin In Standard	2	LOK206
Miniature Circuit Breaker Lockout Pin Out Wide	2	LOK208
Covered MCB Lockout	2	LOK277
Wall Mounted Lock Box	1	LOK169

CONTENTS



Non-conductive Station C

Pre-drilled ACP panel with a anti-scuff laminate.

Board dimensions (WxH): 875 x 810mm

Description	Code
Lockout Station C	LOK290

CONTENTS

Description	Qty	Code
Red Dielectric Nylon Shackle Safety Lockout Padlocks *(KD)*	18	LOK068
Dielectric Lockout Hasp	4	LOK054
Do Not Operate Tags *(Pack of 10)*	2	LOK050
A4 Wallfix Literature Holder	1	14091
Shadow Board Hook	23	HE85L
Multi-purpose Cable Lockout with 2.5m Nylon Cable	1	LOK014
Lockout Tag Holder	2	LOK154



Lockout Station D

Pre-drilled ACP panel with a anti-scuff laminate.

Board dimensions (WxH): 1050 x 850mm

Description	Code
Lockout Station D	LOK291

CONTENTS

Description	Qty	Code
Red Safety Lockout Padlocks *(KD)*	42	LOK007-L
25mm Stainless Steel Lockout Hasp *(Nickel Plated)*	10	LOK261
Do Not Operate Tags *(Pack of 10)*	3	LOK050
Shadow Board Hook	52	HE85L
Lockout Tag Holder	3	LOK154



Lockout Station E

Pre-drilled ACP panel with a anti-scuff laminate.

Board dimensions (WxH): 855 x 690mm

Description	Code
Lockout Station E	LOK298

CONTENTS

Description	Qty	Code
32mm Brass Safety Lockout Padlocks	20	LOK295
25mm Stainless Steel Lockout Hasp *(Nickel Plated)*	4	LOK261
Do Not Operate Tags *(Pack of 10)*	2	LOK050
Shadow Board Hook	25	HE85L
Lockout Tag Holder	2	LOK154



Custom Lockout Board



Design & Logo



Designed to your specification with your company colours and full colour logos.

Engraving



Our padlocks can be laser engraved with specific details to aid in identifying ownership and replacing in case of loss or damage

Fixings



Custom boards are available with various fixing options, from simple screw holes for fitting to flat surfaces through to metallic standoffs should the wall be uneven or to allow for bolts on the back of the board.

Shadows



Matching shadows can be printed on the board to show what item is located in that position, and any engraving identifying information on the product (such as equipment numbers) can be replicated on the shadow.

Custom Tags



Tags are an integral part of the LOTO system and these can be displayed on a board, printed to your specification complete with company logos if required.

Size



We can make small boards to fit a single product through to large boards metres wide to fit hundreds of padlocks and other LOTO equipment.

Advanced Lockout Stations

A lockout station provides a storage solution for your lockout equipment when not in use. They should be located wherever is deemed appropriate, this could be next to equipment which is regularly locked out or a maintenance department. The absence of any equipment is immediately apparent and the missing items can be traced or replenished.

7 Station Lockout Board

With 2 hooks for hasps, 1 padlock bar (takes up to 7 padlocks), 2 pockets for lockout tags. Complete with fixings.

***Board dimensions** (HxWxD): 290 x 395 x 40mm*

Description	Code
Filled	LOK172
Board Only	LOK016

Description	Qty	Code
7 Station Lockout Board	1	LOK016
Red Safety Lockout Padlocks ***(KD)***	5	LOK007-L
Do Not Operate Tags ***(Pack of 10)***	1	LOK050
Do Not Start Tags ***(Pack of 10)***	1	LOK051
38mm Vinyl Coated Lockout Hasp	1	LOK045
25mm Vinyl Coated Lockout Hasp	1	LOK044

CONTENTS



16 Station Lockout Board


With 2 hooks for hasps, 2 padlock bars (takes up to 16 padlocks), and 1 pocket for lockout tags. Complete with fixings.

***Board dimensions** (HxWxD): 345 x 345 x 40mm*

Description	Code
Filled	LOK173
Board Only	LOK017

Description	Qty	Code
16 Station Lockout Board	1	LOK017
Red Safety Lockout Padlocks ***(KD)***	10	LOK007-L
Do Not Operate Tags ***(Pack of 10)***	1	LOK050
25mm Vinyl Coated Lockout Hasp	1	LOK044
38mm Vinyl Coated Lockout Hasp	1	LOK045

CONTENTS



48 Station Lockout Board

With 2 hooks for hasps, 2 padlock bars (takes up to 48 padlocks) and 4 pockets for lockout tags. Complete with fixings.

***Board dimensions** (HxWxD): 550 x 590 x 40mm*

Description	Code
Filled	LOK170
Board Only	LOK148

Description	Qty	Code
48 Station Lockout Board	1	LOK148
Red Safety Lockout Padlocks ***(KD)***	48	LOK007-L
Do Not Operate Tags ***(Pack of 10)***	2	LOK050
Do Not Open Tags ***(Pack of 10)***	2	LOK052
Do Not Start Tags ***(Pack of 10)***	2	LOK051
Caution Out of Order Tags ***(Pack of 10)***	2	LOK084
25mm Vinyl Coated Lockout Hasp	1	LOK044
38mm Vinyl Coated Lockout Hasp	1	LOK045

CONTENTS



Advanced Lockout Station (Small)

Multiple padlock positions, each position can hold 2 padlocks, a hasp, several tags and/or cable ties.
Supplied with cover that enables the station to be locked out. Engineered from plastic PC.

***Board dimensions** (HxWxD): 406 x 315 x 65mm*





Description	Code
Filled LOK219 Station	LOK231
Board Only	LOK219

Description	Qty	Code
Advanced Station Lock Board ***(Small)***	1	LOK219
Red Safety Lockout Padlocks ***(KD)***	4	LOK007-L
25mm Vinyl Coated Hasp	1	LOK044
Do Not Operate Tags ***(Pack of 10)***	1	LOK050

CONTENTS



Advanced Lockout Station (Large)

Multiple board clips to house padlocks and hasps including additional space for tags and cable ties.
Supplied with cover that enables the station to be locked out. Engineered from plastic PC.

***Board dimensions** (HxWxD): 558 x 393 x 65mm*




Description	Code
Filled LOK220 Station	LOK232
Board Only	LOK220

Description	Qty	Code
Advanced Station Lock Board ***(Large)***	1	LOK220
Red Safety Lockout Padlocks ***(KD)***	10	LOK007-L
25mm Vinyl Coated Hasp	1	LOK044
38mm Vinyl Coated Hasp	1	LOK045
Do Not Operate Tags ***(Pack of 10)***	1	LOK050
Do Not Use Tags ***(Pack of 10)***	1	LOK073

CONTENTS



30 Padlock Station (Lockout Board 1)



Description	Code
Lockout Board 1 with Cover	LOK270
Lockout Board 1 without Cover	LOK271

Description	Qty	Code
Red Safety Lockout Padlocks *(KD)*	30	LOK007-L

10 Station - Large (Lockout Board 2)



Description	Code
Lockout Board 2 with Cover	LOK272
Lockout Board 2 without Cover	LOK273

CONTENTS

Description	Qty	Code
Red Safety Lockout Padlocks *(KD)*	10	LOK007-L
Vinyl Coated Lockout Hasp *(25mm)*	2	LOK044
Vinyl Coated Lockout Hasp *(38mm)*	2	LOK045
Safety Tag Pen - Ultra Fine *(Black)*	1	TGPEN01
Do Not Operate Tags *(Pack of 10)*	1	LOK050
Caution This Equipment Has Been Locked Out *(Pack of 10)*	1	LOK080

Electrical Station (Lockout Board 3)



Description	Code
Lockout Board 3 with Cover	LOK274
Lockout Board 3 without Cover	LOK275

CONTENTS

Description	Qty	Code
Red Di-electric Nylon Shackle Safety Lockout Padlocks *(KD)*	6	LOK068
Non-Conductive Lockout Hasp *(6 Holes)*	2	LOK046
Non-Conductive Lockout Hasp *(3 Holes)*	2	LOK053
Do Not Operate Tags *(Pack of 10)*	1	LOK050
Caution This Equipment Has Been Locked Out Tag *(Pack of 10)*	1	LOK080
Lockout Shell Case/Pouch	1	LOK189
Universal Circuit Breaker Lockout	2	LOK043
Aluminium MCB Lockout Toggle	2	LOK161
Miniature Circuit Breaker Lockout *(Pin Out Standard)*	1	LOK205
Miniature Circuit Breaker Lockout *(Pin In Standard)*	1	LOK206
Miniature Circuit Breaker Lockout *(Tie Bar)*	1	LOK207
Miniature Circuit Breaker Lockout *(Pin Out Wide)*	1	LOK208
Universal Extra Large Circuit Breaker Lockout	1	LOK142
Universal Fuse Circuit Breaker Lockout	1	LOK140
Safety Tag Pen - Ultra Fine *(Black)*	1	TGPEN01



THE ABSENCE OF ANY EQUIPMENT IS IMMEDIATELY APPARENT WHEN USING A LOCKOUT STATION AND THE MISSING ITEMS CAN BE TRACED OR REPLENISHED.

Lockout Stations: Build Your Own

Personalised lockout stations can be easily created with our new combination boards.

Each board has integral locator holes which allow the fitting of a variety of board components, giving the freedom to design the station the way you want it. Simply tell us what components are required and we will build the board to your specifications.


(Stations can be supplied with or without contents)

Examples of available combinations:









Backing Board

- Lockout Station Backing Board



Size: *(HxWxD)*
601 x 590 x 96mm

Code LOK223

Station Cover

- Covers the whole board
- Lockable at the bottom




Size: *(HxWxD)*
600 x 570 x 70mm

Code LOK224

A4 Plastic Clipboard

- Hard Plastic clipboard
- Ideal for displaying work permits



Size: *(HxW)*
330 x 227mm

Code LOK227

REMEMBER IF YOU NEED PADLOCKS YOU CAN FIND THEM ON PAGE 192,

LOCKOUT TAGS ON PAGE 226,

AND PERMANENT PENS ON PAGE 227.

Extra Wide Pocket

- Full width board pocket
- House cable lockouts, or non hanging Lockout devices



Inner Size: *(HxWxD)*
135 x 556 x 135mm

Code LOK222

Enclosed Pocket

- Ideal for holding keys, phones, ect
- Integral padlock fixing hole



Size: *(HxWxD)*
105 x 165 x 27mm

Code LOK221

Board Clip

- Allow padlocks and hasps to be hung on the board



Code LOK226

Small Pocket

- Ideal for holding Lockout tags



Inner Size: *(HxWxD)*
85 x 77 x 30mm

Code LOK225

Tag Station

As storage stations for tags, these are ideal for large maintenance depots or departments. Made of durable acrylic, featuring eight or ten plastic tag holders.

Supplied with wall fixings





Size (HxWxD)	Code
Filled 8 Tag Station	LOK233
8 Tag Station - 445 x 445 x 45mm ***(Station Only)***	LOK153
Filled 10 Tag Station	LOK234
10 Tag Station - 540 x 408 x 100mm ***(Station Only)***	LOK218

The filled stations come with a selection of our most popular tags, or choose 8 or 10 tags single sided from those detailed on page 226.

Please confirm your selection when ordering, if no selection is made when ordering we will supply a range for you.

Lockout Tagout Station (Window)

Yellow cabinet with 2 adjustable shelves and plastic window

- Quality powder coated steel
- Wall mountable
- Fixings included
- 2 keys included



Size (HxWxD)	Code
410 x 360 x 155mm	LOK151

Small Tag Station

- Holder for a single pack of tags
- Complete with fixings
- Tags not included



Size (HxWxD)	Code
230 x 130 x 30mm	LOK154

Lockout Tagout Station

Yellow cabinet with 2 adjustable shelves and carry handle

- Quality powder coated steel
- Wall mountable
- Fixings included
- 2 keys included
- Integrated carry handle



Size (HxWxD)	Code
410 x 360 x 155mm	LOK060

'Tag and Tie' Station

High-quality plastic tag holder with 3 hooks for padlocks and hasps

- Ideal for storing tags, plastic cable ties and markers
- Complete with fixings
- Tags not included



Size (HxWxD)	Code
250 x 145 x 40mm	LOK149

FIND OUR FULL RANGE OF LOCKOUT TAGS ON PAGE 226



Literature Holder

Manufactured from injection moulded crystal clear Acrylic these holders are ideal for displaying a range of brochures and leaflets.

Desktop Holder



Display Size	Code
DL	17331
A5	14088
A4	14089

Wall Fix Holder



Display Size	Code
DL	14903
A5 (Vertical)	14090
A5 (Horizontal)	15068
A4	14091

Clear Wallets

Clear document wallet with fold-over flap and plastic press stud fastener, manufactured from polypropylene.

Also comes with a holder for a business card on the front.





Description	Code
A4	14629
A3	14630

Lockout Kits

Our pre-selected kits are designed to cover most common needs. Ideal for keeping essential lockout equipment in one convenient place, without the need to return to a lockout station.

Each kit is supplied in a carry case and provides a convenient choice for any lockout professional.

Residential Electrical Lockout Kit

Description	Code
5 Piece Kit	LOK228

Description	Qty	Code
Lockout Shell Case/Pouch	1	LOK189
Red Safety Lockout Padlocks *(KD)*	1	LOK007-L
Aluminium MCB Lockout Toggle	1	LOK161
Single Tag with Eyelet *(Double Sided)*	1	LOK241
Ultra-fine Permanent Pen	1	TGPEN01

CONTENTS



Electrical Lockout Kit

Description	Code
11 Piece Kit	LOK229

Description	Qty	Code
Lockout Shell Case/Pouch	1	LOK189
Red Safety Lockout Padlocks *(KD)*	2	LOK007-L
Single Tag with Eyelet *(Double Sided)*	2	LOK241
Miniature Circuit Breaker Lockout Pin Out Standard	1	LOK205
Miniature Circuit Breaker Lockout Pin In Standard	1	LOK206
Miniature Circuit Breaker Lockout Pin Out Wide	1	LOK208
Yellow Miniature Circuit Breaker Lockout *(Universal)*	1	LOK121
Yellow Miniature Circuit Breaker Lockout *(Type 1)*	1	LOK122
Ultra-fine Permanent Pen	1	TGPEN01

CONTENTS





Advanced Electrical Lockout Kit

Description	Qty	Code
Lockout Shell Case/Pouch	1	LOK189
Red Safety Lockout Padlocks *(KD)*	2	LOK007-L
Non-Conductive Lockout Hasp *(6 Holes)*	1	LOK046
Pneumatic Lockout	1	LOK063
Miniature Circuit Breaker Lockout Pin Out Standard	1	LOK205
Miniature Circuit Breaker Lockout Pin In Standard	1	LOK206
Miniature Circuit Breaker Lockout Pin Out Wide	1	LOK208
Miniature Circuit Breaker Lockout Tie Bar	1	LOK207
Universal Fuse Circuit Breaker Lockout	1	LOK140
Universal Extra Large Circuit Breaker Lockout	1	LOK142
Universal Circuit Breaker Lockout	1	LOK043
Do Not Operate Tags *(Pack of 10)*	1	LOK050
Universal Miniature Circuit Breaker Lockout	1	LOK141
Ultra-fine Permanent Pen	1	TGPEN01

CONTENTS

Description	Code
15 Piece Kit	LOK251



Maintenance Lockout Kit

Description	Qty	Code
Lockout Shell Case/Pouch	1	LOK189
Red Safety Lockout Padlocks *(KD)*	2	LOK007-L
Single Tag with Eyelet *(Double Sided)*	2	LOK241
Miniature Circuit Breaker Lockout Pin Out Standard	1	LOK205
Miniature Circuit Breaker Lockout Pin In Standard	1	LOK206
Miniature Circuit Breaker Lockout Pin Out Wide	1	LOK208
Universal Circuit Breaker Lockout	1	LOK043
Aluminium Miniature Circuit Breaker Lockout Toggle	1	LOK161
Multi-purpose Cable Lockout with 2.5m Coated Steel Cable	1	LOK013
Non-Conductive Lockout Hasp *(6 Holes)*	1	LOK046
Ultra-fine Permanent Pen	1	TGPEN01

CONTENTS

Description	Code
13 Piece Kit	LOK230



Electrical Maintenance Kit

Description	Qty	Code
Lockout Shell Case/Pouch	1	LOK189
Red Dielectric Nylon Shackle Padlock	2	LOK068
Non-Conductive Lockout Hasp *(6 Holes)*	1	LOK127
Miniature Circuit Breaker Lockout Pin Out Standard	1	LOK205
Miniature Circuit Breaker Lockout Pin In Standard	1	LOK206
Miniature Circuit Breaker Lockout Tie Bar	1	LOK207
Miniature Circuit Breaker Lockout Pin Out Wide	1	LOK208
Covered Miniature Circuit Breaker Lockout	1	LOK277
Universal Circuit Breaker Lockout	1	LOK043
Do Not Operate Tags *(Pack of 10)*	2	LOK050
Multi-purpose Cable Lockout with 2.5m Coated Steel Cable	1	LOK013

CONTENTS

Description	Code
13 Piece Kit	LOK292



FOR ADDITIONAL PADLOCKS AND KEYS PLEASE SEE PAGE 192

Small Lockout Kit

Description	Qty	Code
Premium Lockout Bag	1	LOK248
Red Safety Lockout Padlocks *(KD)*	2	LOK007-L
Multi-purpose Cable Lockout with 2.5m Coated Steel Cable	1	LOK013
Vinyl Coated Lockout Hasp *(38mm)*	1	LOK045
Do Not Operate Tags *(Pack of 10)*	1	LOK050
Ultra-fine Permanent Pen	1	TGPEN01
Adjustable Gate Valve	1	LOK006
Small Ball Valve Lockout	1	LOK023
Universal MCB Lockout	1	LOK043
Pneumatic Lockout	1	LOK063

CONTENTS

Description	Code
11 Piece Kit	LOK250



Medium Lockout Kit

Description	Qty	Code
Premium Lockout Bag	1	LOK248
Small Ball Valve Lockout	1	LOK023
Multi-purpose Cable Lockout with 2.5m Coated Steel Cable	1	LOK013
Vinyl Coated Lockout Hasp *(25mm)*	1	LOK044
Vinyl Coated Lockout Hasp *(38mm)*	1	LOK045
Red Safety Lockout Padlocks *(KD)*	2	LOK007-L
Do Not Operate Tags *(Pack of 10)*	1	LOK050
Ultra-fine Permanent Pen	1	TGPEN01
Caution Lockout A-Board	1	4707
Adjustable Gate Valve Lockout	1	LOK006
Miniature Circuit Breaker Lockout Pin Out Standard	1	LOK205
Universal Circuit Breaker Lockout	2	LOK043
Pneumatic Lockout	1	LOK063

CONTENTS

Description	Code
15 Piece Kit	LOK116



Large Lockout Kit

Description	Qty	Code
Premium Lockout Bag	1	LOK248
Small Ball Valve Lockout	1	LOK023
Large Ball Valve Lockout	1	LOK025
Multi-purpose Cable Lockout with 2.5m Coated Steel Cable	2	LOK013
Vinyl Coated Lockout Hasp *(25mm)*	2	LOK044
Vinyl Coated Lockout Hasp *(38mm)*	2	LOK045
Red Safety Lockout Padlocks *(KD)*	6	LOK007-L
Do Not Operate Tags *(Pack of 10)*	3	LOK050
Ultra-fine Permanent Pen	2	TGPEN01
Gate Valve Lockout *(25 - 63.5mm)*	1	LOK001
Gate Valve Lockout *(63.5 - 127mm)*	1	LOK002
Gate Valve Lockout *(127 - 165mm)*	1	LOK003
Caution Lockout in Operation A-Board	1	4707
Plug / Pneumatic Lockout *(Large)*	1	LOK030
Miniature Circuit Breaker Lockout Pin Out Standard	1	LOK205
Miniature Circuit Breaker Lockout Pin In Standard	1	LOK206
Miniature Circuit Breaker Lockout Pin Out Wide	1	LOK208
Universal Circuit Breaker Lockout	2	LOK043
Pneumatic Lockout	1	LOK063
3-Phase Dial Lockout	1	LOK055

CONTENTS

Description	Code
32 Piece Kit	LOK117




Plug and Hoist Control Cover

Manufactured using hard wearing polyester cloth with reinforced inserts and a PVC liner. Used to enclose plugs and hanging control panels.


Colour	Code
Red	LOK216





Dimensions

A	248mm
B	335mm



Premium Lockout Pouch

Hard shell nylon pouch with integral pocket webbing.

Dimensions (HxWxD)	Code
75 x 265 x 165mm	LOK189



Belt Pouch

Three pocket belt pouch made from woven nylon with 3 pockets and adjustable waist strap suitable for up to a 40" waist.

Size	Code
up to 40" waist	LOK072



Premium Lockout Bag

High quality nylon lockout bag with reinforced solid waterproof base. Complete with detachable shoulder straps and 3 pockets.

Dimensions (HxWxD)	Code
300 x 460 x 280mm	LOK248



Lockout Satchel

Large satchel type lockout bag, waterproof and suitable for carrying larger lockout equipment over the shoulder.

Colour	Code
Red	LOK057



CAN'T FIND WHAT YOU'RE LOOKING FOR?

WHY NOT BUILD YOUR OWN KIT USING COMPONENTS ON PAGES 192 - 228

CHOOSE A BAG, BOX OR POUCH,
THEN SELECT YOUR LOTO EQUIPMENT.
DON'T FORGET PENS - FIND THEM ON PAGE 227.

Lockout Toolbox

Sturdy Plastic toolbox with Steel catches, in-lid storage and tote tray.

Dimensions (HxWxD)	Code
300 x 600 x 280mm	LOK249



Site Surveys
by **Spectrum** Services

TO FIND OUT HOW SITE SURVEYS CAN HELP YOUR BUSINESS PLEASE CONTACT OUR SALES TEAM.

Lockout Tags

These highly visible warning tags should be applied alongside a lockout device to provide details of the lockout procedure.
Manufactured from durable non-tear polypropylene using UV resistant inks which is resistant to water, oils and extreme temperatures.



Single Sided Lockout Tags

Single-sided and supplied in packs of 10 complete with cable ties.

SUPPLIED IN PACKS OF 10

Size: 75 x135mm



LOK095 LOK096 LOK097 LOK098 LOK099 LOK100 LOK101 LOK102 LOK103




LOK105 LOK106 LOK107 LOK108 LOK109 LOK110 LOK111 LOK112 LOK104

Lockout Tags with Eyelet

Designed to be placed directly on the lock shackle through the tag. Double-sided and supplied packs of 10.
Complete with eyelet for use without a tie wrap.

Size: 75 x135mm

FRONT **REVERSE**



LOK241 Each
LOK278 10pk

LOK242 Each
LOK279 10pk

LOK243 Each
LOK280 10pk

LOK235 10pk

LOK236 10pk

LOK237 10pk

FRONT **REVERSE**



LOK238 10pk

LOK239 10pk

LOK240 10pk

Double Sided Lockout Tags

SUPPLIED IN PACKS OF 10

Tags are printed on both sides. Supplied in packs of 10 complete with cable ties.

Size: 75 x 135mm

FRONT **REVERSE**



LOK083 LOK084 LOK080 LOK081 LOK082



LOK088 LOK089 LOK085 LOK086 LOK087



LOK093 LOK094 LOK090 LOK091 LOK092



LOK078 LOK050 LOK051 LOK052 LOK073



LOK079 LOK074 LOK075 LOK076 LOK077



WE CAN PRINT BESPOKE TAGS TO SUIT YOUR SPECIFICATION.

ASK US FOR MORE DETAILS.



Permanent Fine Liner Pen

These permanent ultra-fine marker pens can write on almost any surface. The waterproof and smudge proof ink dries in seconds with almost no odour, and is ideal for use with our tags and padlocks.

Quantity	Code
Each	TGPEN01
Pack of 10	TGPEN02




Lockout Signs

Our lockout signs are designed to be highly visible for use as a temporary or permanent reminder to adhere to lockout procedures. Manufactured on rigid PVC, they can be fixed in place using adhesive or pierced and hung at the point of lockout.


Rigid 1mm PVC board (non adhesive)




300 x 200 RPVC 13892



300 x 200 RPVC 13893



300 x 200 RPVC 13894



300 x 200 RPVC 13895



300 x 200 RPVC 13896



300 x 200 RPVC 13897



300 x 200 RPVC 13898



300 x 200 RPVC 13899



300 x 200 RPVC 13900



300 x 200 RPVC 13901



300 x 200 RPVC 13902



300 x 200 RPVC 13903



300 x 200 RPVC 13904



300 x 200 RPVC 13905



300 x 200 RPVC 13906



300 x 200 RPVC 13907



300 x 200 RPVC 13908



300 x 200 RPVC 13909



300 x 200 RPVC 13910



300 x 200 RPVC 13911



300 x 200 RPVC 13912



300 x 200 RPVC 13913



300 x 200 RPVC 13914



300 x 200 RPVC 13915

Magnetic Lockout Signs

Printed on quality white faced magnetic substrate, these signs are easy to attach and provide clear and important messages at the point of isolation.



225 x 150 MAG 13916



225 x 150 MAG 13917



225 x 150 MAG 13918



225 x 150 MAG 13919

Heavy Duty A-Boards

These heavy duty polypropylene A-Boards are printed on both sides. Ideal for placement around the workplace and near equipment being locked out.

Size: 620 x 300 x 450mm

FIND OUR FULL RANGE OF A-BOARDS ON PAGE 102



4700



4705



4707



4708



4709



4710

Material Key

RPVC	Rigid 1mm PVC Board (Non Adhesive)
MAG	Magnetic


CUSTOM DESIGN AND MANUFACTURING AVAILABLE ON REQUEST

PLEASE CONTACT THE SALES OFFICE FOR MORE INFORMATION



TAGGING SYSTEMS

Tagging systems are a useful way to show that equipment has been inspected and is safe to use as well as acting as records to help ensure that equipment inspection procedures and maintenance is kept up to date.



Tagging Systems

Scaffold Tagging System	*232*
Ladder Tagging System	*233*
Tower Scaffold Tagging System	*234*
Scaffold / Tower Tagging System	*234*
Scaffold Prohibition	*235*
LOLER Safety	*235*
Racking Safety	*236*
MEWP Safety	*236*
Forklift Safety	*237*
Chemical Safety	*237*
Universal Equipment Inspection	*238*
Isolation Tags	*238*
Flange Tags	*238*
Mini Inserts	*239*
Asset Tag Holder	*240*
AssetTag Medium	*242*
AssetTag Flex	*243*
Valve Tags	*244*
Car Seals	*245*

TAGGING SYSTEMS

The working at height regulations requires the inspection of scaffolding and ladders from which a person might fall 2 metres or more and the issue of a report by a competent person. Ladder and Scaffolding tags are types of safety inspection tags that are attached to the equipment to indicate whether it is safe to use and therefore prevent accidents.

Tagging systems are a useful way of ensuring those who need to access scaffolding or ladders know that it has been inspected and is safe to use and they can act as records to help ensure that the equipment inspection procedures and maintenance are kept up to date.



IDENTIFICATION

Following a risk assessment, equipment or devices will need to be identified. In some cases, the equipment must have a unique id number.

SCHEDULING



Often, regular inspections need to be carried out, daily, weekly or annually.



INSPECTION

After inspection, equipment needs to be marked as having been inspected, along with any relevant information.

RECORDING



Sometimes the law, the regulation or codes of proactive require employers to keep records of the inspections, including what was inspected, by whom and when. These records might need to be kept for months or years.



INFORMING

Employers have responsibility to provide information to their employees about safety and also including whether equipment has been inspected and is safe to use.

VISIBILITY



Along with signs, tags are necessary to make sure that the right information is easily visible to employees.

Scaffold Tagging System

Scaffold must be inspected in the following conditions:

- Following initial erection
- Exposure to adverse weather
- Conditions that could affect its strength or stability
- Following substantial alteration (addition or subtraction)
- At regular intervals not exceeding 7 days from previous inspection
- Available in retail ready packaging

ClawTag
80 x 280 x 6mm
TGCT5

Scaffold Safety Tag
75 x 180mm
Polypropylene
TG01-1

10 Holders
20 Inserts
2 Pens
TG01BOX





Description	Qty	Code
Single Insert	1	TG01-1
Pack of 10 Inserts	10	TG0110
Pack of 50 Inserts	50	TG0150
Kit	1 Holder, 2 Inserts, 1 Pen	TG01KIT
Box	10 Holder, 20 Inserts, 2 Pens	TG01BOX
ClawTag	5	TGCT5



IN THE KNOW

Use Scaffolding Safety inserts with our ClawTag holder at all legal entry points to the scaffold providing relevant safety information alongside an inspection record. Should the scaffolding fail inspection the insert can be removed to display the message 'Do Not Use This Equipment' or replace with a prohibition insert (shown on **page 235**).

Ladder Tagging System

The AssetTag holder should be permanently fixed to the ladder in a suitable safe place.

Perform an inspection of the ladder ***(a checklist is printed on the reverse)*** and record the result on the tag.

If the ladder fails the inspection remove insert and inform a supervisor.



10 Holders
10 Inserts
1 Pens
TG04BOX

AssetTag
55 x 210 x 6mm
TGOT5



Description	Qty	Code
Single Insert	1	TG04-1
Pack of 10 Inserts	10	TG0410
Pack of 50 Inserts	50	TG0450
Kit	1 Holder, 2 Inserts, 1 Pen	TG04KIT
Box	10 Holder, 10 Inserts, 1 Pen	TG04BOX
AssetTag	5	TGOT5

Ladder Tag
50 x 181mm
Polypropylene
TG04-1



CONSIDER USING A LADDER LOCKOUT, SEE PAGE 195 FOR MORE DETAILS.

IN THE KNOW

The Work at Height Regulations came into force in 2005. These regulations apply to work at height where there is a risk of fall liable to cause personal injury. This applies to both internal and external work at height, and includes below ground level and low height.

All ladders should be checked daily and prior to use for any damage, faults or wear and tear. In addition they should be inspected at defined intervals as part of a risk assessment programme. Use these inserts to manage the, safety and maintenance of ladders and help conform to the Work at Height Regulations 2005.

Tower Scaffold Tagging System

USE WITH ClawTag

ClawTag
80 x 280 x 6mm
TGCT5

The Tower Scaffold Safety Tag provides an essential platform for entering and storing essential safety information, including movements and safe weight tolerances. Designed for use with the ClawTag holder, these tags can be fixed to the scaffold after erection without needing to dismantle part of the structure.

Essential safety and audit information can be referenced with the storage of these inserts after job completion.

Description	Qty	Code
Single Insert	1	TG12-1
Pack of 10 Inserts	10	TG1210
Pack of 50 Inserts	50	TG1250
Kit	1 Holder, 2 Inserts, 1 Pen	TG12KIT
Box	10 Holder, 20 Inserts, 2 Pens	TG12BOX
ClawTag	5	TGCT5



Tower Scaffold Tag
75 x 180mm
Polypropylene
TG12-1

10 Holders
20 Inserts
2 Pens
TG12BOX

Scaffold / Tower Tagging System

USE WITH ClawTag


ClawTag
80 x 280 x 6mm
TGCT5

This kit offers both the Scaffold Safety Tag insert and the Tower Scaffold Safety Tag insert alongside a holder to provide an essential part of your safety procedure on site.

Designed for use with the ClawTag holder, these tags can be fixed after erection without needing to dismantle the structure.

For more information on individual inserts refer to Scaffolding or Tower Scaffolding Tagging System.

Description	Qty	Code
Tower Single Insert	1	TG12-1
Scaffold Single Insert	1	TG1210
Kit	1 Holder, 1x TG01-1, 1xTG12-1, 1 Pen	TG13KIT
ClawTag	5	TGCT5



Tower Scaffold Tag
75 x 180mm
Polypropylene
TG12-1

Scaffold Safety Tag
75 x 180mm
Polypropylene
TG01-1

IN THE KNOW

The Work at Height Regulations 2005 require an assessment to be undertaken before starting any work. Erection should be made to Prefabricated Access Suppliers and Manufacturers Association (PASMA) approved methods.

Scaffold Prohibition

Side 1:
To be displayed if scaffold has failed inspection, warning not to use until it has been made safe and passed re-inspection.

Side 2:
Used to temporarily prohibit access to certain sections of a scaffold.

Description	Qty	Code
Single Insert	1	TG08-1
Pack of 10 Inserts	10	TG0810
Pack of 50 Inserts	50	TG0850
Box	10 Holder, 20 Inserts, 2 Pens	TG08BOX
ClawTag	5	TGCT5

USE WITH ClawTag

ClawTag
80 x 280 x 6mm
TGCT5

Scaffold Prohibition
75 x 180mm
Polypropylene
TG08-1



10 Holders
20 Inserts
2 Pen
TG08BOX

LOLER Safety

The Lifting Operations and Lifting Equipment Regulations 1998 (LOLER) covers any equipment used at work for lifting or lowering loads, including anchoring or supporting attachment Regulations stipulate that equipment is marked with the appropriate information for its safe use, such as safe working loads.

Daily and weekly checks should be made, in addition to a thorough recorded examination every 6 to 12 months. If the equipment is installed, the location must also be examined at the following points:

After installation but before first use.
After assembly but before first use on a site or in a new location.

Should the equipment be hired it should be accompanied by a physical copy of the last examination report. The AssetTag holder should be permanently fixed to the equipment in a suitable safe place.

Perform a thorough inspection of the equipment and complete the insert. In the result of an failure remove insert and inform a supervisor.

Description	Qty	Code
Single Insert	1	TG10-1
Pack of 10 Inserts	10	TG1010
Pack of 50 Inserts	50	TG1050
Box	10 Holder, 20 Inserts, 2 Pens	TG10BOX
AssetTag	5	TGOT5

USE WITH AssetTag

AssetTag
55 x 210 x 6mm
TGOT5

LOLER Tag
50 x 181mm
Polypropylene
TG10-1



10 Holders
20 Inserts
2 Pen
TG10BOX


Racking Safety

Due to the weight, size and loads involved with modern racking it must be checked regularly to ensure the safety of staff and visitors. Our racking tag holders are a modified version of the AssetTag Max system and are designed to be fixed to the crossbeams of the racking displaying racking specific safety messages.

A checklist on the insert describes the checks which must be made and includes space for inspection details to be recorded. An area is available for completion should intermediate work be required, whereas the insert should be removed totally if the racking is deemed unsafe. This will then display the 'Do Not Use Unsafe Racking' message pre-printed on the holder.

Description	Qty	Code
Single Insert	1	TG09-1
Pack of 10 Inserts	10	TG0910
Pack of 50 Inserts	50	TG0950
Box	10 Holder, 20 Inserts, 2 Pens	TG09BOX
AssetTag Racking	5	TGRK5







AssetTag Racking
213 x 80 x 6mm
TGRK5

Racking Safety
75 x 180mm
Polypropylene
TG09-1



10 Holders
20 Inserts
2 Pen
TG09BOX

MEWP Safety

The Work at Height Regulations came into force in 2005. These regulations apply to work at height where there is a risk of fall liable to cause personal injury. It states that 'equipment for work at height is properly inspected and maintained'. MEWPs (Mobile Elevating Work Platforms), scissor lifts, booms and cherry pickers are included under this instruction.

A daily pre-work inspection should be carried out and recorded on these tags. Inserts are designed for use with the AssetTag MAX holder. The holder should be permanently fixed to the equipment in a suitable safe place. Perform an inspection (a checklist is printed on the reverse) and record the result on the tag. In the event of the equipment failing, remove insert and inform a supervisor. The holder clearly states 'Do Not Use This Equipment' when the tag is removed.

Description	Qty	Code
Single Insert	1	TG11-1
Pack of 10 Inserts	10	TG1110
Pack of 50 Inserts	50	TG1150
Box	10 Holder, 20 Inserts, 2 Pens	TG11BOX
AssetTag Racking	5	TGMX5



AssetTag Max
80 x 213 x 6mm
TGMX5

MEWP Safety
75 x 180mm
Polypropylene
TG11-1

10 Holders
20 Inserts
2 Pens
TG11BOX


Forklift Safety

An employer must ensure that a forklift is safe to use and all forklifts should be checked by a competent person prior to use for any damage, faults or wear.

On the reverse the Forklift Safety Tag lists the basic safety checks needed with an inspection record (date, signature, defects reported) on the front.

Designed for use with the AssetTag MAX holder which should be fixed permanently at the point of access to the forklift. If the forklift is safe to use the insert can be slid into the holder with the signature side showing.

The holder clearly states 'Do Not Use This Equipment' when the tag is removed, should an inspection find any failures.



Description	Qty	Code
Single Insert	1	TG02-1
Pack of 10 Inserts	10	TG0210
Pack of 50 Inserts	50	TG0250
Box	10 Holder, 10 Inserts, 1 Pen	TG02BOX
AssetTag Racking	5	TGMX5

Chemical Safety

Our Chemical insert has been specifically designed to display important and relevant information in one place.

Details include:

- Chemical name(s)
- Emergency telephone numbers
- Supplier details and references
- Immediate action and first aid alongside notes for medical personnel
- Spillage treatment and disposal
- Appropriate fire extinguishing and PPE information

Removal of the insert displays the 'Do Not Use' message on the AssetTag MAX holder. In an accident, the insert can be given to emergency personnel, providing vital information for diagnosis and treatment.



Description	Qty	Code
Single Insert	1	TG03-1
Pack of 10 Inserts	10	TG0310
Pack of 50 Inserts	50	TG0350
Box	10 Holder, 10 Inserts, 1 Pen	TG03BOX
AssetTag Racking	5	TGMX5

THESE INSERTS SHOULD NOT BE CONSIDERED A REPLACEMENT FOR MATERIAL SAFETY SHEETS OR ANY OTHER SAFETY DOCUMENTS AND PROCEDURES WHICH MAY BE REQUIRED BY LAW

Universal Equipment Inspection

Our Universal Equipment Inspection record helps an employer comply with legislative requirements when inspecting and helps maintain equipment at suitable periods as deemed appropriate by a risk assessment.

The insert has clearly defined areas to record equipment identification or reference numbers, alongside an inspection record. This allows a user instant access to important safety information. Should equipment fail, the tag can be removed to clearly display the message 'Do Not Use This Equipment' which is printed on the holder.

AssetTag Max
55 x 210 x 6mm
TGOT5

USE WITH AssetTag

Universal Equipment Inspection
50 x 181mm
Polypropylene
TG05-1




10 Holders
20 Inserts
2 Pens
TG05BOX

Description	Qty	Code
Single Insert	1	TG05-1
Pack of 10 Inserts	10	TG0510
Pack of 50 Inserts	50	TG0550
Box	10 Holder, 20 Inserts, 2 Pens	TG05BOX
AssetTag	5	TGOT5

Isolation Tags

Prevent inadvertent energising of a system with this 2-part perforated tag. Each part is completed by the person in charge with the top half attached to the isolation point and the bottom attached to the permit to work. When both are re-attached to each other the isolation can be classed as removed.



Isolation Tags
75 x 180mm
Polypropylene
TG06-1

Description	Code
Single Insert	TG06-1
Pack of 10 Inserts	TG0610
Pack of 50 Inserts	TG0650
50 Inserts, 1 Pen	TG06K

Flange Tags

These 3-part perforated tags are designed to help control the inspection and maintenance procedure when a flange breaks.

Assisting the user to clearly identify the various stages from initial break through to the re-energisation of the system.



Flange Tags
75 x 180mm
Polypropylene
TG07-1

Description	Code
Single Insert	TG07-1
Pack of 10 Inserts	TG0710
Pack of 50 Inserts	TG0750
50 Inserts, 1 Pen	TG07K

Mini Inserts

Our smallest inserts are designed for use with our AssetTag MINI tag holders to display relevant identification and safety information.


When the insert is removed (due to equipment fault, maintenance or testing) the message on the holder clearly states 'Do Not Use This Equipment'.


Insert size: 31 x 47mm
Material: Polypropylene




USE WITH AssetTag MINI











Next Test

A general purpose insert ideal for use on a variety of equipment and machinery which requires regular safety checks. Suitable for electrical equipment, steps and stools.

Safe Working Load

Helps comply with legislative requirements by informing employees of an items safe working load (S.W.L.).

PAT Testing

Designed for Portable Appliance Testing (PAT) this clearly displays the date of test, when next due, item reference along with the testers name.

Harness Inspection

To be displayed on a harness strap giving identification and inspection details. These are often colour coded giving 'at a glance' safety information from a distance.

Vibration Control

Designed to help manage Hand Arm Vibration Syndrome (H.A.V.S.) and dangerous noise levels, these display relevant safety information.

	Code			
Description	**Green**	**Yellow**	**Red**	**Blue**
Next Test ***(Pack of 20 Inserts)***	TG60G	TG60Y	TG60R	TG60B
Next Test Kit ***(Pack of 20 Holders, 40 Inserts, 1 Pen)***	TG60GK	TG60YK	TG60RK	TG60BK
Safe Working Load ***(Pack of 20 Inserts)***	TG61G	TG61Y	TG61R	TG61B
Safe Working Load Kit ***(Pack of 20 Holders, 40 Inserts, 1 Pen)***	TG61GK	TG61YK	TG61RK	TG61BK
PAT Testing ***(Pack of 20 Inserts)***	TG62G	TG62Y	TG62R	TG62B
PAT Testing Kit ***(Pack of 20 Holders, 40 Inserts, 1 Pen)***	TG62GK	TG62YK	TG62RK	TG62BK
Vibration Control ***(Pack of 20 Inserts)***	TG63G	TG63Y	TG63R	TG63B
Vibration Control Kit ***(Pack of 20 Holders, 40 Inserts, 1 Pen)***	TG63GK	TG63YK	TG63RK	TG63BK
Harness Inspection ***(Pack of 20 Inserts)***	TG64G	TG64Y	TG64R	TG64B
Harness Inspection Kit 1 ***(Pack of 20 Holders, 40 Inserts, 1 Pen)***	TG64GK	TG64YK	TG64RK	TG64BK
Harness Inspection Kit 2 ***(Pack of 20 Holders, 40 Inserts - 10 of each colour, 1 Pen)***		TG64K-MIX		





Asset Tag Holder

Holders can be fixed using the following: cable ties, rivets, adhesive strips or glue, inbuilt claw (Claw Tag only), keyring or split-ring (AssetTag MINI only).

Each holder also has a 'break' in the edge wall to allow for easy removal of the insert. Use a screwdriver to prise behind the tag and flip the insert out. All holders are manufactured from a Nylon composite providing excellent strength and flexibility even in temperature extremes.

AssetTag



USE WITH AssetTag

Description	Size	Code	Qty
AssetTag	55 x 210 x 6mm	TGOT5	5

AssetTag MAX



USE WITH AssetTag MAX

Description	Size	Code	Qty
AssetTag MAX	80 x 213 x 6mm	TGMX5	5

ClawTag



USE WITH ClawTag

Description	Size	Code	Qty
ClawTag	80 x 280 x 6mm	TGCT5	5

AssetTag Racking



USE WITH AssetTag MAX

Description	Size	Code	Qty
AssetTag Racking	213 x 80 x 6mm	TGRK5	5

AssetTag MINI



USE WITH AssetTag MINI

Description	Size	Code	Qty
AssetTag MINI	36 x 82 x 6mm	TGMT5	5



IN THE KNOW

IDENTIFY WHICH INSERT IS DESIGNED TO FIT EACH HOLDER.

USE WITH ClawTag

USE WITH AssetTag

USE WITH AssetTag MAX

USE WITH AssetTag MINI

AssetTags

Our tags are manufactured from TPU (Polyurethane) and are perfect for use on a multitude of applications including the identification of assets, inspection and safety tagging. They are highly flexible, incredibly durable, suitable for all weather conditions and resistant to both high and low temperatures as well as most acids, alkalis and solvents.



Key Points:

- Flexible and durable
- Weatherproof
- 8 Colours available
- Single or double sided print options
- Custom design available

Asset Tag Flex: Works as a complete unit without the need for any further equipment. Using two integral slots the tag can be fastened through itself at two positions depending on the application.

Asset Tag Medium: Attached to any piece of equipment using a cable tie, rivet or similar.

The Asset Tag series is available in 8 different colours with a wide variety of print options – plain, single sided, pre-printed or fully customised with your wording or logo.

IN THE KNOW

STEP 1

Pick from one of eight colours available



STEP 2


Order in singles or a pack of 50.



STEP 3


Choose between a pre-printed safety message or a plain tag.






AssetTag Medium


Please note: All below designs are available in all colours




Plain




Inspection Style A



Inspection Style B



Vibration Control



Safe Working Load



Do Not Use Style A



Do Not Use Style B




Custom Design





Dimensions	
(A)	4.5mm
(B)	60mm
(C)	11mm
(D)	5mm
(E)	2mm
(F)	2mm



Step 1: Colour ***Step 2:*** Quantity ***Step 3:*** Plain or pre-printed

*Standard printed tags are single sided


Example: TGFM-301W = Single White Medium Tag with 'Vibration Control' Message

	Blue		Green		Orange		Red		White		Yellow		Lilac		Pink	
Qty	1	50pk	1	50pk	1	50pk	1	50pk	1	50pk	1	50pk	1	50pk	1	50pk
Plain Code Prefix	TGFM-		TGFM-		TGFM-		TGFM-		TGFM-		TGFM-		TGFM-		TGFM-	
Plain Tags	B1	B50	G1	G50	O1	O50	R1	R50	W1	W50	Y1	Y50	L1	L50	P1	P50


Pre-Printed Code Prefix*	TGFM0		TGFM0		TGFM0		TGFM0		TGFM0		TGFM0		TGFM0		TGFM0	
Inspection (Style A)	101B	150B	101G	150G	101O	150O	101R	150R	101W	150W	101Y	150Y	101L	150L	101P	150P
Inspection (Style B)	201B	250B	201G	250G	201O	250O	201R	250R	201W	250W	201Y	250Y	201L	250L	201P	250P
Vibration Control	301B	350B	301G	350G	301O	350O	301R	350R	301W	350W	301Y	350Y	301L	350L	301P	350P
Safe Working Load	401B	450B	401G	450G	401O	450O	401R	450R	401W	450W	401Y	450Y	401L	450L	401P	450P
Do Not Use (Style A)	501B	550B	501G	550G	501O	550O	501R	550R	501W	550W	501Y	550Y	501L	550L	501P	550P
Do Not Use (Style B)	601B	650B	601G	650G	601O	650O	601R	650R	601W	650W	601Y	650Y	601L	650L	601P	650P

AssetTag Flex


Please note: All below designs are available in all colours




Plain




Inspection Style A



Inspection Style B




Vibration Control



Safe Working Load




Do Not Use Style A



Do Not Use Style B



Custom Design




Step 1: Colour ***Step 2:*** Quantity ***Step 3:*** Plain or pre-printed

*Standard printed tags are single sided

Example: TGF-450G - Pack of 50 Green Tags with 'Safe Working Load' message



Dimensions	
(A)	245mm
(B)	60mm
(C)	15mm
(D)	80mm
(E)	140mm
(F)	10mm
(G)	40mm



	Blue		Green		Orange		Red		White		Yellow		Lilac		Pink	
Qty	1	50pk	1	50pk	1	50pk	1	50pk	1	50pk	1	50pk	1	50pk	1	50pk
Plain Code Prefix	TGF-		TGF-		TGF-		TGF-		TGF-		TGF-		TGF-		TGF-	
Plain Tags	B1	B50	G1	G50	O1	O50	R1	R50	W1	W50	Y1	Y50	L1	L50	P1	P50

Pre-Printed Code Prefix*	TGF0		TGF0		TGF0		TGF0		TGF0		TGF0		TGF0		TGF0	
Inspection (Style A)	101B	150B	101G	150G	101O	150O	101R	150R	101W	150W	101Y	150Y	101L	150L	101P	150P
Inspection (Style B)	201B	250B	201G	250G	201O	250O	201R	250R	201W	250W	201Y	250Y	201L	250L	201P	250P
Vibration Control	301B	350B	301G	350G	301O	350O	301R	350R	301W	350W	301Y	350Y	301L	350L	301P	350P
Safe Working Load	401B	450B	401G	450G	401O	450O	401R	450R	401W	450W	401Y	450Y	401L	450L	401P	450P
Do Not Use (Style A)	501B	550B	501G	550G	501O	550O	501R	550R	501W	550W	501Y	550Y	501L	550L	501P	550P
Do Not Use (Style B)	601B	650B	601G	650G	601O	650O	601R	650R	601W	650W	601Y	650Y	601L	650L	601P	650P

Valve Tags

Long lasting engraved valve tags are an important way of improving the safety and efficiency in many facilities. A tag is permanently attached to the valve and engraved with a number as a means to quickly identify the valve and its contents. A separate list would detail all the valves and their contents within a facility, allowing maintenance teams to identify the correct system and valve quickly to resolve the issue.

Tags can also be used as part of a lockout tagout system. When locking out equipment all power sources need to be isolated, and this often includes valves which regulate compressed air, liquids or other contents. The equipment isolation procedure would state which valves would need to be isolated and the associated valve number, with the valve tags ensuring this process can be performed quickly and accurately.



Tags have a depth of 1.6mm

ENGRAVED LAMINATED TAG COLOUR:

Colour coding your valve tags can make the identification process even simpler when you are trying to identify a certain valve within a mass of pipework having your choices narrowed to a specific colour will speed up this process. A company can incorporate any colour scheme they choose within their own premises, but often universal standards colours are used such as red for hot and blue for cold liquids or gasses.



1	2	3	4	5	6	7	8	9
- BL	- RD	- OR	- WH	- GR	- BK	- GY	- RW	- BR

HOW TO ORDER

Choose your size, material and quantity. If you are ordering engraved laminated Valve Tags please also choose the colour and add this to the end of the code shown within the grid.

Example: TGTR-27-1-RD = A red 27mm Engraved Laminate set numbered 1-25.

Sequential No.	27mm		33mm		38mm	
	Brass - Natural	Engraved Laminate	Brass - Natural	Engraved Laminate	Brass - Natural	Engraved Laminate
1 - 25	TGBU-27-1	TGTR-27-1	TGBU-33-1	TGTR-33-1	TGBU-38-1	TGTR-38-1
26 - 50	TGBU-27-26	TGTR-27-26	TGBU-33-26	TGTR-33-26	TGBU-38-26	TGTR-38-26
51 - 75	TGBU-27-51	TGTR-27-51	TGBU-33-51	TGTR-33-51	TGBU-38-51	TGTR-38-51
76 - 100	TGBU-27-76	TGTR-27-76	TGBU-33-76	TGTR-33-76	TGBU-38-76	TGTR-38-76
101 - 125	TGBU-27-101	TGTR-27-101	TGBU-33-101	TGTR-33-101	TGBU-38-101	TGTR-38-101
126 - 150	TGBU-27-126	TGTR-27-126	TGBU-33-126	TGTR-33-126	TGBU-38-126	TGTR-38-126
151 - 175	TGBU-27-151	TGTR-27-151	TGBU-33-151	TGTR-33-151	TGBU-38-151	TGTR-38-151
176 - 200	TGBU-27-176	TGTR-27-176	TGBU-33-176	TGTR-33-176	TGBU-38-176	TGTR-38-176
201 - 225	TGBU-27-201	TGTR-27-201	TGBU-33-201	TGTR-33-201	TGBU-38-201	TGTR-38-201
226 - 250	TGBU-27-226	TGTR-27-226	TGBU-33-226	TGTR-33-226	TGBU-38-226	TGTR-38-226
251 - 275	TGBU-27-251	TGTR-27-251	TGBU-33-251	TGTR-33-251	TGBU-38-251	TGTR-38-251
276 - 300	TGBU-27-276	TGTR-27-276	TGBU-33-276	TGTR-33-276	TGBU-38-276	TGTR-38-276
301 - 325	TGBU-27-301	TGTR-27-301	TGBU-33-301	TGTR-33-301	TGBU-38-301	TGTR-38-301
326 - 350	TGBU-27-326	TGTR-27-326	TGBU-33-326	TGTR-33-326	TGBU-38-326	TGTR-38-326
351 - 375	TGBU-27-351	TGTR-27-351	TGBU-33-351	TGTR-33-351	TGBU-38-351	TGTR-38-351
376 - 400	TGBU-27-376	TGTR-27-376	TGBU-33-376	TGTR-33-376	TGBU-38-376	TGTR-38-376



Description	Code
5pcs of 100mm Tag Chain, 5 Chain Clasps (Chrome Plated 3.2mm Ball Chain)	TGA-CH100
5pcs of 200mm Tag Chain, 5 Chain Clasps (Chrome Plated 3.2mm Ball Chain)	TGA-CH200
5pcs of 300mm Tag Chain, 5 Chain Clasps (Chrome Plated 3.2mm Ball Chain)	TGA-CH300
5pcs of 400mm Tag Chain, 5 Chain Clasps (Chrome Plated 3.2mm Ball Chain)	TGA-CH400
5pcs of 500mm Tag Chain, 5 Chain Clasps (Chrome Plated 3.2mm Ball Chain)	TGA-CH500
Tag Ball Chain Clasp (each)	TGA-CLASP

CUSTOM TAGS

Engraved laminated custom tags can be made into different shapes with bespoke messages in a variety of colours.


Contact the sales office for further details.



Car Seals

A simple solution used to lock (or seal) a device in an open or closed position as required, preventing unauthorised operation for long-term isolation. The sealed apparatus can only be operated by cutting the galvanised steel cable, which in turn would provide evidence that it has been tampered with. Due to this these seals are a single-use item. Each seal is laser etched with a sequential number for identification, reference and security.

Our car seals have a coloured anodised aluminium body with a strong galvanised steel cable and are available in a choice of colours.



Other colours, lengths of cable and designs or seals are available on request.

Features & Benefits

- Cable length is 100cm
- Cable manufactured from galvanised steel strand
- Cable diameter is 2.5mm
- Body manufactured from aluminium
- Each seal marked with a unique serial number
- Supplied packs of 100, sequentially numbered

Description	Code
Red	CAR-SEAL02-100
Yellow	CAR-SEAL03-100
Blue	CAR-SEAL04-100
Green	CAR-SEAL05-100




Used in conjunction with Single Sided tags in red and green to indicate the status of the valve.

Supplied in packs of 10 (single sided)

Description	Size	Code
Closed Tags	75 x 135mm	CAR-TAG001
Open Tags	75 x 135mm	CAR-TAG002



Dimensions				
(A)	(B)	(C)	(D)	(E)
5.2mm	8.8mm	26.5mm	26.3mm	2.5mm



IN THE KNOW

Directions for use:




STEP 1

Identify a safe lock mounting point which a car seal can be wrapped around, ensure it is stable and secure.



STEP 2

Turn valve on/off as required.



STEP 3

Feed cable though the valve wheel and wrap around the pre-identified secure point and pull tight. This can be a second valve if this also needs to be locked on/off and is near enough.



STEP 4

Cut off any excess cable.

Merchandising Support

Let us help maximise your sales with our point of sale and merchandising support. We understand how pushed the end users are for time and the Spectrum merchandising systems have been developed with convenience and visual appeal in mind, making it easy for the merchant / retailer to set up in store and easy for the end user to shop. The display units maximise use of floor, wall or countertop retail space making it easy not only for customers to find what they are looking for, but for branch staff to easily replenish stock and showcase the products at their best.

With inhouse facilities to design and manufacture bespoke point of sale, we can provide striking and functional units at cost effective prices. Let us help maximise your sales.



IN STORE MERCHANDISING

Effective elements of Visual Merchandising

COLOUR IS KING
Use colour to catch the eyes of your customers and draw them to your displays

CREATE A FOCAL POINT
Always check your displays to ensure customers can easily view the hotspots and merchandise

TELL A STORY
Use powerful, sales-enabling signage to display the advantages of buying the product

EMPTY SPACE
Use empty space for signage providing customer testimonials with the customers details

EXPOSE CUSTOMERS
A well-designed, impactful display exposes the customer to as much merchandise as possible while avoiding a sloppy mess!



WORKPLACE SUPPLIES

We stock a wide range of everyday tools, safety supplies and fixtures for fittings for your workplace needs. Including Magnetic Sweepers, Organisational Products, Hardware and Tools.



Workplace Supplies

Report Books	*250*
Magnetic Sweepers	*252*
Safety Mirrors	*254*
Steering Wheel Covers	*255*
Temporary Barriers	*255*
Clear Wallets	*255*
Literature Holder	*256*
Magnetic Display Wallets	*256*
Magnetic Strip	*257*
Ticket Holder	*257*
Magnetic Letters and Numbers	*258*
Tapes	*259*
Hand Sanitiser Boards	*260*
Fire Extinguishers	*262*
Safety Light Sticks	*264*
Acrylic Linemarker	*264*
Eyewash Stations and Products	*265*
Grit Bins	*265*
Snap Frames	*266*
Pavement Signs	*268*
Menu Frame Stands	*268*
Hardware	*269*
Chain	*270*
Adhesives	*271*
Tools	*272*

WORKPLACE SUPPLIES

When it comes to running a business the correct workplace supplies are crucial. There are many products important to a business from report books through to hand sanitisers, and we can offer a wide selection to keep you safe and working efficiently.

Safety Essentials

Employers must record various incidents in the workplace, from accidents and near misses through to fire safety and work permits. Safety lanyards and armbands highlight key safety workers and hand sanitisers provide hygiene points for staff and visitors.

Workplace Efficiency

In a modern workplace efficiency is essential, and organising products and procedures goes a long way towards this. Line marking and racking identification help organise the workplace, and our tapes can help identify and plan the path of products and people throughout the business.

Information Systems

Keeping staff and visitors informed of relevant information can be achieved by using pin boards and poster frames, with hanging frames providing wayfinding or general information.

Commercial Advertising

If there is a requirement for advertising your business or products in the local area, pavement or frame stands are ideal for this purpose.



Report Books



Description	Code
3 Pack - Accident Report Book, Near Miss Book and Fire Log Book	14902

IN THE KNOW

RIDDOR is the law that requires employers and those in control of work premises to report and keep records of:

- ***Work-related accidents which cause death.***
- ***Work-related accidents which cause certain serious injuries (reportable injuries).***
- ***Diagnosed cases of certain industrial diseases.***
- ***Certain 'dangerous occurrences' (incidents with the potential to cause harm).***







Accident / Injury Report Book and Folder

Every business must record employee and visitor accidents by law. This book is a quick, easy and accurate method for recording these incidents.

- Enables compliance with all requirements of the Social Security Administration Act 1992 and Data Protection Act 1996.
- Holds up to 100 incidents.
- Folder provides secure storage and indexing.
- Folder includes useful guidance notes for completing and storing accident records.

Description	Code
Accident Report Book	14900
Accident Report Book Folder	14886

Near Miss Report Book

A quick, easy and accurate method for recording near misses within the workplace.

- Enables you to be compliant with all requirements of the Social Security Administration Act 1992 and Data Protection Act 1996.
- Holds up to 100 incidents.

Description	Code
Near Miss Report Book	14884

Fire Safety Log Book

The Regulatory Reform (Fire Safety) Order 2005 (FSO) requires that the 'responsible person' for premises should ensure that all fire safety facilities, equipment and devices are maintained in efficient working order and in good repair.

- Keeps critical fire safety information in one place.
- Includes tips on fire extinguishers, emergency lighting, fire doors, fire drills, staff training, and fire alarms.

Description	Code
Fire Safety Log Book	14901

AS WITH ALL INSTANCES WHERE SENSITIVE PERSONAL DATA MAY BE RECORDED, APPROPRIATE PROCESSING AND SAFEGUARDING PROCEDURES MUST BE FOLLOWED TO ENSURE GDPR COMPLIANCE.


Permit to Work Forms




An integral part of a comprehensive Health and Safety Management system, each permit records hazards and precautions relevant to the specific job.

- Each permit contains three parts the original plus two carbon copies.
- Card backing insert for separating the carbon copies.
- Supplied in packs of 10 of the same design.

Description	Code
General	14887
Electrical	14888
Confined Spaces	14892
Breaking Lines	14893
Asbestos Alert	14898
Asbestos Present	14897
Excavation	14891
Hazardous Substances	14899
Hot Work	14890
Lifting Equipment	14894
Overhead Cranes	14895
Pressure Testing	14896
Working at Heights	14889









Permit Document Holder

Weatherproof with reinforced eyelet for fixing.
Holds A4 sized documents, with zip opening.

Description	Code
10pk	LOK071





Magnetic Sweepers

Ideal for collecting ferrous metal from the floors of workshops, factories, shop aisles, garages and construction sites. Magnetic sweepers are available in 4 different sizes, from small lightweight sweepers to industrial forklift sweepers meaning we have a solution for spaces of all sizes.

A magnetic sweeper pays for itself in the saving of the time and cost associated with replacing punctured or damaged equipment. They can also prevent unnecessary personal injury by clearing the area of unwanted metal objects.




Small Magnetic Sweep



This sweeper is perfect for smaller spaces and is an efficient cleaning tool. With a telescopic handle you can clear hard to reach areas with ease. Debris is released by a simple pull mechanism.

- Quickly Discard by Pulling Handle
- Lightweight Aluminium Exterior
- Clean Hard to Reach Areas
- Telescopic Handle
- Easily Cleaned



Handle Height	Sweep Width	Pull Strength* *approx	Code
820 - 1130mm	400mm	15kg	MAGSW01

Large Magnetic Sweep



An easy and effective way of collecting large quantities of nails, screws, bolts and any other ferrous metal items in order to keep work areas clean. Quick load-release handle clears the collected metal. This sweeper is perfect for busy workshops, garages and construction sites.

- Sturdy Aluminium Construction
- Telescopic Handle
- Corrosion Resistant
- Large Sweep Coverage
- Pull-bar Release



Handle Height	Sweep Width	Pull Strength* *approx	Code
950 - 1290mm	1010mm	90kg	MAGSW02

Heavy-Duty Magnetic Sweep

This heavy-duty sweeper is ideal for factories, workshops and construction sites. Unwanted ferrous metal is easily collected to clear work areas of any hazardous debris. Quickly discard of the collected scrap metal by pulling back the release lever. This sweeper is one of the more heavy-duty options on offer and is ideal for industrial use.








- Heavy-Duty Aluminium
- Construction
- Puncture Proof Wheels
- Easy to Assemble
- Quick Release Lever

Handle Height	Sweep Width	Pull Strength* *approx	Code
1100mm	762mm	180kg	MAGSW03

Forklift Sweep



These are industrial strength, permanent magnets for the removal of dangerous ferrous objects from roads, parking areas, loading docks, warehouses and other busy areas. Our hang-type magnetic sweepers greatly reduce the possibility of costly and dangerous punctures. Also helps prevent injuries caused by scrap iron particles, screws and nails.. Simply hang this magnetic sweeper from your forklift and "sweep" all contaminated areas. Pull the bar between the forks upwards to release the collected debris.



- Easily Mounted onto Forklifts
- Fixings Included
- Simple Design
- Industrial Strength Magnets
- Corrosion Resistant

Handle Height	Sweep Width	Code
1220mm	190kg	MAGSW04

PPE Safety Mirrors

PPE Mirrors are designed to encourage staff to check they have the appropriate PPE and that it is fitted correctly before entering the workplace.

Laser cut from Optix Acrylic mirrored sheet, each comes complete with pre-drilled holes, mirror screws and adhesive tape. PPE Mirrors are simple to use as well as being easy to keep clean and maintain.


OUR SMALLER 200 x 300MM MIRRORS ARE IDEAL FOR INSTALLATION ON ANY ENTRANCE DOOR TO THE WORKPLACE AND ARE AVAILABLE IN 3 DIFFERENT DESIGNS.



200 x 300 18300



200 x 300 18301



200 x 300 18302

OUR LARGER 400 x 1800MM MIRROR SETS ARE SUPPLIED IN 3 PIECES AND PROVIDE A FULL BODY VIEW. THESE MIRROR SETS COME COMPLETE WITH A MIRROR LABEL PACK, SELECTION AND PLACEMENT OF WHICH CAN REMIND USERS OF THE APPROPRIATE PPE TO WEAR.






Mirror Labels

This pack of 100mm dia. Vinyl labels comes with all 3 part mirror sets below.

Replacement label packs can also be ordered using code 18306.





400 x 1800 18303

400 x 1800 18304

400 x 1800 18305

MIRROR SETS ARE **SUPPLIED WITH 11 SINGLE SAV SAFETY SYMBOLS** TO ENSURE YOUR MESSAGE IS SPECIFIC TO YOUR WORKPLACE.

Safety Mirrors

Safety mirrors are easy to install, unbreakable, lightweight and are able to withstand extremes of weather.

The mirrors, frames and packaging are all manufactured in recyclable materials.



E0209

Size	Code
600mm Diameter Green Framed Mirror	E0202
400mm Diameter Standard Security Mirror	E0205
600mm Diameter Standard Security Mirror	E0206
500mm Diameter Convex Mirror	E0207
800mm Diameter Convex Mirror	E0208
600 x 400mm Internal Convex Mirror	E0209
225 x 40 x 120mm Forklift 180° Rear Mirror	E0210



E0205



E0210

Steering Wheel Covers

These highly visible covers can be used to encapsulate a steering wheel preventing unauthorised use.

It can be locked out with a suitable padlock. Find on page 192



Size	Code
400mm Diameter	LOK157
500mm Diameter	LOK158
600mm Diameter	LOK159

Temporary Barriers

An easy way to cordon off equipment being locked off, these plastic chains and posts are easily moved

(the post bases can be filled with water or sand for extra weight).

900mm Chain Posts with Base	
Description	Code
Red/White Post	S0300RW
Yellow/Black Post	S0300YB

5m Plastic Chain and Accessories	
Description	Code
White Chain	S0303WH
Red/White Chain	S0303RW
Yellow/Black Chain	S0303YB
Black Chain Connector	S0302B
White Chain Connector	S0302W

CHAIN CONNECTORS ARE SUPPLIED IN PACKS OF 10.



Clear Wallets

Clear document wallet with fold-over flap and Plastic press stud fastener, manufactured from polypropylene.

Also comes with a holder for a business card on the front.





Description	Code
A4	14629
A3	14630

Literature Holder

Manufactured from injection moulded crystal clear acrylic these holders are ideal for displaying a range of brochures and leaflets.

Desktop Holder



Display Size	Code
DL	17331
A5	14088
A4	14089

Wall Fix Holder



Display Size	Code
DL	14903
A5 (Vertical)	14090
A5 (Horizontal)	15068
A4	14091

Desktop Sign Holder



Display Size	Code
A5	14631
A4	14632

Desktop Double-Sided Sign Holder



Display Size	Code
A5	14634
A4	14635

Magnetic Document Pockets

Tough blue PVC wallet with magnetic strip and clear front pocket providing protection for documents and papers.

The magnetic strip at the top adheres to all steel materials.

Supplied in singles





Size	Code
A4 (210 x 297mm)	13657
A5 (210 x 148mm)	13658

Magnetic Wrap-Around Pockets

With looped magnetic tags ideal for fixing to mesh or cages.

Supplied in singles.





Size	Code
A4 (210 x 297mm)	13660
A5 (210 x 148mm)	13661

Magnetic Window Frame

Perfect for use in industrial or commercial environments, these magnetic frames allow documents to be displayed in an easy and eye-catching way.

The edges have a highly effective magnetic pull force and can be applied to any flat steel surface. The design allows for easy insertion and removal of documents without the necessity of moving the frame. However if required simply lift and relocate without the use of nails, screws or adhesive.

Supplied in packs of 10

Size	Blue	Green	Black	Red	Yellow
A3	16115/BLUE	16115/GREEN	16115/BLACK	16115/RED	16115/YELLOW
A4	16116/BLUE	16116/GREEN	16116/BLACK	16116/RED	16116/YELLOW



Magnetic 'Easy Wipe' Racking Strip

A flexible magnetic strip that's easily cut to size.
Writeable gloss vinyl surface allows marking with dry-wipe pens.
Easily cleaned with a suitable solvent cleaner.




Size	White	Yellow
20mm x 10m	13663	13668
30mm x 10m	13664	13669
50mm x 10m	13665	13670
70mm x 10m	13666	13671
90mm x 10m	13667	13672

Magnetic Pieces

A flexible magnetic strip that's cut to size. Writeable gloss vinyl surface allows marking with dry-wipe pens. Easily cleaned with a suitable solvent cleaner.

Size	Qty	Code
15 x 80mm	100	16107
30 x 100mm	100	16108
40 x 80mm	100	16109
50 x 100mm	100	16110
50 x 150mm	100	16111
30 x 80mm	100	16112
50 x 80mm	100	16113
90 x 210mm	10	16114



Document Pockets

Document pockets to suit most environments, available with magnetic or self adhesive fitting options. Our adhesive option has tape strips at the top and bottom of the pocket, whilst the magnetic version has one fixing strip at the top.

Supplied in packs of 10



Self Adhesive	
Size	Code
A4 Vertical	14679
A4 Horizontal	14678

Magnetic	
Size	Code
A4 Vertical	14685
A4 Horizontal	14684
110 x 110mm	16103
110 x 220mm	16104
110 x 155mm Vertical	16106
110 x 155mm Horizontal	16105

'C' Section Label Holders

Label holders are ideal for environments where inserts need to be changed frequently.

Our self-adhesive option offers a long term solution while the magnetic version can be easily removed.



Self Adhesive		
Size	Qty	Code
15 x 80mm	100	16100
30 x 80mm	100	16101
50 x 80mm	100	16102

Magnetic		
Size	Qty	Code
30 x 80mm	10	13673
50 x 80mm	10	13674

Ticket Holder

With a clear pull forward front these ticket holders are ideal for use on any shelving or racking.

The clear front makes product information / barcodes easy to read or scan.

Our self-adhesive option offers a long term solution while the magnetic version can be easily removed.

Self Adhesive		
Size	Qty	Code
24 x 100mm	100	14660
24 x 200mm	50	14662
39 x 100mm	100	14664
39 x 200mm	50	14666
80 x 200mm	50	16117
54 x 100mm	100	14668
54 x 100mm	50	14670
80 x 100mm	100	14672

Magnetic		
Size	Qty	Code
24 x 100mm	100	14661
24 x 200mm	50	14663
38 x 100mm	100	14665
38 x 200mm	50	14667
54 x 100mm	100	14669
54 x 200mm	50	14671
80 x 100mm	100	14673
80 x 200mm	50	14675





IMAGES ARE FOR ILLUSTRATION ONLY PRODUCT MAY VARY

Magnetic Letters and Numbers




Ideal for location identification on racking, shelving or steel cabinets, our letters are printed on white or yellow magnetic sheets.

- Magnetic tiles supplied on sheets
- Contains either the full alphabet or all numbers with some punctuation in varying quantities
- Two character heights available 17mm or 39mm
- Black font on a white or yellow background

Size	White	Yellow
17mm Letters	13687	13691
17mm Numbers	13688	13692
39mm Letters	13689	13693
39mm Numbers	13690	13694

Individual Self Adhesive Numbers



Combine multiple numbers to create a identification system ideal for racking, shelving or steel cabinets.


When ordering take into account tiles size, which will be bigger than your character height

- Magnetic tiles supplied as single sheets
- Printed Black on a yellow background
- 6 sizes available
- Order only the numbers you need

Sheet Size: 120 x 235mm

Label Size	14 x 19mm	21 x 38mm	21 x 56mm	38 x 90mm	45 x 130mm	140 x 230mm
Character Height	13.5mm	18.5mm	18.5mm	40mm	47mm	144mm
Character Per Sheet	96	30	20	9	6	1
Character '0'	16120	16134	16144	16154	16164	16174
Character '1'	16121	16135	16145	16155	16165	16175
Character '2'	16122	16136	16146	16156	16166	16176
Character '3'	16123	16137	16147	16157	16167	16177
Character '4'	16124	16138	16148	16158	16168	16178
Character '5'	16125	16139	16149	16159	16169	16179
Character '6'	16126	16140	16150	16160	16170	16180
Character '7'	16127	16141	16151	16161	16171	16181
Character '8'	16128	16142	16152	16162	16172	16182
Character '9'	16129	16143	16153	16163	16173	16183

A - Z Pack (Self Adhesive)




Complete packs of A - Z vinyl letters.
Each pack contains one of each letter.

Supplied in Single Sheets
Sheet Size: 120 x 235mm

Description	Label Size	Character Height	Characters Per Sheet	Code
A - Z	6 x 9.5mm	4.5mm	456	16184
A - Z	8.5 x 9.5mm	6mm	312	16185
A - Z	14 x 19mm	13.5mm	96	16186
A - Z	21 x 38mm	24mm	30	16187
A - Z	21 x 56mm	24.5mm	20	16188
A - Z	38 x 90mm	45mm	9	16189
A - Z	45 x 130mm	48mm	6	16190
A - Z	140 x 230mm	177mm	1	16191

Number Packs (Self Adhesive)



Complete packs of 0 - 9 and
01 - 100 vinyl numbers.
Each pack contains one of each number.


Supplied in Single Sheets
Sheet Size: 120 x 235mm

Description	Label Size	Character Height	Characters Per Sheet	Code
0 - 9	6 x 9.5mm	4.5mm	456	16192
0 - 9	8.5 x 9.5mm	6mm	312	16193
0 - 9	14 x 19mm	12mm	96	16194
0 - 9	21 x 38mm	25mm	30	16195
0 - 9	21 x 56mm	25mm	20	16196
0 - 9	38 x 90mm	40mm	9	16197
0 - 9	45 x 130mm	48mm	6	16198
0 - 9	140 x 230mm	180nn	1	16199
01 - 100	25 x 30mm	8.5mm	20	16118
01 - 100	50 x 50mm	19mm	20	16119

Arrows (Self Adhesive)

A selection of self adhesive arrows, ideal for use on shelving to confirm the location of products or direction.

Supplied in Single Sheets
Sheet Size: 120 x 235mm



Label Size	14 x 19mm	21 x 38mm	21 x 56mm	38 x 90mm
Character Size	12 x 16mm	19 x 34mm	19 x 50mm	36 x 85mm
Character Per Sheet	96	30	20	6
Arrows	16130	16131	16132	16133

Magnetic Tape (Self Adhesive)


Magnetic tape backed with adhesive. Allows items to be attached to Steel products without the need for drilling.




Size	Code
12.7mm x 30m	13711
25.4mm x 10m	13712

Printed Tape


Printed in red text on white Polypropylene
Each roll is 50mm x 66m




P0350




P0351



P0352



P0354




P0356




P0357




P0361




P0362



P0363



P0367



P0366




Barrier Tapes

Non adhesive polythene tape for prohibiting access and highlighting dangers. Ideal as an economical solution for crowd control. Suitable for use with posts and barriers.

Supplied individually.





Tape Design	Size	Code
Red and White Stripes	75mm x 500m	TA18L
Black and Yellow Stripes	75mm x 500m	TA17L



Hand Sanitiser Boards


Encourage staff, customers and visitors to sanitiser their hands. These wall mounted hand sanitising stations offer a visual reminder to wash / sanitise hands and also give guidance on best practice for hand sanitising techniques. Designed to hold sanitising Gel dispensers, our stations can be supplied as the board only or with either automatic or manual dispensers.



Available in two different colours. All 300 x 400mm boards come complete with wall fixings.

Board Only







Manual Dispenser







Automatic Dispenser







	Design 1		Design 2		Design 3	
	Blue	Turquoise	Blue	Turquoise	Blue	Turquoise
Board	HSB01B	HSB01T	HSB02B	HSB02T	HSB03B	HSB03T
Manual	HSB01B-MD	HSB01T-MD	HSB02B-MD	HSB02T-MD	HSB03B-MD	HSB03T-MD
Automatic	HSB01B-AD	HSB01T-AD	HSB02B-AD	HSB02T-AD	HSB03B-AD	HSB03T-AD


Barrier Cream Boards




Description	Colour	Size	Code
Manual	Blue	300 x 400	HSB04B-MD
Manual	Turquoise	300 x 400	HSB04T-MD



Description	Colour	Size	Code
Manual	Blue	300 x 400	HSB05B-MD
Manual	Turquoise	300 x 400	HSB05T-MD






We can make bespoke hygiene boards to your specific requirements – simply provide us with details of what you need and we can take it from there!

- Choose **your** size
- Choose **your** material
- Choose **your** colours
- Choose **your** logo

If you have any special requirements such as a drywipe finish, leaflet distribution or to mount specific equipment, speak to us and we will be able to help.





Fire Extinguishers



Water Extinguishers

- Corrosion resistant finish.
- Internal Polyethylene lining.
- Squeeze grip operation.
- Approved to BSEN3.
- Supplied with bracket.
- 5 year guarantee.

Description	Code
6 litre Spray Water (13A)	14355
9 litre Jet Water (21A)	14356



CO^2 Extinguishers

- Aluminium alloy construction.
- Corrosion resistant finish.
- Internal Polyethylene lining.
- Squeeze grip operation.
- Harmless to machinery.
- (2kg) Frost free horn.
- Approved to BSEN3.
- Supplied with bracket.
- 5 year guarantee.

Description	Code
2kg CO2 (34B)	14357
5kg CO2 (70B)	14358

Filled weights: 14357 - 5.5kg 14358 - 12.4kg



Foam Extinguishers

- Spray nozzle.
- Corrosion resistant finish.
- Internal Polyethylene lining.
- Squeeze grip operation.
- Approved to BSEN3.
- Compliant to 35kV Dielectric test.
- Supplied with bracket.
- 5 year guarantee.

Description	Code
2L Foam (8A 55B)	14359
6L Foam (21A 144B)	14360
9L Foam (27A 233B)	14361

Powder Extinguishers

- Corrosion resistant finish.
- Squeeze grip operation.
- With brackets (<2kg with transport bracket).
- 5 year guarantee.
- Approved to BSEN3.*

* 600g and 800g exclude BSEN3 clause 6.1 (size requirement).

Description	Code
600g ABC Powder (5A 21B C)	14364
800g ABC Powder (5A 34B C)	14365
1kg ABC Powder (8A 34B)	14366
2kg ABC Powder (13A 89B)	14367
6kg ABC Powder (43A 233B)	14368
9kg ABC Powder (55A 233B)	14369



IN THE KNOW

UK fire extinguisher regulations state that you should have a minimum of two 'Class A' extinguishers on every storey of the building.

The 'standard pair' water-based and CO2 fire extinguishers are usually located by exits and fire alarm call-points.
To comply with fire extinguisher regulations, extinguishers should be either fixed to the wall, or attached to a stand.
Fire extinguishers must be commissioned on-site by a competent person. This generally means someone who has passed the BAFE fire extinguisher exam or has an equivalent qualification.

Fire extinguishers are not compliant with UK fire extinguisher legislation until they have been commissioned.
Fire extinguisher regulations state that extinguishers must be serviced annually.



Fire Extinguishers Stands



Robust fully moulded design, these stands are manufactured from impact and chemical resistant plastic. Supplied in sections for easy transportation and assembly.

Free-standing design.

Dimensions (HxWxD):
Single: 645 x 290 x 300mm
Double: 645 x 500 x 300mm
Extinguisher not included.

Description	Code
Single	14370
Double	14371
Retaining Strap	14372



Fire Blankets

A durable single-piece moulded design with large labelled area for maximum impact. Kitemark certified to BSEN 1869:1997.

Description	Code
1 x 1m	14373
1.2 x 1.8m	14375

Fire Alarms



Battery operated site alarms with a loud 110db siren and a strobe function for noisy environments. Easily linkable with up to 5 other units.

Dimensions (HxWxD): 305 x 191 x 65mm
Uses PP3 batteries (replaceable)

Description	Code
Call Point Activation	14728
Push On / Twist Off Activation	14729



Manufactured from Die Cast Aluminium, this tried and tested design sounds at 60db up to 35 metres.

Pre-drilled flange for simple installation.

Description	Code
Rotary Hand Bell	14730



With plastic fronted 'glass' which is ideal for glass sensitive environments.

Secure 'snap fit' mechanism.

Description	Code
Break Glass Keybox	14731
Replacement 'Glass'	14732

Armbands and Lanyards



Nylon Armbands

Printed Nylon armbands with Velcro fastening.

Description	Code
Fire Marshal	14190
Fire Warden	14191
First Aider	14192



Armbands

Photoluminescent and reflective armband with Velcro fastening.

Description	Code
Fire Marshal	14193
Fire Warden	14194
First Aider	14195




Lanyards

Lanyards with hook and safety release clasp.

Description	Code
Fire Marshal	14725
Fire Warden	14726
First Aider	14727

Safety Light Sticks

Description	Code
Green Light Stick	13854
Orange Light Stick	13855
Yellow Light Stick	13856



IN THE KNOW

Multi-purpose, cool to the touch, water resistant light source.

- *CE & EN71 UN approved*
- *Glows for 12 hours +*
- *Non Flammable*
- *Non Toxic*




Acrylic Linemarker

Specially designed to produce hard wearing clearly visible lines. Suitable for hand or machine application, indoors and out.

- Ozone friendly
- Xylene free
- Supplied in singles

Description	Code
Yellow	14520
White	14521
Red	14522
Blue	14523
Green	14524
Orange	14525
Black	14526



Colour swatches are not a true representation of product colour. These are for visual purposes only.



Hand Held Line Paint Applicator

For use with standard 750ml paint cans



Description	Code
Applicator	PE95L

Eyewash Stations and Products

An essential first aid item in any environment where there is a potential risk of injury to the eye whether it be from dust particles, chemical splashes or debris.

Description	Code
Eyewash Kit	14341
500ml Eyewash Bottle for Kit	14342
HypaClens Pod Station with Mirror (25 Pods 20ml included)	14343
Eyewash Pods 20ml (Pack of 25)	14344



Grit Bins

Businesses have a responsibility to treat the areas around their premises during winter months to minimise the risk of slips, falls and skidding. Salt and Grit bins provide a safe solution for this, and our Grit bins are sturdy and prominent offering quick and easy access when required.



Winter Kit 1



Description	Code
1 x 200kg Grit Bin 8 x 25kg De-Icing Salt	20663

Winter Kit 2



Description	Code
1 x 400kg Grit Bin 16 x 25kg De-Icing Salt	20664

Rock Salt



Description	Code
30 x 10kg De-Icing Salt	20660



Description	Code
32 x 15kg De-Icing Salt	20661



Description	Code
21 x 25kg De-Icing Salt	20662

Snap Frames

Our 'Snap Open, Snap Shut' Frames are manufactured from Aluminium and are available in a range of popular sizes. Each has a 25mm extruded frame, and comes complete with fixings and an anti-glare cover sheet.

The codes below refer to the silver finish Snap Frame.

Other colours, profile sizes and finishes are also available - please contact the sales office for further details.

Description	Code
A4 (210 x 297mm)	13000
A3 (297 x 420mm)	13001
A2 (420 x 594mm)	13002
A1 (594 x 841mm)	13003
20" x 30" (508 x 762mm)	14774
30" x 40" (762 x 1016mm)	14775







Remember to display your Safety Posters!

See Page 93 for all our safety posters!



Snap Frame Options:



Radius Corners Snap Frames



- 25mm extruded aluminium frame
- 0.5mm anti glare cover
- Silver anodised finish
- Round moulded corners
- Secure snap open and close system
- Wall fixing kit included

Extended Delivery Time

LED Snap Frames



- 30mm extruded aluminium profile
- Super Slim 22mm external depth
- Energy saving LED technology
- Easy to use snap open and close system
- 1-2mm thick clear protective poster cover
- Available silver anodised

Extended Delivery Time

Lockable Snap Frames



- 32mm extruded aluminium frame
- 1.5mm strong plastic back panel
- 0.5mm anti-glare poster cover
- Mitred corners
- Sequential locking system
- Wall fixing kit included

Extended Delivery Time

Lockable Poster Frames

Secure, waterproof and vandal resistant frames suitable for indoor and outdoor use. With 45mm self colour extruded Aluminium frame and a 2mm thick clear plastic front to protect the contents.



Description	Code
A4 (210 x 297mm)	13004
A3 (297 x 420mm)	13005
A2 (420 x 594mm)	13006
A1 (594 x 841mm)	13007
A0 (841 x 1189mm)	13008
20" x 30" (508 x 762mm)	13009
30" x 40" (762 x 1016mm)	13010
40" x 60" (1016 x 1524mm)	13011

Extended Delivery Time

Aluminium Hanging Frame

Double sided 25mm extruded Aluminium hanging frames, designed to hold 4mm interior graphic.

(enough for 2 signs back-to-back).



Description	Code
400 x 150mm	13790
450 x 150mm	13791
600 x 200mm	13792
A4 (210 x 297mm)	14842
A3 (297 x 420mm)	14843

WIRE HANGING KIT PAGE 270

Pin Board

High quality felt pin boards with a silver anodised Aluminium frame. The 8mm thick soft board back is flame resistant and available in a range of colours.

Each board comes complete with fixing kit



Description	Colour	Code
900 x 600mm	Blue	14095
900 x 600mm	Red	14096
900 x 600mm	Grey	14097
900 x 600mm	Green	14098
1200 x 900mm	Blue	14099
1200 x 900mm	Red	14100
1200 x 900mm	Grey	14101
1200 x 900mm	Green	14102

Cork Board

Cork boards made from natural cork with a quality soft board back panel.

Fixings included with both boards



Description	Code
900 x 600mm	14776
1200 x 900mm	14778

Dry Wipes Magnetic

Aluminium framed dry wipe boards with a lacquered steel face. Can be used both as a magnetic board and a dry wipe board.

Fixings included with both boards



ASK US ABOUT CUSTOM BOARDS

Description	Dry Wipe Code
900 x 600mm	14092
1200 x 900mm	14093

Dry Wipe Markers

Dry wipe pens suitable for use on the 'Easy Wipe' magnetic materials.

Supplied in packs of 10.



Description	Code
Black	13714
Blue	13715
Red	13716
Green	13717

KEY

Extended Delivery Time

These products will have an extended delivery time please contact us for further information or delivery times.

Pavement Signs

Exterior Aluminium A-Board



Easy snap open Aluminium frame on a Steel back panel. Complete with anti-glare poster cover and locking leg stays.

Swinger Sign



Constructed with a heavy duty recycled PVC base and heat treated Aluminium face.

Waterbase Sign



Spring loaded to counteract even the highest winds, the Waterbase sign is the ultimate pavement sign. The base can be filled with water to provide a stable footing for the sign and with wheels incorporated into the base, transporting the sign is easy. The snap open system also makes changing the message quick and easy.

Extended Delivery Time

CONTACT US FOR MORE INFORMATION

Description	Code
A-Board (A2 Silver, 420 x 594 mm)	14083
A-Board (A1 Silver, 594 x 841 mm)	14084
Swinger Sign (430 x 625mm)	14085
Swinger Sign (500 x 750mm)	14625
Waterbase Sign (A1, 594 x 841 mm)	14626
Waterbase Sign (762x 1016mm)	14627
Waterbase Sign (A0, 841 x 1189 mm)	14528



Supplied with Graphics

We can also print and apply your artwork to the boards before sending to you!

Please speak to the sales office for further information.



Menu Frame Stands

Freestanding display stand with telescopic pole. The Snap Frame is adjustable providing both portrait and landscape options.

Description	Code
A4 Frame	14086
A3 Frame	14087





KEY

Extended Delivery Time

These products will have an extended delivery time please contact us for further information or delivery times.

CONTACT US TO SEE HOW WE CAN CREATE BESPOKE SAFETY SIGNS TO SUIT YOUR NEEDS.

Hardware

General Purpose Pozi Twin Thread Countersunk Head



Description	Boxed Qty	Code
1/2" x 6	200	SE145L
3/4" x 6	200	SE72L
1" x 6	200	SE73L
3/4" x 8	200	SE148L
1" x 8	200	SE76L
1 1/4" x 8	200	SE77L
1 1/2" x 8	200	SE78L
2" x 8	200	SE79L
1 1/2" x 10	200	SE151L
2" x 10	200	SE80L
2 1/2" x 10	200	SE94L
3" x 10	200	SE254L
3" x 12	200	SE95L
4" x 12	200	SE232L

Multi Purpose Pozi Countersunk Screws



Description	Boxed Qty	Code
4mm x 25mm	200	SE375L
4mm x 30mm	200	SE376L
4mm x 35mm	200	SE377L
4mm x 40mm	200	SE378L
4mm x 50mm	200	SE380L
5mm x 30mm	200	SE386L
5mm x 40mm	200	SE387L
5mm x 50mm	200	SE388L
5mm x 60mm	200	SE389L
5mm x 70mm	200	SE390L
5mm x 80mm	200	SE391L
5mm x 100mm	200	SE392L

Cup Square Carriage Bolts and Nuts



Description	Boxed Qty	Code
M6 x 50mm	200	FA171L
M6 x 75mm	200	FA172L
M6 x 100mm	200	FA303L
M8 x 75mm	200	FA305L
M8 x 100mm	200	FA174L
M8 x 150mm	200	FA175L
M10 x 150mm	200	FA176L

Coach Screws



Description	Pack Qty	Code
M6 x 40mm	100	FA362L
M8 x 50mm	100	FA159L
M8 x 70mm	100	FA160L
M8 x 100mm	100	FA161L

Hex Head Set Screws



Description	Pack Qty	Code
M8 x 30mm	100	SE418L
M8 x 40mm	100	SE419L
M6 x 30mm	100	SE414L
M8 x 50mm	100	SE420L
M8 x 70mm	100	SE422L

Thunder Bolts



Description	Pack Qty	Code
M8 x 75mm	100	SE436L
M8 x 100mm	100	SE437L
M8 x 150mm	100	SE438L

Roofing Screws with EDPM Washer



Description	Pack Qty	Code
5.5mm x 25mm	100	14824
5.5mm x 45mm	100	14825

Wall plugs



Description	Pack Qty	Code
Yellow, screw size 4 - 6	100	FA231L
Red, screw size 6 - 8	100	FA135L
Brown, screw size 10 - 12	100	FA136L

Screw Covers & Caps



Description	Pack Qty	Code
Hinged Cover Caps (White)	500	CJ37P
Domed Cover Caps (Black)	100	14826
Domed Cover Caps (White)	100	CJ136L
Domed Cover Caps (Chrome)	100	CJ138L

Eyebolt



Size	Thread	Code
38 x 28mm, 17mm dia	6mm dia x 12mm (L)	SB-FIT01

Stainless Steel Standoffs



Size	Thread	Code
19 x 25mm	9mm dia x 20mm (L)	HE89L

Stainless Steel Hooks



Size	Thread	Code
4mm dia x 70mm	3mm dia x 14mm (L)	HE85L

Aluminium Padlock Tags



Description	Code
51mm (5 Pack)	LOK028

Belt Clips



Description	Qty	Code
Belt Clip	12	MI122L

Split Rings



Description	Qty	Code
25mm NP	100	MI08L
30mm NP	100	MI09L
38mm NP	100	MI10L

Wire Hanging Kit



Description	Code
100mm	13866
150mm	13867
200mm	14821

Stainless Steel Tray



Description	Code
Stainless Steel Tray	SB-FIT02

Key Cabinets



Supplied with 2 keys.

Description	Code
20 Hook (200 x 78 x 160mm)	SP227P
48 Hook (300 x 78 x 240mm)	SP228P
93 Hook (300 x 78 x 240mm)	SP229P

Key Covers



24mm diameter coloured key covers.
Available in 2 styles and assorted colours.

Supplied in packs of 50.

Description	Code
Ring Style	MI22L
Cover Style	MI132L

Key Tags



Coloured key tags with paper inserts.
Available in 2 sizes in assorted colours.

Supplied in packs of 50.

Description	Code
52 x 22mm	MI13L
55 x 30mm	MI45L

Chain

Welded Coil Pre-Cut Chain



Description	Code
3mm x 21mm x 5m	MC95CS
4mm x 26mm x 5m	MC97CS
5mm x 28mm x 2.5m	MC99CS

Quick Repair Link



Description	Code
4mm	MC33L
5mm	MC47L
6mm	MC48L

Carbine Hooks



Description	Code
4mm	MC43L
5mm	MC34L
6mm	MC44L
8mm	MC45L

Everbuild Wonder Wipes Trade Tub



Description	Code
Everbuild Wonder Wipes Trade Tub	90697

Adhesives

EverBuild General Purpose Silicone



Description	Code
White	91216
Clear	91217
Brown	91204
Black	91205

EverBuild Instant Nails



Description	Code
310ml	91490

EverBuild Grip Tite



Description	Code
350ml	93361

EverBuild Stixall White



Description	Code
300ml	90699

11" Skeleton Caulking Gun



Description	Code
Calking Gun	GN02L

Magnetic Tape



Description	Code
12.7mm x 30m	13711
25.4mm x 10m	13712

Double Sided Tape



Description	Code
25mm x 5m Double Sided Tape	14822
25mm x 50m Double Sided Tape	14823

Adhesive Pads



Description	Pack Qty	Code
Double Sided Adhesive Pads	20	SU02P
Adhesive Round Hanging Button	10	14828

Tools

Fibreglass Shaft Claw Hammer



Description	Code
450g (16oz)	HM02L

Pliers



Description	Code
6" Combination	PL56P
6" Diagonal Side Cutting	PL57P

Adjustable Wrench



Description	Code
200mm (8")	WR20P
250mm (10")	WR21P

Screwdriver Set



Description	Code
6 Piece	SD57P

Professional Hi-Tension Hacksaw



Description	Code
250 - 300mm	SW01L

Hilka Junior Hacksaw



Description	Code
Hilka Junior Hacksaw HD	SW11L

Wire Brush



Description	Code
250mm General Purpose Wire Brush	BH04L
4 Row Plastic Wire Brush	BH10L

Knife



Description	Code
Retractable Trimming Knife	KN12P
Lock Back Trimming Knife	KN19P
18mm Blade Large Snap Off Knife	KN15P

Tape Measure



Description	Code
3m (10ft) x 13mm Tape Measure	TM10P
5m (16ft) x 19mm Tape Measure	TM11P
8m (26ft) x 25mm Tape Measure	TM12P

Cable Ties



Size	Pack Qty	Black	Natural
100 x 2.5mm	100	NT01P	NT20P
150 x 3.6mm	100	NT02P	NT21P
200 x 4.8mm	100	NT03P	NT50P
250 x 4.8mm	50	NT06P	NT04P
300 x 4.8mm	50	NT07P	NT51P
400 x 7.2mm	50	NT125P	NT05P

CONTACT US ABOUT CUSTOM PRINTED CABLE TIES

Ultra-fine Permanent Marker



These permanent ultra-fine marker pens can write on almost any surface. The waterproof and smudge proof ink dries in seconds with almost no odour, and is ideal for use with our tags and padlocks.

Description	Code
Single	TGPEN01
Pack of 10	TGPEN02

Dry Wipe Markers



Dry wipe pens suitable for use on the 'Easy Wipe' magnetic materials.

Supplied in packs of 10.

Description	Code
Black	13714
Blue	13715
Red	13716
Green	13717

Index

Symbols

1m	158
2m	158, 159
3 Phase circuit breakers lockout	208
3 Pin plug lockout	213
5mph	107, 140, 150, 151
5 Point ppe required at all times	127
6s lean manufacturing	162
75 Tonne weight restriction	140
10mph	140, 150, 151
15mph	140, 150, 151
20mph	140
30mph	140

A

A-boards	100
Access and situational awareness	58
Access required 24 hours	150
Accident free day signs	174
Accident / injury report book	250
Accompanied horses or ponies likely ahead	141
Acid and alkali	121
Acrylic linemarker	133, 147, 264
Adhesive pads	271
Adhesives	271
Adjustable gate valve lockout	201
Advanced lockout station	218
Advanced lockout stations	217
Adverse camber	146
Aed	20, 27
Aerosols	98
Agricultural	63
Agricultural chemicals	63
Agricultural vehicles likely to be in road ahead	141
Air	120
Alarm pull cord	73
All deliveries must report to goods in	38
All drivers and visitors must report to site office	38, 131
All food products must be stored up off the floor	39
All smoking strictly prohibited	47
All visitors and drivers must report to reception	38
All visitors must report to reception	38, 134
All visitors must report to site office	131, 134
All visitors please wear face coverings	33
All workers must be inducted before commencing work	38
Aluminium cans	98
Aluminium hanging frame	267
Aluminium hasps	198
Approved personal protective equipment must be worn	34, 106, 131
Approved personal protective equipment must be worn at all times	33
Aqua floor tape	110
Agrochemicals	63
Armbands	29, 263
Arrows	109, 259
Arrow symbol	17, 74, 78, 107, 108, 114, 134, 141, 143, 145, 149, 157
Asbestos	61, 187
Asbestos at work	94
Asbestos labels	183
Asbestos removal in progress	61
Assembly point	19
Asset no	182
AssetTag flex	243
Asset tag holder	240
AssetTag medium	242
AssetTags	241
Authorised personnel only	107, 108
Automated external defibrillator	20
Automatic door	183
Automatic door keep clear	37, 88
Automatic fire door keep clear	37, 79, 183
Avoid contact	51
Avoid touching your face	51
A - z pack	258

B

Baby change	75
Baby changing symbol	74
Back to back clip	144
Ball valve lockout	202
Banding straps	144
Banister brush	170
Banksman paddles	148
Banner	161
Bar	84, 86, 87
Barrier cream boards	42, 261
Barrier tapes	259
Basement	72
Bathroom	85
Batteries	98
Belt clips	270
Belt pouch	225
Be socially safe keep 2m apart	158
Be socially safe keep a safe distance	158
Be socially safe keep your distance from other visitors	160
Beware cyclists	143
Beware of the bull	63
Beware of the dog	84, 86, 87
Beware ramp ahead	59
Biological hazard	62
Bolts	269
Bolts and nuts	269
Braille room	73
Brass lockout padlocks	193
Break glass	187
Build your own - site safety notice	127
Bull in field	63
Bull keep out	63
Butterfly valve lockout	203
Button lockout	211, 212

C

Cable lockout	204
Cable ties	272
Calibrated	182
Calibration not required	182
Calibration void if seal is broken	182
Canteen	134
Cardboard	98
Car park	134, 135
Car seals	245
Cattle	63
Cattle crossing	63
Cattle grid	63
Caulking gun	271
Caution	59, 102
Caution automatic door	58
Caution beware of moving vehicles	60
Caution CCTV in operation	60
Caution dangerous chemicals	56

Caution defective	226
Caution door is alarmed	36
Caution falling debris	58
Caution forklift trucks operating	58, 70, 106, 133
Caution hot surface	61
Caution in event of fire do not use lift	60
Caution lorries turning	146
Caution out of order	59, 226, 227
Caution pinch point	59
Caution sharp blades	60
Caution unsafe	226, 227
CCTV in operation	60, 87, 108
CCTV security	60
Centre of gravity	114
Chain	270
Changing room	85
Channel adaptors	144
Checked	182
Check oil, water and fuel daily	34
Chemical safety	56, 237
Chemical spills	94
Children ahead	141
Children are strictly prohibited from entering this site	49, 132
Children must not play on this site	49, 132
Clean after use	40
Clean hands are safe hands	40
Cleaning	62
Cleaning in progress	62, 102
Cleaning inspection insert	160
Cleaning station	166
Clean up all spillages immediately	39, 63
Clear wallets	221, 255
Cloakroom	85, 134
Close these doors at night	36
Close this door at night	36
Co2	24, 80, 130
CO^2 extinguishers	28, 262
Code of practice for the use of bandsaws	34
Compact lockbox	197
Compressed air	184, 186
Compressed gas	184, 185, 186
Concealed CCTV	60, 135
Concealed entrance	143, 150, 151
Conference room	85
Construction	124
Construction and general	134
Construction site	59, 132
Construction site keep out	59, 132
Construction site sign pack	128
Construction traffic	59
Contractors parking	151
Cooked food preparation zone	39
Cork board	267
Corrosive	185, 187
Coshh	93
Covid risk management	154
Creche	72
Critical control points	39
'C' section label holders	257
Custom a-boards	103
Custom design	3
Custom display boards	169
Custom door sliders	89
Customer parking only	114, 135
Cycle route ahead	141
Cyclist's only	141
Cyclists prohibited	140

D

Danger	54, 59
Danger 110 volts	54
Danger 230 volts	54, 178
Danger 240 volts	54, 178
Danger 400 volts	54, 178
Danger 415v exists between	179
Danger 415 volts	54, 179
Danger 440 volts	54
Danger 6600 volts	54
Danger 11000 volts	54, 55
Danger acetylene	57
Danger acid	56
Danger arc flash	180
Danger arc welding	59
Danger asbestos	61
Danger automatic machinery	70
Danger automatic machinery may start without warning	60
Danger barbed wire	59, 63
Danger battery acid	56
Danger buried cables	55
Danger caustic	56
Danger chemicals symbol	56
Danger chemical store	56
Danger chlorine	57
Danger cliff edge	136
Danger compressed gas	57
Danger concealed entrance	59
Danger corrosive	56
Danger cyanide	56
Danger death symbol	56
Danger deep cold water	136
Danger deep excavations	58, 133
Danger deep water	59
Danger demolition in progress	58, 133
Danger disconnect electrical supply before working on the equipment	55
Danger do not climb	136
Danger do not dig	136
Danger electric fence	55, 63
Danger electric shock risk	55, 226
Danger explosive atmosphere	57
Danger explosive material	57
Danger falling objects	58
Danger fire risk	57
Danger flammable liquid	57
Danger forklift trucks	58
Danger fragile roof	59
Danger grit blasting in progress	60
Danger guard dogs	58
Danger harmful fumes	56, 57
Danger hazard area do not enter	59
Danger highly flammable gases	57
Danger highly flammable material	57
Danger high voltage	55, 133, 179
Danger high voltage cables overhead	54
Danger hot	61
Danger hydrochloric acid	56
Danger irritant chemicals	56
Danger isolate main supply before opening	55
Danger keep out	59, 102, 132
Danger laser hazard	62
Danger live busbars	54
Danger live terminals	55
Danger live wires	55
Danger loose rocks	136

Danger mains voltage	55
Danger men at work	58, 102, 228
Danger men working on machine	60
Danger men working overhead	58
Danger moving machinery	60
Danger moving vehicles	60
Danger noise area	61
Danger no safe access	59
Danger of death	55
Dangerous chemicals	56
Dangerous machine	34
Dangerous substances	56
Dangerous when wet	184
Danger overhead live wires	54, 55
Danger oxygen	57
Danger people at work	58, 102
Danger quick sand	136
Danger razor wire	59
Danger risk of electric shock	70
Danger scaffolding incomplete	59, 133
Danger site entrance	59, 132
Danger solvents	56
Danger stay out	136
Danger symbol	54, 55, 187
Danger toxic	56, 57
Danger toxic hazard	56
Danger x-rays	62
Defective	226
Designated smoking area	48
Desk signs	47
Die cast steel hasp	198
Di-electric lockout hasp	199
Di-electric padlock	192
Diesel fuel only	134
Digital cutting	4
Dining room	85
Dip your feet	39
Disabled badge holders only	62, 143
Disabled parking only	62, 134, 143
Disabled symbol	17, 74, 78, 88, 114, 134
Disabled toilets	71, 73
Dispose of ppe here	40
Diversion ends	149
Document pockets	257
Do not close valve	226, 227
Do not leave this machine unattended whilst in operation	50
Do not operate men at work	50
Do not open	226, 227
Do not open valve	226, 227
Do not operate	226, 227
Do not ride on the forks	51
Do not sore raw and cooked food together	39
Do not stack	114, 183
Do not start	226, 227
Do not start men working on machine	50, 228
Do not store raw and cooked food together	51
Do not switch off	226, 227
Do not switch on	226, 227
Do not tamper with lockout devices	228
Do not touch	226, 227, 228
Do not touch men working	50
Do not use	182, 226, 227, 228
Do not use camera phones	50
Do not use mobile phones	50
Do not use unless guards are in position	50
Do not wear loose clothing when operating this machine	50
Door labels	183
Door sign discs	88
Door slider and plates	89
Dots	109
Double bend ahead	141
Double sided hanging signs	18
Double sided lockout tags	227
Double sided tape	271
Drinking water	18, 130, 187
Drying room	134
Dry powder	24, 80, 130
Dry riser	26
Dry wipe markers	267, 272
Dry wipes magnetic	267
Dual lockout hasps	199
Dustpan	170

E

Eagle-id	3
Ear protection must be worn	32, 106, 131
Ear protectors symbol	32, 106, 108
Economy a-boards	103, 161
Extinguish your cigarettes here	48
Electrical cylinder lockout	210
Electrical labels	178
Electrical lockout	206
Electrical lockout kit	222, 223
Electrical maintenance kit	223
Electrical panel lockout	213
Electrical plug lockout	210
Electrical safety	54, 93
Electrical safety signs	180
Electricians working	102, 228
Electricity	120
Electric shock	94
Electric shock casualty	20
Electric vehicle parking only	117
Electric vehicle parking with symbol	117
Electric vehicle recharging point	142
Electronic cigarettes permitted	47
Emergency assembly point	19, 130
Emergency exit	16, 79
Emergency eye wash	20, 27, 79, 130
Emergency shower	20, 27, 79
Emergency spill kit	20
Emergency stop	18, 26, 79
Emergency telephone	79
End	146
Enquiries	73, 85, 87
Entrance	72, 85, 87, 107, 134
Entrance signs	159
Equipment locked out	227
Evacuation chair	17
EV charging point symbol	117
EV charging stencils	117
Except for access	142
Exclamation point symbol	60
Exit	16, 17,69, 72, 73, 85, 87, 107
Exit for emergency use only	17
Explosive	185
External bleeding	94
Extra large gate valve lockout	201
Extra large hasps	199

Eyebolt	171, 269
Eye protection must be worn	32, 106, 131
Eye protection symbol	32, 106
Eyewash station	21
Eyewash stations	265

F

Fail test label	181
Farm safety notice	63
Farm traffic	146
Farm vehicles crossing	63
Faulty traffic light	149
Female	74
Female attendant on duty	102
Female changing	74
Female symbol	74, 88, 134
Finger plates	71, 88
Fire	121
Fire action	35, 79, 131
Fire action and first aid procedure	35
Fire action station	172
Fire alarm	25, 27, 70, 80, 130
Fire alarm call point	25, 26, 80
Fire alarms	29, 263
Fire alarm signs	25
Fire alarm symbol	25, 70, 80
Fire assembly	19
Fire assembly point	19, 27, 79, 130
Fire blanket	24, 26, 80
Fire blankets	29, 263
Fire bucket	26
Fire door and access	36
Fire door discs	35
Fire door keep clear	70, 88
Fire door keep closed	37, 79
Fire door keep locked	37
Fire door keep locked shut	35, 37, 79, 88, 183
Fire door keep shut	35, 37, 70, 79, 88, 131, 183
Fire door strips	35
Fire equipment sign	26
Fire escape	16
Fire escape keep clear	36, 79, 108, 183
Fire exit	16, 17, 18, 69, 71, 78, 88, 107, 130
Fire exit and evacuation	16, 78, 80
Fire exit and safe condition	69
Fire exit keep clear	16, 36, 70, 106, 131, 183
Fire extinguisher	25, 27, 70, 80, 108
Fire extinguishers	28, 262
Fire extinguishers and equipment	22, 70, 130
Fire extinguisher signs	24
Fire extinguishers stands	29, 263
Fire extinguisher symbol	25, 70
Fire hose reel	24, 26, 27, 80
Fire hydrant	26
Fireman's switch	26
Fire phone	26, 27
Fire point	26, 27,80, 130
Fire prevention	38
Fire safety	93
Fire safety and safe condition	14, 130
Fire safety log book	250
Fire safety signs	25
First aid	20, 69, 79, 106, 130
First aid and emergency posters	94
First aid and treatment	20
First aid box	20, 27
First aiders	20
First aid for burns	94
First aid for children	94
First aid for construction sites	93
First aid for eyes	94
First aid kits	21
First aid station	20, 27
First aid station	172
First aid symbol	20, 130, 187
First floor	72
Fissile	184
Fixings and hanging kits	18
Flammable	185
Flammable and gaseous	57
Flammable gas	57, 132, 184, 185, 186
Flammable liquid	57, 184, 185, 186
Flammable solid	57, 184
Flammable symbol	57, 187
Flange ball valve lockout	203
Flange tags	238
Flood	141, 145, 146
Floor graphics	106, 156
Floor markings	104
Floor marking tape	111
Floor signalling	109
Foam	24, 80, 130
Foam extinguishers	28, 262
Food preparation	39
Food preparation area	39
Food preparation area cooked food only	39
Food preparation area raw food only	39
Food preparation only	39
Food preparation & storage	93
Food production area protective clothing must be worn	40
Food safety temperatures	39
Food tins & drinks cans	98
Footpath closed	146, 149, 150
Footprints	109, 114
For fire use only	26
For hygiene reasons wash only hands here	40
Forklift area	108
Forklift safety	237
Fork & lift truck safety	93
For use on any fire	25
For use on electrical fires	25
Fourth floor	72
Fragile	183
Fragile handle with care	114
Fragile keep dry	114
Frail or disabled pedestrians	141
Fuse lockout	208

G

Gangway keep clear	36
Garden waste	98
Gas bottles	98
Gas cylinder lockout	213
Gases	121
Gate valve lockout	200
General information and wayfinding	72
General mandatory	38
General waste	98, 108
Gentlemen	84, 85, 87
Gents toilets	71, 134
Get a grip	136
Give way	141, 145, 146
Give way to oncoming traffic	140, 143, 145

Give way to oncoming vehicles	142
Glass	98, 108
Globally harmonised system (ghs) labels	187
Goods inwards	134
Goods outwards	134
Grain silo	63
Grass cutting	146, 149
Grinding wheels must be changed by authorised personnel	34
Grit bins	153, 265
Ground	72
Guards must be in position before starting	34
Guest room	85

H

Hacksaw	272
Hair protection must be worn	40
Hammer	272
Hand held line paint applicator	133, 264
Handle with care	183
Hand protection must be worn	33
Hand protection symbol	33
Hand sanitiser boards	41, 260
Hand wash only	40
Hand wash symbol	106
Hangers	171
Hard hat and high visibility vest to be worn in the area	34, 131
Hardware	269
Harmful substance	56
Harmonised cable notice	180
Hasps	198
Have you paid and displayed	143
Hazardous area	59, 102
Hazardous materials	98
Hazardous substances labels	184
Hazardous substances sheets	186
Hazard warning	52, 70, 132
Head protection must be worn	106
Health and safety at work act 1974	38
Health & safety at work guide	93
Health & safety for computer operators	93
Heavy do not lift	183
Heavy duty a-board	171
Heavy duty a-boards	102, 228
Heavy duty cable lockout	205
Heavy duty trolley	165
Heavy plant crossing	146, 150, 151
Hedgehog	141
Height restriction	140, 141
Highly flammable	133, 185
Highly flammable LPG	184, 185, 186
High visibility clothing must be worn	33, 131
High visibility vests must be worn	131
Highway maintenance	133
Highway / motorway maintenance	133
Hi viz must be worn	106
Hi viz symbol	106, 108
Hooks	171
Horses	63
Horses in transit	63
Hospital and radiology	62
Hot	61, 187
Hot surface	61
Hot water	61, 187
How to choose the right signage	10, 12
How to wash your hands	93
Hygiene	40
Hygiene posters	93, 159

I

Ice	146
In	75, 114, 143
In case of an emergency telephone	38
In case of fire break glass	18, 79
In case of fire sound alarm	38
Individual self adhesive numbers	258
Industrial stencil spray	115
In emergency turn to open	18
Infectious substance	184
Inspected	182
Instant hand sanitiser	40
Instant nails	271
Interior signs	82
In the event of fire do not use this lift	49
Isolation tags	238
It is an offence to smoke on these premises	46
It is illegal smoke on these premises	46

K

Keep 2m apart	157, 159
Keep a 2m minimum distance	161
Keep aisles clear	106
Keep a safe distance	157, 159, 161
Keep clear	16, 36, 106, 114, 131
Keep dry	114, 183
Keep left	107
Keep locked	37
Keep locked shut	70, 79, 183
Keep off	36
Keep out	36, 114, 131
Keep right	107
Keep shut	37
Keep these premises tidy	39
Keep this area clear	107
Keep this door closed	37
Keep this door locked when not in use	37
Keep this escape route clear	36
Key cabinets	270
Key covers	270
Key tags	270
Kitchen	85
Kitchen hygiene	93
Kitchen waste	98
Knife	272
Knowledge centre	8
Know your fire extinguisher colour code	24

L

Label packs	185
Label rolls	187
Labels	176
Labels on a roll	185
Ladder lockout	195
Ladder tagging system	233
Ladies	84, 85, 87
Ladies toilets	71, 134
Lanyards	29, 263
Large circuit breaker lockout	209
Large format digital printing	4
Large mcb lockout	208
Laser cutting and engraving	4
Lean stand	165
Left turn	141
Letters and numbers	116
Level	72

Lift	75
Lift correctly	38
Literature holder	221, 256
Loading bay keep clear	114
Lockable poster frames	267
Lockboxes	197
Locked out for safety	226, 227
Locker room	85
Lock out here	228
Lockout kit	224
Lockout kits	222
Lockout point	228
Lockout procedure in progress	102, 228
Lockout satchel	225
Lockout signs	228
Lockout station	220
Lockout stations	214, 217
Lockout stations: build your own	220
Lockout tagout	190
Lockout tagout station	221
Lockout tags	226
Lockout tags with eyelet	226
Lockout toolbox	225
LOLER safety	235
Lollipop signs	148
Long shackle padlock	192
Loose dogs	63
Loose gravel	141, 145
Lorry halt	65
Lounge	84, 86, 87
Low temperature	61
LPG highly flammable	57
'L' signal	109

M

Machinery	34
Machine safety	50
Machine safety symbol	50
Machine under maintenance	102
Magnetic document pockets	256
Magnetic 'easy wipe' racking strip	257
Magnetic letters and numbers	258
Magnetic lockout signs	228
Magnetic pieces	257
Magnetic sweepers	252
Magnetic tape	259, 271
Magnetic window frame	256
Magnetic wrap-around pockets	256
Main entrance	72
Maintenance in operation	228
Maintenance lockout kit	223
Male	74
Male attendant on duty	102
Male changing	74
Male symbol	74, 88, 134
Manager	86
Mandatory	30, 70, 79, 131
Medium circuit breaker lockout	208
Meeting room	85, 87
Men at work	58, 141, 145, 149
Men at work end	149
Menu frame stands	268
Merchandising	5, 246
Metals	98
MEWP safety	236
Mind the step	58, 85, 87
Mind your head	58, 84, 85, 87
Mind your step	102, 228
Mineral oils	122
Mini circuit breakers	207
Mini inserts	239
Mixed cable notice	180
Mixed hazards	56
Mixed paper & card	98, 108
Mobile phone	50
Mop	170
Mop bucket	170
Motor vehicles prohibited	140
Motorway maintenance	133
MOT signs	152
Mud on road	63, 150, 151
Multi-function circuit breaker lockout	209
Multi-message signage	64
Multi-purpose cable lockout	204
Multi-purpose frame	165
Multi-purpose frames	168

N

Near miss report book	250
Night worker do not disturb	87
No access to construction traffic	150
No admittance	73
No admittance authorised personnel only	49, 71
No admittance to unauthorised personnel	49
No admittance without protective clothing	49
No ball games	51
No cars allowed on site	49, 132
No children	49, 132
No climbing	48
No cold callers	87
No cycling	51
No dog fouling	114
No dogs	51
No dogs expect guide dogs	51
No drinking water	51
No eating, drinking or smoking in this area	51
No entry	48, 70, 73, 85, 107, 108, 114, 132, 140, 143, 145, 150, 151, 158
No entry symbol	49, 107, 132
No exit	48, 70, 85, 107, 114, 132, 143
No forklift trucks beyond this point	51
No fouling	51
No free newspapers or junk mail	84, 87
No hat, no boots, no job!	34, 131
No hawkers	86
No HGV parking	51
Noise	61
Noise at work	94
Noise hazard	61
No junk mail	84, 87
No left turn symbol	140
No loading at any time	142
Non flammable compressed gas	184, 185
Non flammable gas	184, 186
Non-ionising radiation	62
Non-reflective road signs	150
Non-slip floor tape	110
Non-slip floor treads	110
No pallet symbol	107
No parking	51, 87, 114, 132, 134, 143
No parking in front of these gates	143
No pedestrians	140
No phones symbol	50, 107
No public access	73
No reversing without a banksman	143

No right turn symbol	140
No running	51
No smoking	46, 70, 84, 85, 87, 114, 132
No smoking and prohibition	44
No smoking beyond this point	46, 71, 107
No smoking e-cigarettes permitted	47
No smoking including e-cigarettes	47
No smoking in this vehicle	47
No smoking it is an offence to smoke in this area	47
No smoking, no drinking, no eating symbol	51
No smoking or naked flames	47
No smoking smoke detectors in operation	47
No smoking symbol	46, 47, 88, 107
No smoking zone	46
No stopping	140
Not drinking water	51, 70, 187
Not drinking water symbol	51
No thoroughfare	49, 132
No unauthorised persons	49, 107, 108
No unauthorised persons allowed beyond this point	49, 132
No unauthorised persons to use this machine	50
No unauthorised vehicles beyond this point	49
No waiting	140
No waiting in this area	107
Now wash your hands	40, 70
Number packs	258

O

Office	84, 85, 87, 134
Office safety	93
Official health and safety posters	95
One way	142, 143, 146, 150, 151, 158
One way system in operation	161
Only the following trained and authorised persons to use this machine	50
Open the valve before running out hose	26
Open this end	183
Organic peroxide	184
Out	75, 114, 143
Out of order	102, 227, 228
Overpack	185
Oxidising agent	184
Oxidizing	185
Oxidizing agent	185

P

Packaging labels	183
Padlock cabinet	195
Padlock caddy	194
Padlock station	195
Padlock tags	270
Paper	98
Parking	51, 62
Passed	182
Pat testing labels	181
Pat test label	181
Pat test label - self laminating	181
Pavement signs	268
Pedestrian access	108
Pedestrian crossing point	150
Pedestrian route	106
Pedestrians	145, 149, 150, 151
Pedestrians crossing	145
Pedestrians please use other footpath	49, 150, 151
Pedestrian walkway	141, 150
Periodic inspection	180
Permanent fine liner pen	227
Permanent road signs	143
Permit document holder	251
Permit holders only	143
Permit to work forms	251
Permit to work must be obtained	38
Personal hygiene	93
Personal hygiene rules apply beyond this point	40
Personal protective equipment	93, 108
Personal protective equipment	32
Personnel	85
Pesticide	56
Pesticides	63
Phone symbol	75
Photoluminescent	76
Photoluminescent tape and floor markings	110
Pin and sleeve plug lockout	212
Pin board	267
Pipeline flow markers	120
Pipeline identification	118
Pipeline identification tape	122
Place all cigarette ends in the bin provided	48
Place all rubbish in bins provided	39
Plastic	98, 108
Plastic bottles	98
Please ask for assistance	75
Please clean as you go	39
Please do not waste water	84, 86, 87
Please keep 2m apart	156, 159
Please keep a safe distance	156, 159
Please keep closed	86
Please keep off the grass	134
Please keep shut	35
Please keep this gate shut	135
Please remove jewellery before commencing work	40
Please remove shoes	84
Please re-use your bath towels	84
Please reverse park	150, 151
Please ring for assistance	73
Please ring for attention	86, 87, 134
Please shut the door	84, 86, 87
Please stand here	157
Please switch off mobile phones	85
Please use other footpath	146
Please use the back door	86
Please wait here	156
Please wait to be served	157
Please wipe your feet	84, 87
Pliers	272
Plug and hoist control cover	225
Plug / pneumatic lockout	209
Pneumatic lockout	213
Poison	184, 185
Poison gas	184
Post clips	144
Powder extinguishers	28, 262
Power assisted door	183
Ppe safety mirrors	254

Premises management poster	159
Premium lockout bag	225
Premium lockout pouch	225
Press for exit	73
Prevent cross contamination	39
Preventing slips, trips & falls	94
Printed tape	259
Printer cartridges	98
Priority over oncoming vehicles	142, 145
Private	73, 84, 86, 87, 134
Private car park	134
Private parking	114
Private property	87, 114, 135, 151
Prohibition	70, 132
Projection signs	27
Protective clothing must be worn	33
Protective footwear must be worn	32, 131
Protective footwear symbol	32, 106
Protective gloves must be worn	33, 131
Protect your hands	33
PTO guards must be in position before starting	34
Pull	18, 75, 84, 86, 87, 88
Pull to open	18, 71, 79
Push	18, 75, 84, 86, 87, 88
Push bar to open	18, 69, 79, 130
Push button lockout	211
Push button to open	183
Push pad to open	18, 69
Push to open	18, 71, 79
PV array	180

Q

QA passed	182
Quality control	182
Quality control labels	182
Quarantine	182
Quarantine area	108, 135
Quarry signs	136
Queues likely ahead	141

R

Racking safety	236
Radiation controlled area	62
Radiation risk	62
Radioactive	184
Radioactive waste	62
Ramp ahead	146
Raw food preparation zone	39
RCD test label	180
Reception	72, 84, 85, 87, 134
Recycling	108
Recycling aisle sacks	99
Recycling signs	96
Reduce speed now	146
Reflective tape	110
Refuge fire exit	17
Refuge point	17, 69, 78, 79
Regulation and safety guidance	92
Rejected	182
Remember to close all doors	35
Report books	250
Report faulty machinery to the supervisor or person in charge	34
Residential electrical lockout kit	222
Residents parking only	143
Respect social distance	158
Respect social distancing	161
Restaurant	85
Restricted access	48
Rest rooms	85
Retractable cable lockout	204
Reverse parking only	143, 150, 151
Right turn	141
Risk assessment	94
Risk of ice	145
Road ahead closed	145
Road and traffic signs	138
Road closed	145, 149, 150
Road narrows	141, 145
Road sign fixings and posts	144
Road sign frames (stanchions)	147
Rock salt	153, 265
Roll-up signs	149
Roundabout	141
Roundabout ahead	141
Running man arrow	16, 17, 69, 130
Running man symbol	16, 17, 78, 108

S

Safe condition	79
Safe manual handling	94
Safety electrical connection	179
Safety first lock it out	228
Safety helmets and protective footwear must be worn in this area	34, 131
Safety helmets must be worn beyond this point	32, 131
Safety helmets must be worn in this area	32, 131
Safety helmets must be worn on this site	32, 131
Safety helmet symbol	106
Safety instruction	18
Safety light sticks	81, 264
Safety lockout padlocks	192
Safety mirrors	152, 255
Safety posters	90
Safety signs	9
Safety stars here	106
Scaffolding incomplete do not use	49, 132
Scaffold prohibition	235
Scaffold tagging system	232
Scaffold / tower tagging system	234
Scrapped	182
Screw covers & caps	269
Screwdriver	272
Screws	269
Seatbelt symbol	34
Second floor	72
Security padlocks	196
Self adhesive floor distance chevrons	158
Self adhesive floor & wall graphics	158
Self adhesive numbers	258
Self adhesive stickers	159
Serial no	182
Shadow board accessories	170
Shadow boards	164
Sheep grazing	63
Shooting in progress	63
Shoplifters will be prosecuted	135
Shovel	171
Showers	85
Shower symbol	75
Sign hasps	199
Silicone	271
Single file traffic	142, 146
Single sided lockout tags	226
Site access	146, 150
Site car park	134

Site entrance	146, 150, 151
Site hazard station	173
Site health & safety	93
Site office	134, 135, 151
Site pedestrian entrance	151
Site rules safety sign	160
Site safety	126, 127
Site safety notice board	127, 172, 173
Site safety notices	126
Site safety starts here	38, 126, 131, 151
Site sign pack	128, 129
Site surveys	3
Site traffic	146, 150, 151
Slide to open	18, 79
Slippery surface	62, 102, 106, 141, 145
Slippery when wet	70
Slow	146
Slow 5mph	114
Slow 10mph	114
Small tag station	221
Smoke door keep shut	37
Smoking area	48, 79, 130
Smoking is permitted in this area	48
Smoking permitted	48
Smoking prohibition	46
Smoking shelter	48
Smoking shelter located at	48
Snap frames	266
Snow and ice	102, 146
Social distancing	154
Social distancing in operation	159
Soil	98
Sound horn	38
Sound your horn	106
Spectrum services	3
Speed bump	141
Speed camera symbol	142
Speed control	151
Speed limit	150
Speed ramps	143, 150, 151
Spill kit located at	20
Split rings	270
Spontaneously combustible	184
Sprinkler control valve	26
Sprinkler stop valve	26
Squeegee	170
Staff car park	134
Staff only	73, 84, 86, 134
Staff room	73, 85, 87
Staff toilets	74
Stainless steel hasp	198
Stainless steel hooks	269
Stairs	72
Standard hasps	198
Stand clear of lift doors	107
Standoffs	171, 270
Steam	120
Steel cans	98
Steering wheel covers	255
Stencil letter and number kits	115
Stencils	114
Steps	72
Stop	140, 150, 151
Stop clean your hands	106
Stop machine before removing guards	34
Floor & wall graphics	158
Store room	85
Stores	134
Straight ahead	114
Stress management	93
Stretcher	79
Strictly no admittance	49, 132
Strictly no parking outside these premises	51, 150
Supplementary plates	146
Supplementary road signs	142
Surveying	146, 149
Survey point	114
Sweeping broom	170
Switch and socket cover	210
Switch off when not in use	34
Switch off your computer terminal before leaving work	34

T

'Tag and tie' station	221
Tagging systems	230
Tag station	220
Taktyle Braille finger plates	88
Taktyle Braille signs	66
Tape and floor markings	81
Tape measure	272
Telephone	85
Temperature	61
Temperature control	39
Temporary barriers	255
Temporary road signs	145
Temporary signs	160
Tested	182
Thank you for not smoking	47, 84, 85, 87
There is no lead on this roof	58, 132
The safe use of knives	39
These premises are alarmed	135
Thieves will be prosecuted	134
Think safe, work safe, be safe	39
Third floor	72
This area must be kept clear at all times	36, 39
This door is alarmed	36
This door must be kept unlocked when premises are occupied	37
This entrance must be kept clear	143
This equipment has been locked out	226, 227
This exit must be kept clear	143
This is an ear protection zone	106
This is a no smoking area	46, 47
This side up	183
This staircase and exit way to remain clear at all times	36
This toilet us inspected at regular intervals	39
This water is metered do not waste water	51
This way up	114, 185
Ticket holder	257
Tipping or dumping prohibited	50
Toilet	74, 84, 85, 87, 134
Toilets	71, 72, 75, 84, 85, 87, 134
Toilets symbol	72, 74, 88
Tools	272
Towel rail may be hot	84, 86, 87
Tower scaffold tagging system	234
Toxic	184, 185
Toxic gas	184
Tractor turning	63
Traffic control ahead	145, 149
Traffic light floor graphic pack	157

Traffic lights	141, 145
Trailing cables	62
Training	3
Tree cutting	146, 149
Trespassers will be prosecuted	134, 135
Trip hazard	62,102
'T' signal	109
Turn left	134
Turn right	134
Turn to open	18, 79

U

Ukca / ce marked permanent road signs	140
Ultra-fine permanent marker	272
Unauthorised persons not to use this machine	50
Unauthorised vehicles parked on this site will be wheel clamped	62
Unauthorised vehicles will be clamped	143
Underground tapes	135
Universal equipment inspection	238
Universal mcb lockout	207
Universal mini circuit breaker lockout	206
Universal mini mcb lockout	206
Universal 'tool free' mcb	206
UN placards to IMDG code	186
Unsafe	226
Unsafe equipment	227
Use by	182
Use crawl boards	59
Use ear protection when operating this machine	32
Use guards	34
Use handrail	38
Use hand sanitiser regularly	40
Use the stairs	18
Utensil wash only	40

V

Valve tags	244
Vegetable preparation only	39
Vehicles and contents are left entirely at owners risk	134, 143
Very hot water	61, 70
Visitor reserved	114
Visitors	86
Visitors car park	134

W

Waiting room	73, 85, 87
Wall bracket	171
Wall mount lockbox	197
Wall plugs	269
Warehouse & storage safety	94
Warning anti climb paint	60
Warning buried high voltage cables	55, 133
Warning danger live DC cables	180
Warning high voltage cables overhead	55, 133
Warning isolate elsewhere	179
Warning men working overhead	58, 133
Warning more than one point of isolation	179
Warning no mobile phones	50
Warning quarry workings	136
Warning these premises are under CCTV surveillance	60
Wash food equipment only	40
Wash hands after use	40
Wash hands only	40
Wash & sanitise your hands routinely	40
Wash utensils only	40
Wash your hands before commencing work	40
Watch your step	106, 108
Water	24, 80, 120, 130
Water extinguishers	28, 262
Way in	72, 134, 150, 151
Way out	72, 134, 143, 150, 151
WC	74
Wear ear protectors	32
Wear face mask	33
Wear face shield	33
Wear gloves	33
Wear goggles when using this machinery	32
Wear hairnet	40
Wear mask	33
Wear protective clothing	33
Wear protective footwear beyond this point	106
Wear respirator	33
Wear safety harness	33
Wear safety helmet	32
Wear welding mask	33
Wet chemical	24, 80
Wet floor	62, 102
Wet paint	62, 102
When red light shows wait here	146
Width restriction	140
Wipes	271
Wire brush	272
Wire hanging kit	270
Wire padlock	194
Wood & timber	98
Work at height	94
Work in progress	102
Workplace and general safety posters	93
Workplace first aid guide	93
Workplace supplies	248
Works access	146
Works traffic only	145
Wrench	272

X

'X' signal	109

Y

You are now entering a designated area	34
You must log in before commencing work	135
Your fire assembly point is	19
Your fire marshals are	26
Your first aider	20, 130

Product Code	Page
0001	32
0002	32, 131
0003	33
0004	33
0005	32
0006	32
0007	32
0008	32
0009	33
0010	33
0012	33
0013	33
0014	33
0015	33
0016	32
0018	38
0019	38
0022	33
0023	33
0024	34, 131
0025	32
0026	32
0027	32
0028	32
0029	39
0030	39
0031	38
0032	38
0033	38
0034	38
0040	32
0041	32
0042	32
0043	32
0044	33
0045	33
0046	32
0047	32
00 E 53	119
0100	34
0101	34
0102	34
0103	34
0104	34
0105	34
0106	34
0107	34
0108	34
0150	37
0151	37
0151P10	37

Product Code	Page
0151P20	37
0151V10	37
0151V20	37
0152	37
0153	37
0153P10	37
0153P20	37
0153V10	37
0153V20	37
0155	37
0156	37
0157	37
0158	36
0159	36
0160	36
0161	36
0163	36
0164	36
0165	35
0166	20, 35
0167	38
0168	38
0169	38
0170	35
0171	35
0172P10	37
0172P20	37
0173P10	37
0173P20	37
0174	35
0175	35
0176	36
0178	35
0200	35, 79
0201	35, 79
0202	35, 79
0203	16, 78
0204	17, 78
0220	37, 79
0250	38
0251	38, 131
0253	36, 131
0254	36
0255	36, 131
0256	36
0257	36
0258	36
0259	37
0260	37
0261	36
0262	36

Product Code	Page
0264	37
0265	37
0266	36
0268	36
0269	37
0270	36
0300	35
0301	35
0302	35
0303	35
0304	35
0305	35
0350	34
0351	34
0352	34
0353	37
0354	37
0355	36
0356	36
0400	39
0401	39
0402	39
0403	40
0404	40
0405	40
0406	40
0407	39
0408	40
0409	40
0410	40
0411	39
0413	40
0414	39
0415	39
0416	39, 51
0417	40
0419	39
0420	39
0421	40
0450	40
0451	40
0452	39
0453	39
0454	39
0455	39
0457	34
0458	39
0459	39
0460	39
04 E 53	119
0500	34

Product Code	Page
0501	34
0503	39
0550	46
0551	46
0552	46
0553	46
0553CLG	47
0553SAVV10	47
0554	46
0555	47
0556	51
0558	47
0559	46
0560	46
0561	46
0564	46
0566	46
0567	46
0568	46
0569	46
0570	46
0571	47
0572	46
0573	46
0574	46
0575	46
0576	46
0577	46
0578	46
0579	46
0581	47
0582	47
0583	50
0584	50
0585	50
0586	50
0587	51
0588	51
0589	51
0590	51
0600	48
0601	48
0602	48
0603	48
0604	51
0605	51, 132
0606	49
0607	51
0608	49
0609	49
0610	49

Product Code	Page
0611	49
0612	51
0613	49
0614	51
0615	50
0616	50
0617	50
0618	49, 132
0619	49, 132
0620	51
0621	51
0622	49
0650	50
0652	51
06 C 39	119
06 E 51	119
0700	50
0701	50
0702	50
0703	50
0705	50
0708	51
0709	50
0750	55
0751	55
0752	55
0753	55
0754	55
0755	55
0756	55
0757	55
0758	55
0759	55
0760	55
0761	55
0762	55
0763	55
0764	55, 63
0765	55
0766	54
0767	54
0768	54
0769	54
0770	54
0771	54
0772	54
0773	54
0774	54
0775	54
0777	54
0780	54

Product Code	Page
0781	54
0782	55
0783	54
0784	55
0786	54
0787	62
0788	54
0789	54
0790	54
0791	54
0792	54
0793	54
0800	56
0801	56
0802	57
0803	54
0804	60
0822	62
0823	62
0825	62
0826	62
0827	62
0828	62
0829	62
0830	62
0851	56
0852	56
0853	56
0854	56
0855	56
0856	56
0858	56
0859	56
0860	56
0861	56, 63
0863	56
0864	56
0865	56
0866	56
0867	56
0868	56
0870	57
0871	56
0872	56
0873	56
0874	56
08 C 35	119
08 E 51	119
0900	57
0901	57
0902	57

Product Code	Page
0903	57
0904	57
0905	57
0906	57
0907	57
0908	57
0909	57
0910	57
0912	57
0913	57
0914	57
0915	57
0916	57
0950	63
0951	60
0952	63
0953	60
0954	58
0955	63
0956	58
0957	58
0958	59
1001	63
1002	63
1003	63
1005	63
1050	62
1051	62
1052	62
10 A 03	119
11001	54
11002	54
11003	54
11004	54
11005	54
1100	59
11006	54
11007	54
11008	54
11009	54
11010	54
11011	54
11012	54
11013	55
11014	55
11015	55
11016	55
11017	55
11018	55
11019	55
11020	55

Product Code	Page
11021	55
11022	55
11023	55
11024	55
11025	55
1102	59
11026	55
11027	55
11028	55
11029	55
11030	55
11031	55
11032	55
11033	55
11034	55
11035	55
1103	59
11036	55
11037	55
11038	55
11039	62
11040	62
11041	62
11042	62
11043	58
11044	58
11045	58
1104	59
11046	58
11047	60
11048	60
11049	60
11050	60
11051	60
11052	60
11053	62
11054	62
11055	62
1105	58, 62
11056	62
11057	59
11058	59
11059	59
11060	59
11061	54
11062	54
11065	54
1106	62
11066	54
11067	54
11068	54

Product Code	Page
11069	54
11070	54
11073	55
11074	55
1107	62
11077	55
11078	55
11081	55
11082	55
11083	55
11084	55
11085	55, 129, 133
11086	55, 133
1108	62
11087	55, 133
11088	55, 133
11089	55
11090	55
11091	55
11092	55
11093	55
11094	55
11095	58
11096	58
11097	58
11098	58
11099	59
11100	59
11101	59
11102	59
11103	62
11104	62
1110	58
11106	62
11107	58
11108	58
11109	58
11110	58
11111	58
11112	58
11113	58
11114	58
11115	58
1111	58
11116	58
11117	62
11118	62
11119	62
11120	62
11121	58

Product Code	Page
11122	58
11123	58
11124	58
11125	59
1112	59
11126	59
11127	59
11128	59
11129	55
11130	55
11131	58
11132	58
11133	58
11134	58
11135	57
1113	60
11136	57
11137	57
11138	57
11139	61
11140	61
11141	61
11142	61
11143	62
11144	62
11145	56
1114	62
11146	56
11147	56
11148	56
11149	58
11150	58
11151	58
11152	58
11153	60
11154	60
11155	60
1115	59, 63
11156	60
11157	59
11158	59
11159	59
11160	59
11161	61
11162	61
11163	61
11164	61
11165	56
11166	56
11167	56, 63
11168	56, 63

Product Code	Page
11169	56
11170	56
11171	56
11172	56
11173	57
11174	57
11175	57
11176	57
11177	57, 132
11178	57, 132
11179	59
11180	59
11183	58, 133
11184	58, 133
11185	58, 133
11186	58, 133
11187	57
11188	57
11189	57
11190	57
11191	61
11192	61
11193	61
11194	61
11195	58
11196	58
11197	58
11198	58
11199	56
11200	56
11201	56
11202	56
11203	56
11204	56
11205	56
11206	56
11207	58
11208	58
11209	58
11210	58
11211	59
11212	59
11213	59
11214	59
11215	60
11216	60
11217	60
11218	60
11219	62
11220	62
11221	62

Product Code	Page
11222	62
11223	58
11224	58
11225	58
11226	58
11227	59
11228	59
11229	59
11230	59, 128, 129
11231	60
11232	60
11233	60
11234	60
11235	60
11236	60
11237	60
11238	60
11300	36
11301	36
11302	36
11303	36
11304	36
11305	36
11306	36
11307	36
11308	36
11309	36
11310	36
11311	36
11312	37
11313	37
11314	37
11315	37
11316	32
11317	32
11318	32
11319	32
11320	32
11321	32
11322	32
11323	32
11324	37, 131
11325	37, 131
11326	37, 131, 183
11327	37, 131
11328	37
11329	37
11330	37, 183
11331	37
11332	37

Product Code	Page
11333	37
11334	37, 183
11335	37
11336	37
11337	37
11338	37, 183
11339	37
11340	37
11341	37
11342	37
11343	37
11344	36
11345	36
11346	36
11347	36
11348	36
11349	36
11350	36, 183
11351	36
11352	34
11353	34
11354	34
11355	34
11356	39
11357	39
11358	39
11359	39
11360	36
11361	36
11362	36
11363	36
11364	36
11365	36
11368	39
11369	39
11370	39
11371	39
11372	39
11373	39
11374	39
11375	39
11376	39
11377	39
11378	39
11379	39
11380	33
11381	33
11382	33
11383	33
11384	32, 129, 131

Product Code	Page
11385	32, 131
11386	32, 131
11387	32, 131
11388	33
11389	33
11390	33
11391	33
11392	33, 129, 131
11393	33, 131
11394	33, 131
11395	33, 131
11396	32, 129, 131
11397	32, 131
11398	32, 131
11399	32, 131
11400	32
11401	32
11402	32
11403	32
11404	32, 129, 131
11405	32, 131
11406	32, 131
11407	32, 131
11408	32, 129, 131
11409	32, 131
11410	32, 131
11411	32, 131
11412	32, 131
11413	32, 128, 131
11414	36, 131
11415	36, 131
11416	36, 131
11417	36, 131
11418	36
11419	36
11420	36
11421	36
11422	33
11423	33
11424	33
11425	33
11426	32, 131
11427	32, 131
11428	32, 131
11429	32, 131
11430	33
11431	33
11432	33

Product Code	Page
11433	33
11434	33, 131
11435	33, 131
11436	33, 131
11437	33, 131
11438	33
11439	33
11440	33
11441	33
11442	32
11443	32
11444	32
11445	32
11446	32, 131
11447	32, 131
11448	32, 131
11449	32, 131
11450	32, 131
11451	32, 131
11452	36
11453	36
11454	32
11455	32
11456	32
11457	32
11458	38, 131
11459	38, 128, 129, 131
11460	38
11461	38
11462	35
11463	35
11464	35
11465	35
11466	35
11467	35
11468	35
11469	35
11470	40
11471	40
11472	40
11473	40
11474	40
11475	40
11476	40
11477	40
11478	40
11479	40
11480	40
11481	40
11482	40

Product Code	Page
11483	40
11484	40
11485	40
11486	40
11487	40
11488	40
11489	40
11490	39
11491	39
11492	39
11493	39
11494	39
11495	39
11496	39
11497	39
11500	39
11501	39
11502	39
11503	39
11504	40
11505	40
1150	58
11506	35
11507	35
11508	35, 131
11509	35, 131
11510	36, 131, 183
11511	36, 131
11512	36, 131
11513	36, 131
11514	36, 131
11515	36, 131
1151	58
11516	62
11517	62
1152	58
1153	54
1155	58
11600	49
11601	49
11602	49
11603	49
11604	49
11605	49
11606	49
11607	49, 128, 129
11608	49
11609	49
11610	49
11611	49

Product Code	Page
11612	49
11613	49
11614	49
11615	49
11616	49
11617	49
11618	49
11619	49
11620	49, 132
11621	49, 132
11622	49, 132
11623	49, 132
11624	49, 132
11625	49, 132
11626	51
11627	51
11628	51
11629	51
11630	48
11631	48
11632	48
11633	48
11634	49
11635	49
11636	51
11637	51
11638	51
11639	51
11640	50
11641	50
11642	51
11643	51
11644	51
11645	51
11646	50
11647	50
11648	50
11649	50
11650	49
11651	49
11652	49
11653	49
11654	49, 129, 132
11655	49, 132
11656	49, 132
11657	49, 132
11658	49
11659	49
11660	49
11661	49

Product Code	Page
11662	51, 132
11663	51, 132
11664	51, 132
11665	51, 132
11666	48, 132
11667	48, 132
11668	48, 132
11669	48, 132
11670	48, 132
11671	48, 132
11672	50
11673	50
11676	51
11677	51
11678	51
11679	51
11680	51
11681	51
11682	49, 132
11683	49, 132
11686	46
11687	46
11688	33, 129, 131
11689	33, 131
11690	25
11691	25
11800	46, 132
11801	46, 132
11802	46, 129, 132
11803	46, 132
11804	46, 132
11805	46, 132
1180	60
11806	47
11807	47
11808	46, 132
11809	46, 132
11810	46, 132
11811	46, 132
11812	46, 132
11813	46, 128, 129, 132
11814	47
11815	47
11816	47
11817	47
11818	47
11819	47
11820	47
11821	47

Product Code	Page
11822	47
11823	47
11824	47
11825	47
11826	47
11827	47
11828	46
11829	46
11830	46
11831	46
11832	47
11833	47
11834	47
11835	47
11840	47
11841	47
11842	47
11843	47
11844	47
11845	47
11846	46
11847	46
11848	46
11849	46
11850	47
11851	47
11852	47
11853	47
11854	46
11855	46
11860	46
11861	46
11862	46
11863	46
11864	46
11865	46
11876	47
11877	46
11878	46
11883	46
11884	46
11885	46
11886	46
11887	46
11888	46
11889	46
11890	46
11899	48
11900	48
11901	48
11902	48

Product Code	Page
11903	48, 130
11904	48, 130
11907	48
11908	48
11909	48
11910	48
11911	48
11912	48
11917	48
11918	48
11919	48
11920	48
11923	46
11925	47
11926	46
11927	49
11928	48
11929	60
12000	16, 130
12001	16, 130
12002	16, 130
12003	16, 130
12004	16
12005	16
1200	58
12006	16
12007	16
12008	16
12009	16
12010	16
12011	16
12012	17
12013	17
12014	17
12015	17
12016	17
12017	17
12018	17
12019	17
12020	16
12021	16
12022	16
12023	16
12024	17
12025	17
12026	17
12027	17
12028	19, 130
12029	19, 130
12030	19, 130

Product Code	Page
12031	19, 128, 129, 130
12032	18
12033	18
12034	18
12035	18
1203	58
12036	18
12037	18
12038	18, 130
12039	18, 130
12040	20, 130
12041	20, 130
12042	20
12043	20, 128, 129
12044	20
12045	20
12046	20
12047	20
12048	18
12049	18
12050	20, 130
12051	20, 130
12052	19
12053	19
12054	19
12055	19
1205	60
12056	19
12057	19
12058	19
12059	19
12060	19
12061	19
12062	19
12063	19
12064	19
12065	19
1206	59
12066	19
12067	19
12068	19
12069	19
12070	19
12071	19
12072	19
12073	19
12074	19
12075	19
1207	61
12076	19
12077	19
12078	19
12079	19
12080	19
12081	19
12082	19
12083	19
12084	19
12085	19
1208	61
12086	19
12087	19
12088	19
12089	19
12090	19
12091	19
12092	16, 130
12093	16, 130
12094	16, 130
12095	16, 130
1209	61
12096	16, 130
12097	16, 130
12098	16, 130
12099	16, 130
12100	16
12101	16
12102	16
12103	16
12104	16, 130
12105	16, 130
12106	16, 130
12107	16, 130
12108	16
12109	16
12110	16
12111	16
12128	16, 130
12129	16, 130
12130	16, 130
12131	16, 130
12132	16
12133	16
12134	16
12135	16
12136	18
12137	18
12138	18, 130
12139	18, 130
12140	18, 130
12141	18, 130
12142	18
12143	18
12144	18
12145	18
12300	24
12301	24
12302	24
12303	24
12304	24, 130
12305	24, 130
12306	24, 130
12307	24, 130
12308	24, 130
12309	24, 130
12310	24, 130
12311	24, 130
12312	24
12313	24
12314	25
12315	25
12316	25
12317	25
12318	26
12319	26
12322	25
12323	25
12324	25
12325	25
12326	25
12327	25
12328	25
12329	25, 128, 129
12330	26
12331	26
12332	26
12333	26
12334	26
12335	26
12336	26
12337	26
12338	25
12339	25
12340	25
12341	25
12342	26
12343	26
12344	25, 130
12345	25, 130
12346	26
12347	26
12348	26
12349	26
12350	26
12352	26
12353	26
12356	26
12357	26
12360	24
12361	24
12362	24
12363	24
12364	25
12365	25
12366	20, 130
12373	33, 131
12379	59, 132
12380	59, 129, 132
12381	59, 132
12382	59, 129, 132
12383	134
12385	38, 131
12388	20, 130
12390	20
12391	20, 130
12392	20, 130
12393	19, 130
12394	19, 130
12400	59, 132
12401	59, 132
12402	59
12403	59
12404	126
12405	126
12410	16, 78
12411	16, 78
12412	16, 78
12413	16, 78
12414	16, 78
12415	16, 78
12416	78
12417	78
12418	78
12419	78
12420	79
12421	79
12422	18, 79
12423	79
12424	20, 79
12425	79
12426	20, 79
12427	79
12428	18, 79
12429	18, 79
12432	17, 78
12433	17, 78
12434	35, 79
12436	79
12437	79
12438	25, 80
12439	26, 80
12440	80
12441	25, 80
12442	25, 80
12443	26, 80
12445	24, 80
12446	24, 80
12447	24, 80
12448	24, 80
12449	24, 80
12450	24, 80
12452	80
12453	80
12460	126, 128
12461	126, 128
12475	32, 131
12476	38, 131
12477	34, 131
12478	59
12479	59, 132
12480	49, 132
12481	49
12482	126
12483	126
12485	126
1250	61
12511	151
1251	61
12561	47
12562	58, 133
12563	55, 133
12564	55, 133
12565	58, 133
12566	58, 133
12567	59, 133
12568	57, 133
12569	57, 133
12571	49
12574	36, 131
12576	16, 130
12577	16, 130
12578	16, 130

Product Code	Page
12579	16, 130
12580	16, 130
12581	16, 130
12582	19, 130
12583	19, 130
12585	133
12587	133
12589	134
12590	134
12 D 45	119
13000	266
13001	266
13002	266
13003	266
13004	267
13005	267
1300	59
13006	267
13007	267
13008	267
13009	267
13010	267
13011	267
13015	81, 110
1301	59
13016	81, 110
13017	81, 110
13018	81, 110
13019	81, 110
13020	81, 110
13021	110
13022	110
13023	106
13024	106
13025	106
13026	106
13027	106
13028	106
13029	106
13030	106
13031	106
13032	106
13033	107
13034	107
13035	107
1303	61
13036	107
13037	107
13038	107
13039	107
13040	106

Product Code	Page
13041	106
13042	106
13043	107
13044	106
13045-1	140
13045	140
13046-1	140
1304	61
13046	140
13047-1	140
13047	140
13048-1	140
13048	140
13049-1	140
13049	140
13050-1	140
13050	140
13051-1	140
13051	140
13052-1	140
13052	140
13053-1	140
13053	140
13054-1	140
13054	140
13055-1	140
13055	140
13056-1	140
1305	61
13056	140
13057-1	141
13057	141
13058-1	141
13058	141
13059-1	141
13059	141
13060-1	141
13060	141
13061-1	141
13061	141
13062-1	141
13062	141
13063-1	141
13063	141
13064-1	141
13064	141
13065-1	141
13065	141
1306	59
13066-1	141
13066	141

Product Code	Page
13067-1	141
13067	141
13068-1	141
13068	141
13069-1	141
13069	141
13070-1	141
13070	141
13071-1	141
13071	141
13072-1	141
13072	141
13073-1	141
13073	141
13074-1	141
13074	141
13075-1	141
13075	141
1307	59
13076-1	141
13076	141
13077-1	143
13077	143
13078-1	143
13078	143
13079-1	143
13079	143
13080-1	143
13080	143
13081-1	143
13081	143
13082-1	143
13082	143
13083-1	143
13083	143
13084-1	143
13084	143
13085-1	143
13085	143
13086-1	143
1308	61
13086	143
13087-1	143
13087	143
13088-1	143
13088	143
13089-1	143
13089	143
13090-1	143
13090	143
13091-1	143

Product Code	Page
13091	143
13092	144
13093	144
13094	144
13095	144
1309	61
13096	144
13100-1	143
13100	143
13101-1	143
13101	143
13102-1	143
13102	143
13103-1	143
13103	143
13104-1	143
13104	143
13105-1	143
13105	143
13106-1	143
13106	143
1310	62
13107-1	143
13107	143
13108-1	143
13108	143
13109-1	143
13109	143
13110-1	143
13110	143
13111-1	143
13111	143
1311	60
13124-1	143
13124	143
13125-1	143
13125	143
13126-1	143
1312	60
13126	143
13127-1	143
13127	143
13128-1	143
13128	143
13129-1	145
13129	145
13130-1	145
13130	145
13131-1	145
13131	145
13132-1	145

Product Code	Page
13132	145
13133-1	145
13133	145
13134-1	145
13134	145
13135-1	145
13135	145
13136-1	145
1313	60
13136	145
13137-1	145
13137	145
13138-1	145
13138	145
13139-1	145
13139	145
13140-1	145
13140	145
13141-1	145
13141	145
13142-1	145
13142	145
13143-1	145
13143	145
13144-1	145
13144	145
13145-1	145
13145	145
13146-1	145
13146	145
13147-1	145
13147	145
13148-1	145
13148	145
13149-1	145
13149	145
13150-1	145
13150	145
13151-1	146
13151	146
13152-1	146
13152	146
13153-1	146
13153	146
13154-1	146
13154	146
1315	61
13157-1	146
13157	146
13158-1	146
13158	146

Product Code	Page
13159-1	146
13159	146
13160-1	146
13160	146
13161-1	146
13161	146
13162-1	146
13162	146
13163-1	146
13163	146
13164-1	146
13164	146
13165-1	145
13165	145
13166-1	145
1316	61
13166	145
13167-1	145
13167	145
13168-1	145
13168	145
13173-1	146
13173	146
13174-1	146
13174	146
13175-1	146
13175	146
13176-1	146
1317	61
13176	146
13177-1	146
13177	146
13178-1	146
13178	146
13179-1	146
13179	146
13180-1	146
13180	146
13181-1	145
13181	145
13182-1	145
13182	145
1318	61
13195	147
13196	147
13197	147
13198	147
13199	147
13200	147
13201	144
13206	93

Product Code	Page
13207	93
13208	93
13209	94
13210	93
13211	94
13212	93
13213	93
13214	94
13215	94
13216	94
13217	93
13218	94
13219	94
13220	94
13221	94
13222	94
13223	93
13224	94
13225	94
13226	93
13227	93
13228	93
13229	94
1330	39, 63
13316	47
13317	47
13318	47
13319	47
13320	47
13321	47
13330	48
13331	48
13332	48
13333	48
13334	51
13335	51
13336	49
13337	49
13338	51
13339	51
13340	46
13341	46
13344	60
13345	60
13346	17
13347	17
13348	17
13349	17
13350	17
13351	17
13352	18

Product Code	Page
13353	18
13354	18
13355	18
13358	20
13359	20
13362	92
13363	92
13364	92
13365	92
13367	16, 78
13368	16, 78
13378	18, 79
13379	79
13380	18, 79
13382	81, 110
13408	57
13409	57
13410	120
13411	120
13412	120
13413	120
13414	120
13415	120
13416	120
13417	120
13418	120
13419	120
13420	120
13421	120
13422	120
13423	120
13424	120
13425	120
13426	120
13427	120
13428	120
13429	120
13430	120
13431	120
13432	120
13433	120
13434	121
13435	121
13436	121
13437	121
13438	121
13439	121
13440	121
13441	121
13442	121
13443	121

Product Code	Page
13444	121
13445	121
13446	121
13447	121
13448	121
13449	121
13450	121
13451	121
13452	121
13453	121
13454	121
13455	121
13456	120
13457	120
13458	120
13459	120
13460	120
13461	120
13462	120
13463	120
13464	120
13465	120
13466	121
13467	121
13468	121
13469	121
13470	121
13471	121
13472	121
13473	121
13474	121
13475	121
13476	121
13477	121
13478	121
13479	121
13480	121
13481	121
13482	121
13483	122
13484	122
13485	122
13486	122
13487	122
13488	122
13489	122
13490	122
13491	122
13492	122
13493	122
13494	122

Product Code	Page
13495	122
13496	122
13497	122
13498	122
13499	122
1350	25
13507	122
13508	122
1351	25
1352	25
1353	25
1354	25
1356	25
1357	25
1358	26
1359	26
1360	24
1361	24
1362	24
1363	24
1364	24
13645	110
13646	110
13647	110
13648	110
13649	110
13650	110
13651	81, 110
13652	81, 110
13653	81, 110
13654	81, 110
13655	81, 110
13656	110
13657	256
13658	256
13660	256
13661	256
13663	257
13664	257
13665	257
13666	257
13667	257
13668	257
13669	257
13670	257
13671	257
13672	257
13673	257
13674	257
13687	258
13688	258

Product Code	Page
13689	258
13690	258
13691	258
13692	258
13693	258
13694	258
1370	24, 130
1371	24, 130
13711	259, 271
13712	259, 271
13714	267, 272
13715	267, 272
13716	267, 272
13717	267, 272
1372	24, 130
13721	92
13722	92
13723	184
13724	184
13725	184
13726	184
13727	184
13728	184
13729	184
13730	184
13731	184
13732	184
1373	24, 130
13733	184
13734	184
13735	184
13736	184
13737	184
13738	184
13739	184
13740	184
13741	184
13742	184
1374	24
13743	184
13744	184
13745	184
13746	184
13747	184
13748	184
13749	184
13750	184
13751	185
13752	185
1375	24
13753	185
13754	185
13755	185
13756	185
13757	185
13758	185
13759	185
13760	185
13761	185
13762	185
1376	24
13763	186
13764	186
13765	186
13766	186
13767	186
13768	186
13769	186
13770	186
13771	186
13772	186
13773	186
13774	186
13775	186
13776	186
13777	81, 110
13790	267
13791	267
13792	267
13794	63
13795	63
13796	63
13797	63
13798	63
13799	63
13800	63
13801	63
13802	63
13803	63
13804	63
13805	63
13806	63
13807	63
13809	63
13810	63
13811	63
13812	63
13813	63
13816	63
13817	63
13818	63
13819	63
13820	63
13821	63
13822	63
13823	63
13824	63
13825	63
13826	63
13827	63
13828	63
13829	63
13830	63
13831	63
13832	63
13835	63
13838	135
13840	35
13841	35
13842	35
13843	35
13845	84
13846	84
13847	84
13848	84
13849	84
13850	84
13851	84
13852	84
13853	84
13854	81, 264
13855	81, 264
13856	81, 264
13860	50
13861	50
13862	48
13863	48
13864	48
13865	48
13866	270
13867	270
13868	183
13870	183
13871	183
13872	183
13873	183
13876	183
13877	183
13878	183
13879	92
13880	17
13881	17
13885	134
13886	134
13887	134
13892	228
13893	228
13894	228
13895	228
13896	228
13897	228
13898	228
13899	228
13900	228
13901	228
13902	228
13903	228
13904	228
13905	228
13906	228
13907	228
13908	228
13909	228
13910	228
13911	228
13912	228
13913	228
13914	228
13915	228
13916	228
13917	228
13918	228
13919	228
13920	150, 151
13921	150, 151
13922	150, 151
13923	150, 151
13924	150, 151
13925	150, 151
13926	150, 151
13927	150, 151
13928	150, 151
13929	150, 151
13930	150, 151
13931	150, 151
13932	150, 151
13933	150, 151
13934	150, 151
13935	150, 151
13936	150, 151
13937	150, 151
13938	150, 151
13939	150, 151
13940	150, 151
13941	150, 151
13942	150, 151
13943	150, 151
13944	128, 129, 134
13945	134
13946	134
13947	134
13948	134
13949	49, 132
13950	49, 132
13952	34, 131
13953	128, 129, 151
13954	59, 132
13955	58
13956	59, 132
13957	151
13959	94
13960	94
13961	94
13962	59, 132
13963	36, 131
13964	33
13965	16
13966	16
13967	16
13968	16
13969	36, 131
13974	128
13975	128, 151
13976	34, 128
13977	48, 132
13978	48, 132
13979	150, 151
13980	150, 151
13981	150, 151
13982	150, 151
13983	20
13984	20
13985	50
13986	50
13987	60
13988	60
13989	147
13990	147
13991	147
13993-1	146
13993	146
13994-1	145
13994	145
13995-1	146

Product Code	Page
13995	146
13997-1	145
13997	145
13998	58
13999	54
14001	26, 130
14002	26, 130
1400	25
14003-1	145
14003	145
14006	147
14009	16
14010	16
14011	16
14012	16
1401	25
14013	19, 130
14014	19, 130
14015	17
14016	17
14017	151
14018	151
14019	135
14020	58, 132
14021-1	140
14021	140
14022-1	140
14022	140
1402	25
14023-1	140
14023	140
14024-1	140
14024	140
14025-1	140
14025	140
14026-1	140
14026	140
14027-1	140
14027	140
14028-1	140
14028	140
14029-1	140
14029	140
14030-1	140
14030	140
14031-1	140
14031	140
14032-1	140
14032	140
1403	25
14033-1	145

Product Code	Page
14033	145
14034	144
1404	26
14044-1	142
14044	142
14045-1	142
14045	142
14046-1	142
14046	142
14053-1	142
14053	142
14054-1	142
14054	142
14060-1	142
14060	142
14062	135
14063	135
14064	135
14065	135
14066	135
14067	135
14068	135
14069	135
14070	135
14071	135
14072	135
14073	110
14074	110
14083	268
14084	268
14085	268
14086	268
14087	268
14088	221, 256
14089	221, 256
14090	168, 221, 256
14091	172, 214, 215, 221, 256
14092	267
14093	267
14095	267
14096	267
14097	267
14098	267
14099	267
14100	267
14101	267
14102	267
14110	89
14111	89

Product Code	Page
14112-A-DH	89
14112-A-SA	89
14112-B-DH	89
14112-B-SA	89
14112-C-DH	89
14112-C-SA	89
14112-D-DH	89
14112-D-SA	89
14112	89
14113	89
14114	89
14119	149
14120	149
14125	149
14126	149
14127	149
14128	149
14129	149
14130	149
14131	149
14132	149
14133	149
14134	149
14135	149
14136	149
14137	149
14138	149
14139	149
14140	149
14141	149
14190	29, 263
14191	29, 263
14192	29, 263
14193	29, 263
14194	29, 263
14195	29, 263
14197	38
14198	38
14210	183
14212	63
14215	50
14216	50
14256	36, 131
14270	46
14271	46
14272	46
14274	19
14275	19
14276	33
14277	33
14286	130

Product Code	Page
14287	132
14288	132
14289	126
14290	47
14293	20, 130
14294	57, 133
14295	33, 131
14296	26, 130
14297	134
14298	134
14299	38, 131
14300	38, 131
14301	130
14302	46, 132
14303	129, 132
14304	33, 131
14305	35, 131
14306	35, 131
14307	134
14308	134
14309	134
14310	134
14311	134
14312	134
14313	134
14314	134
14315	134
14316	134
14317	18
14318	18
14319	18
14320	18
14321	20
14322	20
14323	20
14324	20
14325	20
14327	20, 130
14328	20, 130
14329	20
14330	20
14331	20
14332	20
14343	172
14345	24
14346	24
14347	24
14348	24
14349	24
14350	24
14351	24

Product Code	Page
14352	24
14353	24
14354	24
14355	28, 262
14356	28, 262
14357	28, 262
14358	28, 262
14359	28, 262
14360	28, 262
14361	28, 262
14364	28, 262
14365	28, 262
14366	28, 262
14367	28, 262
14368	28, 262
14369	28, 262
14370	29, 263
14371	29, 263
14372	29, 263
14373	29, 263
14375	29, 263
14381	26
14382	26
14383	26
14384	26
14385	50
14386	50
14389	48
14390	48
14391	51
14392	51
14393	51
14394	33
14395	33
14396	37
14397	37
14402	17
14403	17
14404	16
14405	16
14410	36, 131
14411	38
14412	38
14413	38
14414	38
14415	54
14416	54
14419	54
14420	54
14421	54
14422	54

Product Code	Page
1442	26
14423	54
14424	54
14425	54
14426	54
14427	54
14428	54
14429	54
14430	54
14431	55
14432	55
1443	26
14433	59
14434	59
14435	59
14436	59
14437	134
14438	134
14439	134
14440	134
14441	134
14442	134
14443	134
14444	134
14445	134
14446	134
14450	134
14451	134
14452	134
14453	134
14454	134
14455	134
14456	134
14457	134
14458	134
14459	134
14460	134
14461	134
14462	134
14463	134
14464	134
14465	134
14466	134
14467	134
14470	134
14471	134
14472	134
14473	134
14474	134
14475	134
14476	134

Product Code	Page
14477	134
14478	134
14479	134
14480	134
14481	134
14482	134
14483	134
14484	134
14485	134
14486	134
14487	134
14488	134
14489	134
14490	134
14491	134
14492	134
14493	134
14494	134
14495	134
14498	134
14499	134
14500	134
14501	134
14502	134
1450	26
14503	134
14504	134
14505	134
14506	134
14507	134
14508	150, 151
14509	150, 151
14511	129
1451	26, 130
14514	26, 130
14515	20, 130
14516	20, 130
14517	20, 130
14518	132
14520	133, 147, 264
14521	133, 147, 264
14522	133, 147, 264
14523	133, 147, 264
14524	133, 147, 264
14525	133, 147, 264
14526	133, 147, 264
14528	268

Product Code	Page
14561-1	145
14561	145
14562-1	145
14562	145
14563-1	145
14563	145
14564-1	145
14564	145
14565-1	145
14565	145
14566-1	145
14566	145
14569-1	145
14569	145
14570-1	145
14570	145
14571	149
14572	149
1457	26
14573	149
14574	150
14575	150
14576	150
14577	150
14578	150
14579	150
14580	150
14581	150
14582	150
1458	26
14583	150
14584	150
14585	150
14586	150
14587	150
14588	150
14589	150
14590	150
14591	150
14592	150
1459	26
14593	150
14594	150
14595	150
14596	150
14597	150
14598	150
14599	150
14600	150
14601	150
14602	150

Product Code	Page
1460	25
14603	150
14607	150
14608	150
14609	150
14610	150
14612	92
14613	92
14616	93
14617	93
14618	93
14619	93
14620	93
14621	94
14622	94
14625	268
14626	268
14627	268
14629	173, 221, 255
14630	221, 255
14631	256
14632	256
14634	256
14635	256
14637	115
14638	115
14639	115
14640	115
14641	115
14642	115
14643	115
14645-1	143
14645	143
14646-1	143
14646	143
14647-1	143
14647	143
14648	20
14649	20
14650	20
14651	20
14654	144
14655	144
14656	144
14657	144
14658	147
14659	147
14660	257
14661	257
14662	257

Product Code	Page
14663	257
14664	257
14665	257
14666	257
14667	257
14668	257
14669	257
14670	257
14671	257
14672	257
14673	257
14675	257
14678	257
14679	257
14684	257
14685	257
14709-1	140
14709	140
14710-1	140
14710	140
14711-1	140
14711	140
14712-1	140
14712	140
14713-1	140
14713	140
14714-1	140
14714	140
14715-1	141
14715	141
14716-1	141
14716	141
14717-1	141
14717	141
14718-1	141
14718	141
14719-1	141
14719	141
14720-1	141
14720	141
14721-1	141
14721	141
14722-1	141
14722	141
14723-1	145
14723	145
14724-1	145
14724	145
14725	29, 263
14726	29, 263
14727	29, 263

Product Code	Page
14728	29, 263
14729	29, 263
14730	29, 263
14731	29, 263
14732	29, 263
14733	146
14734	146
14735	146
14736	146
14737	146
14738	146
14739	146
14740	146
14741	146
14742	146
14743	146
14744	146
14745	146
14746	146
14747	146
14748	146
14753	146
14754	146
14755	146
14756	146
14757	146
14758	146
14759	146
14760	146
14761	146
14762	146
14763	17
14764	17
14769	46, 132
14770	94
14771	94
14774	266
14775	266
14776	267
14778	267
14780-1	145
14780	145
14781-1	145
14781	145
14782-1	145
14782	145
14783-1	145
14783	145
14789	183
14790	18
14791	18

Product Code	Page
14792	18
14793	18
14794	18
14795	18
14796	18
14797-1	140
14797	140
14798-1	140
14798	140
14799-1	140
14799	140
14800-1	140
14800	140
14801-1	140
14801	140
1480	19
14802-1	140
14802	140
14803-1	142
14803	142
14804-1	145
14804	145
14805-1	145
14805	145
14806	150
14807	150
14808	150
14809	47
14810	47
14811	47
1481	19
14812	47
14813	47
14814	47
14815	47
14816	47
14817	47
14818	47
14819	47
14820	33
14821	270
1482	19
14822	271
14823	271
14824	269
14825	269
14826	269
14828	271
1483	19
1484	19
14842	267

Product Code	Page
14843	267
14848	110
14851	110
1485	19
14852	17
1486	19
1487	19
14876	92
14877	92
14878	57, 133
14880	34
14884	250
14886	250
14887	251
14888	251
14889	251
14890	251
14891	251
14892	251
14893	251
14894	251
14895	251
14896	251
14897	251
14898	251
14899	251
14900	128, 129, 172, 173, 250
14901	172, 250
14902	250
14903	168, 221, 256
14904	39
14907	148
14908	148
14909	148
14910	148
14917	146
14918	146
14921	148
14922-1	141
14922	141
14924-1	146
14924	146
14925-1	146
14925	146
14926	106
14927	106
14928	40
14929	40
14963	40

Product Code	Page
14964	40
14965	40
14966	40
14967	40
14968	40
14969	51
14970	51
14971	51
14972	51
14973	46
14974	46
14975	36
14976	48
14977	20
14978	20
14979	142
14980	142
14981	142
1498	17
14982	142
14983	142
14984	142
14985	142
14986	142
14987	142
14988	142
1499	17
1500	17
1501	17
15015	24
15016	59
15017	58
15018	56
15019	64
15020	60
1502	16
15021	60
15022	32
15023	62
15024	36
15025	50
15026	46
15027	126
15028	55
15029	61
15030	38
15031	50
1503	16
15032	17
15033	20
15034	49

Product Code	Page
15035	18
15036	51
15037	48
15038	48
15039	62
15040	33
15041	33
1504	16
15042	33
15043-10	160
15043-1	160
15043-50	160
15043-5	160
15044	160
15045	160
15046	36
15047	49
15048	24
15049	24
15050	35
15051	35
1505	16
15052	59
15053	20
15054	20
15055	38
15056	134
15057	60
15058	58
15059	58
15060	58
15061	58
1506	16
15062	135
15063	134
15064	78
15066	134
15068	221, 256
1507	16
1508	16
1509	16
1510	16
1511	16
1512	16
1513	16
1514	16
1515	17
1516	16
1517	17
1518	17
1519	17

Product Code	Page
1520	17
1521	17
1522	18
1523	18
1524	18
1525	18
1526	19
1527	19
1528	17
1529	17
1530	17
1531	17
1532	18
1533	18
1534	18, 130
1535	19
1536	18
1537	17
1538	18
1539	17
1540	16
1541	19
1542	18
1543	18
1550	20
1551	20
1552	20
1553	20
1554	20
1555	20
1557	20
1570	26, 80
1571	25, 80
1572	25, 80
1573	24, 80
1574	24, 80
1575	24, 80
1576	24, 80
1577	25, 80
1578	24, 80
1580	16, 78
1581	16, 78
1582	16, 78
1583	16, 78
1584	18, 79
1585	18, 79
1586	19, 79
1587	18, 79
1588	79
1589	18, 79
1590	24, 80

Product Code	Page
1591	24, 80
1592	24, 80
1593	24, 80
1594	17, 79
1595	24, 80
16000	106
16001	106
16002	106
16003	106
16004	106
16005	106
16006	106
16007	107
16008	106
16009	106
16010	107
16011	107
1601	135
16012	107
16013	107
16014	107
16015	107
16016	107
16017	107
16018	107
16019	107
16020	107
16021	107
16022	107
16023	107
16024	109
16025	109
16026	109
16027	109
16028	109
16029	109
16030	109
16031	109
16032	109
16033	109
16034	109
16035	109
16036	109
16037	109
16038	109
16039	109
16040	109
16041	109
1604	135
16042	109
16043	109

Product Code	Page
16044	109
16045	109
16046	109
16047	109
16048	109
16049	109
16050	109
16051	109
16052	109
16053	109
16054	109
16055	109
16056	109
16057	109
16058	109
16059	109
16060	108
16061	108
16062	108
16063	108
16064	108
16065	108
16066	108
16067	108
16068	108
16069	108
16070	108
16071	108
1607	60, 135
16072	108
16073	108
16074	108
16075	108
16076	108
16077	108
16078	108
16079	108
16080	108
16081	108
16082	108
16083	108
16084	108
16085	107
16086	107
16087	107
16088	107
16089	108
16090	108
16091	108
1609	135
16092	108

Product Code	Page
16093	108
16094	108
16095	64
16100	257
16101	257
1610	135
16102	257
16103	257
16104	257
16105	257
16106	257
16107	257
16108	257
16109	257
16110	257
16111	257
1611	135
16112	257
16113	257
16114	257
16115/BLACK	256
16115/BLUE	256
16115/ GREEN	256
16115/RED	256
16115/YEL-LOW	256
16116/BLACK	256
16116/BLUE	256
16116/ GREEN	256
16116/RED	256
16116/YEL-LOW	256
16117	257
16118	258
16119	258
16120	258
16121	258
16122	258
16123	258
16124	258
16125	258
16126	258
16127	258
16128	258
16129	258
16130	259
16131	259
16132	259
16133	259
16134	258
16135	258

Product Code	Page
16136	258
16137	258
16138	258
16139	258
16140	258
16141	258
16142	258
16143	258
16144	258
16145	258
16146	258
16147	258
16148	258
16149	258
16150	258
16151	258
16152	258
16153	258
16154	258
16155	258
16156	258
16157	258
16158	258
16159	258
16160	258
16161	258
16162	258
16163	258
16164	258
16165	258
16166	258
16167	258
16168	258
16169	258
16170	258
16171	258
16172	258
16173	258
16174	258
16175	258
1617	62
16176	258
16177	258
16178	258
16179	258
16180	258
16181	258
1618	135
16182	258
16183	258
16184	258

Product Code	Page
16185	258
16186	258
16187	258
16188	258
16189	258
16190	258
16191	258
16192	258
16193	258
16194	258
16195	258
1619	62
16196	258
16197	258
16198	258
16199	258
16202	58
16203	60
16204	60
1620	62
1630	48
1631	48
1632	48
1651	135
1652	135
1653	135
1654	135
1658	49
1659	135
1680	39
1681	39
1682	39
1683	16, 130
1684	16, 130
1685	16, 130
1686	16, 130
1687	16
1688	16
1689	16
1690	16
1691	16
1692	16, 130
1693	38
17020	17, 78
17021	17, 78
17040	17, 78
17041	17, 78
17080	16, 78
17081	16, 78
17082	16, 78
17083	16, 78
17084	16, 78
17085	16, 78
17086	16, 78
17087	16, 78
17088	16, 78
17089	16, 78
17090	16, 78
17091	16, 78
17092	17, 78
17093	78
17094	78
17095	78
17096	78
17097	16, 78
17098	17, 78
17099	17, 78
17100	17, 78
17101	17, 78
17102	17, 78
17107	18, 79
17108	18, 79
17109	79
17110	79
17111	79
17112	18, 79
17113	18, 79
17114	20, 79
17115	79
17116	20, 79
17117	18, 79
17118	18, 79
17119	18, 79
17120	17, 79
17121	19, 79
17122	18, 79
17123	79
17124	18, 79
17125	18, 79
17126	18, 79
17127	79
17128	37, 79
17129	37, 79
17130	37, 79
17131	37, 79
17132	37, 79
17133	37, 79
17134	37, 79
17135	37, 79
17136	37, 79
17137	36, 79
17138	36, 79
17139	79
17140	35, 79
17141	35, 79
17142	79
17143	79
17144	35, 79
17145	35, 79
17146	25, 80
17147	25, 80
17148	25, 80
17149	25, 80
17150	26, 80
17153	26, 80
17154	25, 80
17155	80
17156	25, 80
17157	26, 80
17159	24, 80
17160	24, 80
17161	24, 80
17162	24, 80
17163	24, 80
17164	24, 80
17165	24, 80
17166	24, 80
17167	24, 80
17168	24, 80
17169	24, 80
17170	24, 80
17171	24, 80
17172	24, 80
17173	24, 80
17174	24, 80
17175	24, 80
17176	24, 80
17177	24, 80
17178	24, 80
17179	24, 80
17180	24, 80
17181	24, 80
17182	24, 80
17183	24, 80
17184	24, 80
17226	50
17227	50
17228	50
17229	50
17230	65
17331	221, 256
17332	127
17333	128
17334	129
17335	129
17339	35
17349	19
17351	19
17357	20
17365	35
17366	19
17367	20
17368	20
17376	33
17378	20
17385	20
17391	17
17393	19
17401P	180
17402P	180
17403P	180
17900	136
17901	136
17902	136
17903	136
17904	136
17905	136
17906	136
17907	136
17908	136
17909	136
17910	136
17911	136
17912	136
17913	136
17914	136
17915	136
17916	136
17917	136
17918	136
17919	136
17920	136
17921	136
17922	136
17923	136
17924	136
17925	136
17926	136
17927	136
17928	136
17929	136
17930	136
17931	136
17932	136
17933	136
17934	136
17935	136
17936	136
17937	136
17938	136
17939	136
18000	187
18001	187
18002	187
18003	187
18004	187
18005	187
18006	187
18007	187
18008	187
18009	187
18010	187
18011	187
18012	187
18013	187
18014	187
18015	187
18016	187
18017	187
18100	98
18101	98
18102	98
18103	98
18104	98
18105	98
18106	98
18107	98
18108	98
18109	98
18110	98
18111	98
18112	98
18113	98
18114	98
18115	98
18116	98
18117	98
18118	98
18119	98
18120	98
18121	98
18122	98
18123	98
18124	98
18125	98

Product Code	Page
18126	98
18127	98
18128	98
18129	98
18130	98
18131	98
18132	98
18133	98
18134	98
18135	98
18136	98
18137	98
18138	98
18139	98
18140	98
18141	98
18142	98
18143	98
18144	98
18145	98
18146	98
18147	98
18148	98
18149	98
18150	98
18151	98
18152	98
18153	98
18154	98
18155	98
18156	98
18157	98
18158	98
18159	98
18160	98
18161	98
18162	98
18163	98
18164	98
18165	98
18166	98
18167	98
18168	98
18169	98
18170	98
18171	98
18172	98
18173	98
18174	98
18175	98
18176	98

Product Code	Page
18177	98
18178	98
18179	98
1828	17
1829	17
18300	254
18301	254
1830	17
18302	254
18303	254
18304	254
18305	254
1831	17
1832	17
1833	17
1834	17
1835	17
18500	152
18501	152
1850	186
18502	152
18503	152
18504	152
18505	152
18506	152
1850S	184
1851	186
1851S	184
1852	186
1852S	184
1853	186
1853S	184
1854	186
1854S	184
1855S	184
1856S	184
1857S	184
1858S	184
1859S	184
1860	186
1860S	184
1861	186
1861S	184
1862	186
1862S	184
1863	186
1863S	184
1864	186
1864S	184
1865S	184
1866S	184

Product Code	Page
1867S	184
1868S	184
1869S	184
1870S	184
1871S	184
1882	17
1883	17
1884	17
18 E 53	119
1914	133
1915	133
1918	133
1928	17, 78
1929	17, 78
1930	17, 78
1931	17, 78
1942	133
1944	133
1945	133
1946	133
1947	133
1948	133
1982	17, 78
1983	17, 78
1984	17, 78
20660	153, 265
20661	153, 265
20662	153, 265
20663	153, 265
20664	153, 265
20 E 51	119
22 C 37	119
2434-0	88
2434-2	88
2435-0	88
2435-2	88
2436-0	88
2436-2	88
2439-0	35, 88
2439-2	35, 88
2440-0	88
2440-2	88
2441-0	35, 88
2441-2	35, 88
2442-0	88
2442-2	88
2443-0	88
2443-2	88
2444-0	35, 88
2444-2	35, 88
2470-0	88

Product Code	Page
2470-2	88
2471-0	88
2471-2	88
2472-0	88
2472-2	88
3210	183
3211	183
3503	51
3506	51
3521	134
3531	134
3540	59
3545	60
3550	19
3601	62
3602	62
4000	32, 131
4001	34, 131
4002	38, 131
4003	36, 131
4004	59, 132
4005	59, 132
4006	59
4007	33, 131
4008	59
4009	34, 131
4010	64
4011	64
4012	64
4013	64
4014	64
4015	64
4016	64
4017	64
4018	64
4019	64
4020	34, 128, 129, 131
4025	64
4030	64
4031	64
4050	46
4051	51, 132
4052	49, 132
4053	49
4054	49, 132
4055	49, 132
4100	60
4101	58
4102	59, 132
4103	58

Product Code	Page
4104	58
4105	58
4106	58
4107	59
4108	59
4109	59
4110	59
4200	16
4201	16
4202	16
4203	16
4204	17
4205	17
4206	17
4207	17
4208	17
4230	151
4240	20, 92
4250	151
4251	128, 129. 151
4252	151
4253	49
4300	151
4301	151
4320	150
4321	150, 151
4322	150, 151
4323	150, 151
4330	150, 151
4331	150, 151
4340	150, 151
4341	150, 151
4350	150, 151
4351	150
4355	150, 151
4356	150, 151
4357	150, 151
4358	150, 151
4410	27
4411	27
4412	27
4413	27
4414	27
4460	27
4461	27
4462	27
4463	27
4464	27
4465	27
4500	151

Product Code	Page
4550-EIRE	126
4550	126, 128, 129
4551	126
4552	126
4700	102, 228
4701	102
4702	102, 171
4703	102
4704-EU	102
4704	102
4705	102, 228
4706	102
4707	102, 224, 228
4708	102, 228
4709	102, 228
4710	102, 228
4711	102
4712	102
4713	102
4714	102
4715	102
4716	102
4717	102
4719	102
4723	47
4724	50
4725	51
4741	102
4742	102
5000	33
5001	32
5002	33
5003	34
5004	37
5005	37
5006	36
5007	36
5008	36
5009	37
5010	34
5011	37
5012	36
5013	39
5014	40
5015	32
5016	32
5050	46
5051	51, 61
5052	48
5053	48
5054	49
5055	49
5056	51
5057	51
5058	50
5100	55
5101	55
5102	57
5103	57
5104	57
5105	57
5106	57
5107	57
5108	57
5109	58
5110	58
5111	62
5112	58
5113	59
5114	59
5115	61
5116	61
5150	25
5151	25
5152	26
5200	16
5201	16
5202	16
5203	16
5204	16
5205	16
5206	16
5207	18
5208	18
5209	18
5210	18
5211	18
5212	20
5213	18, 61
5214	48
5215	18
5254	60
6000	85
6000C	85
6001	85
6001C	85
6002	85
6002C	85
6003	85
6003C	85
6004	85
6004C	85
6005	85
6005C	85
6006	85
6006C	85
6007	85
6007C	85
6008	85
6008C	85
6009	85
6009C	85
6010	85
6010C	85
6011	85
6011C	85
6012	86
6012C	86
6013	86
6013C	86
6014	85
6014C	85
6015	86
6015C	86
6016	85
6016C	85
6017	85
6017C	85
6018	85
6018C	85
6019	86
6019C	86
6020	86
6020C	86
6021	86
6021C	86
6022	86
6022C	86
6023	86
6023C	86
6024	85
6024C	85
6025	85
6025C	85
6026	85
6026C	85
6027	85
6027C	85
6028	86
6028C	86
6029	85
6029C	85
6030	85
6030C	85
6031	86
6031C	86
6032	86
6032C	86
6033	86
6033C	86
6034	86
6034C	86
6035	85
6035C	85
6036	85
6036C	85
6037	86
6037C	86
6038	86
6038C	86
6039	85
6039C	85
6040	86
6040C	86
6041	86
6041C	86
6042	86
6042C	86
6043	86
6043C	86
6044	86
6044C	86
6045	85
6045C	85
6046	86
6046C	86
6047	86
6047C	86
6048	86
6048C	86
6049	86
6049C	86
6050	86
6050C	86
6051	85
6051C	85
6052	85
6052C	85
6053	85
6053C	85
6054	85
6054C	85
6055	85
6055C	85
6056	85
6056C	85
6057	85
6057C	85
6058	85
6058C	85
6059	86
6059C	86
6300	84
6301	84
6302	84
6303	84
6304	84
6305	84
6306	84
6307	84
6308	84
6309	84
6310	84
6311	84
6312	84
6313	84
6314	84
6315	84
6316	84
6317	84
6318	84
6400	87
6400C	87
6401C	87
6401	87
6402	87
6402C	87
6403	87
6403C	87
6404	87
6404C	87
6405	87
6405C	87
6406	87
6406C	87
6407	87
6407C	87
6408	87
6408C	87
6409	87
6409C	87
6410	87
6410C	87
6411	87

Product Code	Page
6411C	87
6412	87
6412C	87
6413	87
6413C	87
6414	87
6414C	87
6415	87
6415C	87
6416	87
6416C	87
6417	87
6417C	87
6418	87
6418C	87
6419	87
6419C	87
6420	87
6420C	87
6421	87
6421C	87
6422	87
6422C	87
6423	87
6423C	87
6424	87
6424C	87
6425	87
6425C	87
6426	87
6426C	87
6427	87
6427C	87
6428	87
6428C	87
6429	87
6429C	87
6430	87
6430C	87
6431	87
6431C	87
6432	87
6432C	87
6433	87
6433C	87
6434	87
6434C	87
6435	87
6435C	87
6436	87
6436C	87

Product Code	Page
6437	87
6437C	87
6438	87
6438C	87
6439	87
6439C	87
6440C	87
6440	87
6441	87
6441C	87
6442	87
6442C	87
6443	86
6443C	86
90697	271
90699	271
91204	271
91205	271
91216	271
91217	271
91490	271
93361	271
9403	115
9404	115
9405	115
9406	115
9410	115
9411	115
9414	115
9415	115
9416	115
9417	115
9418	115
9419	115
9500	114
9500G	114
9500J	114
9500R	114
9502	114
9502G	114
9502J	114
9502R	114
9506	114
9506G	114
9506J	114
9506R	114
9507	114
9507G	114
9507J	114
9507R	114
9508	114

Product Code	Page
9508G	114
9508J	114
9508R	114
9509	114
9509G	114
9509J	114
9509R	114
9525	114
9525G	114
9525J	114
9525R	114
9527	114
9527G	114
9527J	114
9527R	114
9528	114
9528G	114
9528J	114
9528R	114
9529	114
9529G	114
9529J	114
9529R	114
9530	114
9530G	114
9530J	114
9530R	114
9532	114
9532G	114
9532J	114
9532R	114
9534	114
9534G	114
9534J	114
9534R	114
9535	114
9535G	114
9535J	114
9535R	114
9537	114
9537G	114
9537J	114
9537R	114
9538	114
9538G	114
9538J	114
9538R	114
9539	114
9539G	114
9539J	114
9539R	114

Product Code	Page
9540	114
9540G	114
9540J	114
9540R	114
9542	114
9542G	114
9542J	114
9542R	114
9543	114
9543G	114
9543J	114
9543R	114
9562	114
9562G	114
9562J	114
9562R	114
9564	114
9564G	114
9564J	114
9564R	114
9565	114
9565R	114
9565J	114
9565G	114
9566	114
9566G	114
9566J	114
9566R	114
9571	114
9571G	114
9571J	114
9571R	114
9575	114
9575G	114
9575J	114
9575R	114
9576	114
9576G	114
9576J	114
9576R	114
9581	114
9581G	114
9581J	114
9581R	114
9582	114
9582G	114
9582J	114
9582R	114
9700-1000	117
9700-850	117
9701-1000	117

Product Code	Page
9701-850	117
9702-1000	117
9702-850	117
ADFSign-A	123
ADFSign-A	175
ADFSign-B	175
ADFSign-C	175
ADFSign-D	123
ADFSign-D	175
ADFSign-E	175
BH04L	272
BH10L	272
Black	119
BR01&CP	116
BR01&P	116
BR010CP	116
BR010P	116
BR011CP	116
BR011P	116
BR012CP	116
BR012P	116
BR013CP	116
BR013P	116
BR014CP	116
BR014P	116
BR015CP	116
BR015P	116
BR016CP	116
BR016P	116
BR017CP	116
BR017P	116
BR018CP	116
BR018P	116
BR019CP	116
BR019P	116
BR01ACP	116
BR01AP	116
BR01BCP	116
BR01BP	116
BR01CCP	116
BR01CP	116
BR01DCP	116
BR01DP	116
BR01ECP	116
BR01EP	116
BR01FCP	116
BR01FP	116
BR01GCP	116
BR01GP	116
BR01HCP	116
BR01HP	116

Product Code	Page
BR01ICP	116
BR01IP	116
BR01JCP	116
BR01JP	116
BR01KCP	116
BR01KP	116
BR01LCP	116
BR01LP	116
BR01MCP	116
BR01MP	116
BR01NCP	116
BR01NP	116
BR01OCP	116
BR01OP	116
BR01PCP	116
BR01PP	116
BR01QCP	116
BR01QP	116
BR01RCP	116
BR01RP	116
BR01SCP	116
BR01SP	116
BR01TCP	116
BR01TP	116
BR01UCP	116
BR01UP	116
BR01VCP	116
BR01VP	116
BR01WCP	116
BR01WP	116
BR01XCP	116
BR01XP	116
BR01YCP	116
BR01YP	116
BR01ZCP	116
BR01ZP	116
BR01£CP	116
BR01£P	116
BR01€CP	116
BR01€P	116
BR02&CP	116
BR02&P	116
BR020CP	116
BR020P	116
BR021CP	116
BR021P	116
BR022CP	116
BR022P	116
BR023CP	116
BR023P	116
BR024CP	116

Product Code	Page
BR024P	116
BR025CP	116
BR025P	116
BR026CP	116
BR026P	116
BR027CP	116
BR027P	116
BR028CP	116
BR028P	116
BR029CP	116
BR029P	116
BR02ACP	116
BR02AP	116
BR02BCP	116
BR02BP	116
BR02CCP	116
BR02CP	116
BR02DCP	116
BR02DP	116
BR02ECP	116
BR02EP	116
BR02FCP	116
BR02FP	116
BR02GCP	116
BR02GP	116
BR02HCP	116
BR02HP	116
BR02ICP	116
BR02IP	116
BR02JCP	116
BR02JP	116
BR02KCP	116
BR02KP	116
BR02LCP	116
BR02LP	116
BR02MCP	116
BR02MP	116
BR02NCP	116
BR02NP	116
BR02OCP	116
BR02OP	116
BR02PCP	116
BR02PP	116
BR02QCP	116
BR02QP	116
BR02RCP	116
BR02RP	116
BR02SCP	116
BR02SP	116
BR02TCP	116
BR02TP	116

Product Code	Page
BR02UCP	116
BR02UP	116
BR02VCP	116
BR02VP	116
BR02WCP	116
BR02WP	116
BR02XCP	116
BR02XP	116
BR02YCP	116
BR02YP	116
BR02ZCP	116
BR02ZP	116
BR02£CP	116
BR02£P	116
BR02€CP	116
BR02€P	116
CAR-SEAL02-100	245
CAR-SEAL03-100	245
CAR-SEAL04-100	245
CAR-SEAL05-100	245
CAR-TAG001	245
CAR-TAG002	245
CJ136L	269
CJ138L	269
CJ37P	269
E0202	152, 255
E0205	152, 255
E0206	152, 255
E0207	152, 255
E0208	152, 255
E0209	152, 255
E0210	152, 255
FA135L	269
FA136L	269
FA159L	269
FA160L	269
FA161L	269
FA171L	269
FA172L	269
FA174L	269
FA175L	269
FA176L	269
FA231L	269
FA303L	269
FA305L	269
FA362L	269
FP01L	88
FP05L	88
FP09L	88

Product Code	Page
FP13L	88
GN02L	271
HE85L	171, 214, 215, 269
HE89L	171, 269
HM02L	272
HSB01B-AD	41, 260
HSB01B-MD	41, 260
HSB01B	41, 260
HSB01T-AD	41, 260
HSB01T-MD	41, 260
HSB01T	41, 260
HSB02B-AD	41, 260
HSB02B-MD	41, 260
HSB02B	41, 260
HSB02T-AD	41, 260
HSB02T-MD	41, 260
HSB02T	41, 260
HSB03B-AD	41, 260
HSB03B-MD	41, 260
HSB03B	41, 260
HSB03T-AD	41, 260
HSB03T-MD	41, 260
HSB03T	41, 260
HSB04B-MD	42, 261
HSB04T-MD	42, 261
HSB05B-MD	42, 261
HSB05T-MD	42, 261
HSE01	95, 128, 129, 173
HSE02	95
HSE03	95
HSE04	95
HSE05	95
KN12P	272
KN15P	272
KN19P	272
LAB0001	178
LAB0002	178
LAB0003	178
LAB0004	178
LAB0005	178
LAB0006	178
LAB0007	178
LAB0008	178
LAB0009	178
LAB0010	179
LAB0011	179
LAB0012	179
LAB0013	179
LAB0014	179
LAB0015	179

Product Code	Page
LAB0016	179
LAB0017	179
LAB0018	179
LAB0019	179
LAB0020	179
LAB0021	179
LAB0022	179
LAB0023	179
LAB0024	179
LAB0025	179
LAB0026	179
LAB0027	179
LAB0028	180
LAB0029	180
LAB0030	180
LAB1000	178
LAB1001	178
LAB1002	178
LAB1003	178
LAB1004	178
LAB1005	178
LAB1006	178
LAB1007	178
LAB1008	178
LAB1009	179
LAB1010	179
LAB1011	179
LAB1012	179
LAB1013	179
LAB1014	179
LAB1015	179
LAB1016	179
LAB1017	179
LAB1019	179
LAB1020	179
LAB1021	179
LAB1022	179
LAB1023	179
LAB1024	179
LAB1025	179
LAB1026	179
LAB1027	179
LAB1028	180
LAB1029	180
LAB1030	180
LAB2000	178
LAB2001	178
LAB2002	178
LAB2003	179
LAB2004	179
LAB2005	179

Product Code	Page
LAB2006	179
LAB2011	179
LAB2012	179
LAB3000	178
LAB3001	178
LAB3002	178
LAB3003	179
LAB3004	179
LAB3005	179
LAB3006	179
LAB3007	180
LAB3008	180
LAB3011	179
LAB3012	179
LAB4000	180
LAB4001	180
LAB4002	180
LAB4003	180
LAB4004	180
LAB4005	180
LAB4006	180
LAB4007	180
LAB4008	180
LAB4009	180
LAB4010	180
LAB4011	180
LAB6000	181
LAB6001	181
LAB6002	181
LAB6003	181
LAB6100	181
LAB7000	181
LAB7001	181
LAB7002	181
LAB7003	181
LAB7100	181
LAB8000	178
LAB8001	178
LAB8002	178
LAB8003	179
LAB8004	179
LAB8005	179
LAB8006	179
LAB9000	180
LOK001	201, 214, 224
LOK002	201, 214, 224
LOK003	201, 214, 224
LOK004	201
LOK005	201
LOK006	201, 224
LOK007-L	192, 214, 215, 217, 218, 219, 222, 223, 224,
LOK008-L	192
LOK009-L	192
LOK010-L	192, 214
LOK011-L	192
LOK012-L	192
LOK013	204, 214, 223, 224,
LOK014	204, 215
LOK015	197
LOK016	217, 217
LOK017	217
LOK018	203
LOK023	203, 214, 224,
LOK024	203, 214
LOK025	203, 224
LOK028	270
LOK029	209
LOK030	209, 224
LOK043	206, 219, 223, 224
LOK044	198, 217, 218, 219, 224
LOK045	198, 217, 218, 219, 224
LOK046	199, 219, 223
LOK047	199
LOK048	198
LOK049	199
LOK050	214, 215, 217, 218, 219, 223, 224, 227,
LOK051	217, 227
LOK052	217, 227
LOK053	199, 219
LOK054	199, 215
LOK055	208, 224
LOK056	213
LOK057	225
LOK058	210
LOK059	195
LOK060	221
LOK063	213, 214, 223, 224
LOK064	213
LOK065	213
LOK066	213
LOK067	213
LOK068	192, 215, 219, 223
LOK069	198
LOK070	196
LOK071	251
LOK072	225
LOK073	218, 227
LOK074	227
LOK075	227
LOK076	227
LOK077	227
LOK078	227
LOK079	227
LOK080	219, 227
LOK081	227
LOK082	227
LOK083	227
LOK084	217, 227
LOK085	227
LOK086	227
LOK087	227
LOK088	227
LOK089	227
LOK090	227
LOK091	227
LOK092	227
LOK093	227
LOK094	227
LOK095	226
LOK096	226
LOK097	226
LOK098	226
LOK099	226
LOK100	226
LOK101	226
LOK102	226
LOK103	226
LOK104	226
LOK105	226
LOK106	226
LOK107	226
LOK108	226
LOK109	226
LOK110	226
LOK111	226
LOK112	226
LOK116	224
LOK117	224
LOK119	199
LOK120	199
LOK121	207, 222
LOK122	207, 222
LOK123	213
LOK125	211
LOK126	211
LOK127	199, 223
LOK129	198
LOK130	199
LOK131	199
LOK132	199
LOK133	199
LOK134	199
LOK135	205
LOK136	205
LOK137	205
LOK138	207
LOK140	208, 219, 223
LOK141	207, 223
LOK142	208, 219, 223
LOK143	195
LOK144	195
LOK145	195
LOK146	194
LOK148	217
LOK149	221
LOK150	197
LOK151	221
LOK153	220
LOK154	214, 215, 221
LOK157	255
LOK158	255
LOK159	255
LOK161	206, 214, 219, 222, 223
LOK163	198
LOK168	212
LOK169	197, 214
LOK174	192
LOK177	192
LOK180	192
LOK183	192
LOK185	194
LOK186	203
LOK187	211
LOK188	210
LOK189	219, 222, 223, 225
LOK190	210
LOK191	198
LOK192	198
LOK193	211
LOK194	211
LOK195	212
LOK197-L	192
LOK198-L	192
LOK199-L	192
LOK200-L	192
LOK201-L	192
LOK202-L	192
LOK204	201
LOK205	207, 214, 219, 222, 223, 224
LOK206	207, 214, 219, 222, 223, 224
LOK207	207, 219, 223
LOK208	207, 214, 219, 222, 223, 224
LOK209	208
LOK210	209
LOK211	209
LOK212	209
LOK215	210
LOK216	225
LOK217	204
LOK218	220
LOK219	218
LOK220	218
LOK228	222
LOK229	222
LOK230	223
LOK233	220
LOK234	220
LOK235	226
LOK236	226
LOK237	226
LOK238	226
LOK239	226
LOK240	226
LOK241	222, 223
LOK278	226
LOK242	226
LOK243	226
LOK245	195
LOK248	224, 225
LOK249	225
LOK250	224
LOK251	223
LOK261	198, 214, 215

Product Code	Page
LOK263	192
LOK264	192
LOK265	192
LOK266	192
LOK267	192
LOK270	219
LOK271	219
LOK272	219
LOK273	219
LOK274	219
LOK275	219
LOK277	206, 214, 223
LOK279	226
LOK280	226
LOK288	214
LOK289	214
LOK290	215
LOK291	215
LOK292	223
LOK294	193
LOK295	193, 215
LOK296	193
LOK297	193
LOK298	215
MAGSW01	252
MAGSW02	252
MAGSW03	253
MAGSW04	253
MC33L	271
MC34	271
MC43	271
MC44	271
MC45L	271
MC47	271
MC48L	271
MC95CS	270
MC97CS	270
MC99CS	270
MI08L	270
MI09L	270
MI10L	270
MI122L	270
MI132L	270
MI13L	270
MI22L	270
MI45L	270
MPF001	168
MPF002	168
MPF003	168
MPF004	168

Product Code	Page
MPF005	168
MPF006	168
MPF010	168
MPF011	168
NT01P	272
NT02P	272
NT03P	272
NT04P	272
NT05P	272
NT06P	272
NT07P	272
NT125P	272
NT20P	272
NT21P	272
NT50P	272
NT51P	272
P0250	21, 172
P0251	21
P0252	21
P0350	259
P0351	259
P0352	259
P0354	259
P0356	259
P0357	259
P0361	259
P0362	259
P0363	259
P0366	259
P0367	259
PE95L	133, 264
PH01&L	116
PH010L	116
PH011L	116
PH012L	116
PH013L	116
PH014L	116
PH015L	116
PH016L	116
PH017L	116
PH018L	116
PH019L	116
PH01AL	116
PH01BL	116
PH01CL	116
PH01DL	116
PH01EL	116
PH01FL	116
PH01GL	116
PH01HL	116
PH01IL	116

Product Code	Page
PH01JL	116
PH01KL	116
PH01LL	116
PH01ML	116
PH01NL	116
PH01OL	116
PH01PL	116
PH01QL	116
PH01RL	116
PH01SL	116
PH01TL	116
PH01UL	116
PH01VL	116
PH01WL	116
PH01XL	116
PH01YL	116
PH01ZL	116
PH01£L	116
PH01€L	116
PH02&L	116
PH020L	116
PH021L	116
PH022L	116
PH023L	116
PH024L	116
PH025L	116
PH026L	116
PH027L	116
PH028L	116
PH029L	116
PH02AL	116
PH02BL	116
PH02CL	116
PH02DL	116
PH02EL	116
PH02FL	116
PH02GL	116
PH02HL	116
PH02IL	116
PH02JL	116
PH02KL	116
PH02LL	116
PH02ML	116
PH02NL	116
PH02OL	116
PH02PL	116
PH02QL	116
PH02RL	116
PH02SL	116
PH02TL	116
PH02UL	116

Product Code	Page
PH02VL	116
PH02WL	116
PH02XL	116
PH02YL	116
PH02ZL	116
PH02£L	116
PH02€L	116
PL56P	272
PL57P	272
R1000.250	187
R1000.500	187
R1100.250	187
R1100.500	187
R1101.250	187
R1101.500	187
R1102.250	187
R1102.500	187
R1103.250	187
R1103.500	187
R1200.250	187
R1200.500	187
R1201.250	187
R1201.500	187
R1202.250	187
R1202.500	187
R1203.250	187
R1203.500	187
R1204.250	187
R1204.500	187
R1205.250	187
R1205.500	187
R1206.250	187
R1206.500	187
R1207.250	187
R1207.500	187
R1208.250	187
R1208.500	187
R1209.250	187
R1209.500	187
R1210.250	187
R1210.500	187
R1211.250	187
R1211.500	187
R3000.250	182
R3001.250	182
R3002.250	182
R3003.250	182
R3005.250	182
R3006.250	182
R3007.250	182
R3008.250	182

Product Code	Page
R3010.250	182
R3011.250	182
R3012.250	182
R3013.250	182
R3014.250	182
R3015.250	182
R3016.250	182
R3017.250	182
R3018.250	182
R3019.250	182
R3020.500	181
R3021.500	181
R3022.250	182
R3024.250	182
R3025.250	182
R4000.250	185
R4000.500	185
R4001.250	185
R4100.250	185
R4101.250	185
R4102.250	185
R4150.250	185
R4151.250	185
R4152.250	185
R4153.250	185
R4250.250	185
R4251.250	185
R4252.250	185
R4300.250	185
R4301.250	185
R4303.250	185
R4400.250	185
R4450.250	185
R4500.250	185
R4550.250	185
R5000.100	183
R5001.100	183
R5002.100	183
R6000.250	185
R6001.250	185
RS4000.10	185
RS4001.10	185
RS4100.10	185
RS4101.10	185
RS4102.10	185
RS4150.10	185
RS4151.10	185
RS4152.10	185
RS4153.10	185
RS4250.10	185
RS4251.10	185

Product Code	Page
RS4252.10	185
RS4300.10	185
RS4301.10	185
RS4302.10	185
RS4303.10	185
RS4400.10	185
RS4450.10	185
RS4500.10	185
RS4550.10	185
RSF001	99
RSF002	99
RSF003	99
RSF004	99
RSF005	99
RSF006	99
RSF007	99
RSF100	99
S0300RW	255
S0300YB	255
S0302B	255
S0302W	255
S0303RW	255
S0303WH	255
S0303YB	255
SB-BD01-BL	166
SB-BD01-BLNS	166
SB-BD01-GR	166
SB-BD01-GRNS	166
SB-BD01-RD	166
SB-BD01-RDNS	166
SB-BD01-YL	166
SB-BD01-YLNS	166
SB-BD02-BL	166
SB-BD02-BLNS	166
SB-BD02-GR	166
SB-BD02-GRNS	166
SB-BD02-RD	166
SB-BD02-RDNS	166
SB-BD02-YL	166
SB-BD02-YLNS	166
SB-BD03-BL	167
SB-BD03-BLNS	167
SB-BD03-GR	167
SB-BD03-GRNS	167
SB-BD03-RD	167
SB-BD03-RDNS	167
SB-BD03-YL	167
SB-BD03-YLNS	167
SB-BD04-BL	167
SB-BD04-BLNS	167
SB-BD04-GR	167
SB-BD04-GRNS	167
SB-BD04-RD	167
SB-BD04-RDNS	167
SB-BD04-YL	167
SB-BD04-YLNS	167
SB-BD31	172
SB-BD42	172
SB-BD43	172
SB-BD50	173
SB-BD60	127, 173
SB-BD61	173
SB-BHK01-BL	167, 171
SB-BHK01-GR	167, 171
SB-BHK01-RD	167, 171
SB-BHK01-YL	167, 171
SB-BRM01-BL	166, 167, 170
SB-BRM01-GR	167, 170
SB-BRM01-RD	166, 167, 170
SB-BRM01-YL	167, 170
SB-BUK01-BL	167, 170
SB-BUK01-GR	167, 170
SB-BUK01-RD	167, 170
SB-BUK01-YL	167, 170
SB-DPN01-BL	167, 170
SB-DPN01-GR	167, 170
SB-DPN01-RD	167, 170
SB-DPN01-YL	167, 170
SB-FIT01	171, 269
SB-FIT02	171, 270
SB-HAN01-BL	166, 167, 170
SB-HAN01-GR	167, 170
SB-HAN01-RD	166, 167, 170
SB-HAN01-YL	167, 170
SB-HBR01-BL	167, 170
SB-HBR01-GR	167, 170
SB-HBR01-RD	167, 170
SB-HBR01-YL	167, 170
SB-HNG01-BK	171
SB-HNG01-BL	171
SB-HNG01-GR	171
SB-HNG01-RD	171
SB-HNG01-YL	171
SB-MOP01-BL	167, 170
SB-MOP01-GR	167, 170
SB-MOP01-RD	166, 167, 170
SB-MOP01-YL	167, 170
SB-SHV01-BL	166, 167, 171
SB-SHV01-GR	167, 171
SB-SHV01-RD	167, 171
SB-SHV01-YL	167, 171
SB-SQG01-BL	167, 170
SB-SQG01-GR	167, 170
SB-SQG01-RD	167, 170
SB-SQG01-YL	167, 170
SBF-BD01-BL	169
SBF-BD01-BLNS	169
SBF-BD01-GR	169
SBF-BD01-GRNS	169
SBF-BD01-RD	169
SBF-BD01-RDNS	169
SBF-BD01-YL	169
SBF-BD01-YLNS	169
SBF-BD02-BL	169
SBF-BD02-BLNS	169
SBF-BD02-GR	169
SBF-BD02-GRNS	169
SBF-BD02-RD	169
SBF-BD02-RDNS	169
SBF-BD02-YL	169
SBF-BD02-YLNS	169
SBF-BD03-BL	169
SBF-BD03-BLNS	169
SBF-BD03-GR	169
SBF-BD03-GRNS	169
SBF-BD03-RD	169
SBF-BD03-RDNS	169
SBF-BD03-YL	169
SBF-BD03-YLNS	169
SBL-001	127
SBS-BD01-BL	166
SBS-BD01-BLNS	166
SBS-BD01-GR	166
SBS-BD01-GRNS	166
SBS-BD01-RD	166
SBS-BD01-RDNS	166
SBS-BD01-YL	166
SBS-BD01-YLNS	166
SBS-BD02-BL	166
SBS-BD02-BLNS	166
SBS-BD02-GR	166
SBS-BD02-GRNS	166
SBS-BD02-RD	166
SBS-BD02-RDNS	166
SBS-BD02-YL	166
SBS-BD02-YLNS	166
SBS-BD03-BL	167
SBS-BD03-BLNS	167
SBS-BD03-GR	167
SBS-BD03-GRNS	167
SBS-BD03-RD	167
SBS-BD03-RDNS	167
SBS-BD03-YL	167
SBS-BD03-YLNS	167
SD57P	272
SE145L	269
SE148L	269
SE151L	269
SE232L	269
SE254L	269
SE375L	269
SE376L	269
SE377L	269
SE378L	269
SE380L	269
SE386L	269
SE387L	269
SE388L	269
SE389L	269
SE390L	269
SE391L	269
SE392L	269
SE414	269
SE418	269
SE419	269
SE420	269
SE422	269
SE436	269
SE437	269
SE438	269
SE72L	269
SE73L	269
SE76L	269
SE77L	269
SE78L	269
SE79L	269
SE80L	269
SE94L	269
SE95L	269
SGN06P	47
SGN07P	47
SGN08P	47
SP137L	196
SP138L	196
SP139L	196
SP140L	196
SP150P	196
SP151P	196
SP160P	196
SP165P	196
SP168L	196
SP169L	196
SP227P	270
SP228P	270
SP229P	270
STE01&L	116
STE010L	116
STE011L	116
STE012L	116
STE013L	116
STE014L	116
STE015L	116
STE016L	116
STE017L	116
STE018L	116
STE019L	116
STE01AL	116
STE01BL	116
STE01CL	116
STE01DL	116
STE01EL	116
STE01FL	116
STE01GL	116

Product Code	Page
STE01HL	116
STE01IL	116
STE01JL	116
STE01KL	116
STE01LL	116
STE01ML	116
STE01NL	116
STE01OL	116
STE01PL	116
STE01QL	116
STE01RL	116
STE01SL	116
STE01TL	116
STE01UL	116
STE01VL	116
STE01WL	116
STE01XL	116
STE01YL	116
STE01ZL	116
STE01£L	116
STE01€L	116
STE02&L	116
STE020L	116
STE021L	116
STE022L	116
STE023L	116
STE024L	116
STE025L	116
STE026L	116
STE027L	116
STE028L	116
STE029L	116
STE02AL	116
STE02BL	116
STE02CL	116
STE02DL	116
STE02EL	116
STE02FL	116
STE02GL	116
STE02HL	116
STE02IL	116
STE02JL	116
STE02KL	116
STE02LL	116
STE02ML	116
STE02NL	116
STE02OL	116
STE02PL	116
STE02QL	116
STE02RL	116
STE02SL	116

Product Code	Page
STE02TL	116
STE02UL	116
STE02VL	116
STE02WL	116
STE02XL	116
STE02YL	116
STE02ZL	116
STE02£L	116
STE02€L	116
STP001	156
STP002	157
STP003	157
STP004	157
STP005	157
STP006	157
STP007	157
STP008	157
STP009	156
STP010	156
STP011	156
STP012	156
STP013	156
STP014	156
STP015	156
STP016	156
STP017	158
STP019	158
STP020	158
STP022	158
STP023	157
STP024	157
STP025	158
STP026	158
STP027	157
STP029	156
STP030	156
STP031	156
STP032	156
STP126	160
STP128	160
STP130	159
STP132	159
STP134	159
STP138	159
STP149	159
STP150	161
STP151	159
STP153	161
STP175	158
STP177	158
STP185	158

Product Code	Page
STP200	159
STP230	158
STP231	158
STP232	158
STP233	158
STP250	157
STP251	157
STP252	157
STP253	157
STP254	157
STP255	158
STP257	158
STP258	158
STP260	158
STP268	157
STP269	157
STP270	157
STP271	157
STP272	157
STP302	159
STP312	159
STP313	159
STP314	159
STP380	161
STP381	161
STP382	161
STP383	161
STP384	161
STP385	161
STP500	160
STP502	160
SU02P	271
SVB01&L	116
SVB010L	116
SVB011L	116
SVB012L	116
SVB013L	116
SVB014L	116
SVB015L	116
SVB016L	116
SVB017L	116
SVB018L	116
SVB019L	116
SVB01AL	116
SVB01BL	116
SVB01CL	116
SVB01DL	116
SVB01EL	116
SVB01FL	116
SVB01GL	116
SVB01HL	116

Product Code	Page
SVB01IL	116
SVB01JL	116
SVB01KL	116
SVB01LL	116
SVB01ML	116
SVB01NL	116
SVB01OL	116
SVB01PL	116
SVB01QL	116
SVB01RL	116
SVB01SL	116
SVB01TL	116
SVB01UL	116
SVB01VL	116
SVB01WL	116
SVB01XL	116
SVB01YL	116
SVB01ZL	116
SVB01£L	116
SVB01€L	116
SVB02&L	116
SVB020L	116
SVB021L	116
SVB022L	116
SVB023L	116
SVB024L	116
SVB025L	116
SVB026L	116
SVB027L	116
SVB028L	116
SVB029L	116
SVB02AL	116
SVB02BL	116
SVB02CL	116
SVB02DL	116
SVB02EL	116
SVB02FL	116
SVB02GL	116
SVB02HL	116
SVB02IL	116
SVB02JL	116
SVB02KL	116
SVB02LL	116
SVB02ML	116
SVB02NL	116
SVB02OL	116
SVB02PL	116
SVB02QL	116
SVB02RL	116
SVB02SL	116
SVB02TL	116

Product Code	Page
SVB02UL	116
SVB02VL	116
SVB02WL	116
SVB02XL	116
SVB02YL	116
SVB02ZL	116
SVB02£L	116
SVB02€L	116
SVW01&L	116
SVW010L	116
SVW011L	116
SVW012L	116
SVW013L	116
SVW014L	116
SVW015L	116
SVW016L	116
SVW017L	116
SVW018L	116
SVW019L	116
SVW01AL	116
SVW01BL	116
SVW01CL	116
SVW01DL	116
SVW01EL	116
SVW01FL	116
SVW01GL	116
SVW01HL	116
SVW01IL	116
SVW01JL	116
SVW01KL	116
SVW01LL	116
SVW01ML	116
SVW01NL	116
SVW01OL	116
SVW01PL	116
SVW01QL	116
SVW01RL	116
SVW01SL	116
SVW01TL	116
SVW01UL	116
SVW01VL	116
SVW01WL	116
SVW01XL	116
SVW01YL	116
SVW01ZL	116
SVW01£L	116
SVW01€L	116
SVW02&L	116
SVW020L	116
SVW021L	116
SVW022L	116

Product Code	Page
SVW023L	116
SVW024L	116
SVW025L	116
SVW026L	116
SVW027L	116
SVW028L	116
SVW029L	116
SVW02AL	116
SVW02BL	116
SVW02CL	116
SVW02DL	116
SVW02EL	116
SVW02FL	116
SVW02GL	116
SVW02HL	116
SVW02IL	116
SVW02JL	116
SVW02KL	116
SVW02LL	116
SVW02ML	116
SVW02NL	116
SVW02OL	116
SVW02PL	116
SVW02QL	116
SVW02RL	116
SVW02SL	116
SVW02TL	116
SVW02UL	116
SVW02VL	116
SVW02WL	116
SVW02XL	116
SVW02YL	116
SVW02ZL	116
SVW02£L	116
SVW02€L	116
SVY01&L	116
SVY010L	116
SVY011L	116
SVY012L	116
SVY013L	116
SVY014L	116
SVY015L	116
SVY016L	116
SVY017L	116
SVY018L	116
SVY019L	116
SVY01AL	116
SVY01BL	116
SVY01CL	116
SVY01DL	116
SVY01EL	116

Product Code	Page
SVY01FL	116
SVY01GL	116
SVY01HL	116
SVY01IL	116
SVY01JL	116
SVY01KL	116
SVY01LL	116
SVY01ML	116
SVY01NL	116
SVY01OL	116
SVY01PL	116
SVY01QL	116
SVY01RL	116
SVY01SL	116
SVY01TL	116
SVY01UL	116
SVY01VL	116
SVY01WL	116
SVY01XL	116
SVY01YL	116
SVY01ZL	116
SVY01£L	116
SVY01€L	116
SVY02&L	116
SVY020L	116
SVY021L	116
SVY023L	116
SVY024L	116
SVY025L	116
SVY026L	116
SVY027L	116
SVY028L	116
SVY029L	116
SVY02AL	116
SVY02BL	116
SVY02CL	116
SVY02DL	116
SVY02EL	116
SVY02FL	116
SVY02GL	116
SVY02HL	116
SVY02IL	116
SVY02JL	116
SVY02KL	116
SVY02LL	116
SVY02ML	116
SVY02NL	116
SVY02OL	116
SVY02PL	116
SVY02QL	116
SVY02RL	116

Product Code	Page
SVY02SL	116
SVY02TL	116
SVY02UL	116
SVY02VL	116
SVY02WL	116
SVY02XL	116
SVY02YL	116
SVY02ZL	116
SVY02£L	116
SVY02€L	116
SW01L	272
SW11L	272
TA05L	111
TA06L	111
TA07L	111
TA09L	111
TA17L	259
TA18L	259
TA32L	110
TA33L	110
TA34L	110
TA53L	110
TA54L	110
TG01-1	232
TG0110	232
TG0150	232
TG01BOX	232
TG01KIT	232
TG02-1	237
TG0210	237
TG0250	237
TG02BOX	237
TG03-1	237
TG0310	237
TG0350	237
TG03BOX	237
TG04-1	233
TG0410	233
TG0450	233
TG04BOX	233
TG04KIT	233
TG05-1	238
TG0510	238
TG0550	238
TG05BOX	238
TG06-1	238
TG0610	238
TG0650	238
TG06K	238
TG07-1	238
TG0710	238

Product Code	Page
TG0750	238
TG07K	238
TG08-1	235
TG0810	235
TG0850	235
TG08BOX	235
TG09-1	236
TG0910	236
TG0950	236
TG09BOX	236
TG10-1	235
TG1010	235
TG1050	235
TG10BOX	235
TG11-1	236
TG1110	236
TG1150	236
TG11BOX	236
TG12-1	234
TG1210	234
TG1250	234
TG12BOX	234
TG12KIT	234
TG13KIT	234
TG60B	239
TG60BK	239
TG60G	239
TG60GK	239
TG60R	239
TG60RK	239
TG60Y	239
TG60YK	239
TG61B	239
TG61BK	239
TG61G	239
TG61GK	239
TG61R	239
TG61RK	239
TG61Y	239
TG61YK	239
TG62B	239
TG62BK	239
TG62G	239
TG62GK	239
TG62R	239
TG62RK	239
TG62Y	239
TG62YK	239
TG63B	239
TG63BK	239
TG63G	239

Product Code	Page
TG63GK	239
TG63R	239
TG63RK	239
TG63Y	239
TG63YK	239
TG64B	239
TG64BK	239
TG64G	239
TG64GK	239
TG64K-MIX	239
TG64R	239
TG64RK	239
TG64Y	239
TG64YK	239
TGA-CH100	244
TGA-CH200	244
TGA-CH300	244
TGA-CH400	244
TGA-CH500	244
TGA-CLASP	244
TGBU-27-101	244
TGBU-27-1	244
TGBU-27-126	244
TGBU-27-151	244
TGBU-27-176	244
TGBU-27-201	244
TGBU-27-226	244
TGBU-27-251	244
TGBU-27-26	244
TGBU-27-276	244
TGBU-27-301	244
TGBU-27-326	244
TGBU-27-351	244
TGBU-27-376	244
TGBU-27-5	244
TGBU-27-76	244
TGBU-33-101	244
TGBU-33-1	244
TGBU-33-126	244
TGBU-33-151	244
TGBU-33-176	244
TGBU-33-201	244
TGBU-33-226	244
TGBU-33-251	244
TGBU-33-26	244
TGBU-33-276	244
TGBU-33-301	244
TGBU-33-326	244
TGBU-33-351	244
TGBU-33-376	244
TGBU-33-51	244

Product Code	Page
TGBU-33-76	244
TGBU-38-101	244
TGBU-38-1	244
TGBU-38-126	244
TGBU-38-151	244
TGBU-38-176	244
TGBU-38-201	244
TGBU-38-226	244
TGBU-38-251	244
TGBU-38-26	244
TGBU-38-276	244
TGBU-38-301	244
TGBU-38-326	244
TGBU-38-351	244
TGBU-38-376	244
TGBU-38-51	244
TGBU-38-76	244
TGCT5	232, 234, 235, 240
TGMT5	240
TGMX5	236, 237, 240
TGOT5	233, 235, 238, 240
TGPEN01	219, 222, 223, 224, 227, 272
TGPEN02	227, 272
TGRK5	236, 240
TGTR-27-101	244
TGTR-27-1	244
TGTR-27-126	244
TGTR-27-151	244
TGTR-27-176	244
TGTR-27-201	244
TGTR-27-226	244
TGTR-27-251	244
TGTR-27-26	244
TGTR-27-276	244
TGTR-27-301	244
TGTR-27-326	244
TGTR-27-351	244
TGTR-27-376	244
TGTR-27-51	244
TGTR-27-76	244
TGTR-33-101	244
TGTR-33-1	244
TGTR-33-126	244
TGTR-33-151	244
TGTR-33-176	244
TGTR-33-201	244
TGTR-33-226	244
TGTR-33-251	244

Product Code	Page
TGTR-33-26	244
TGTR-33-276	244
TGTR-33-301	244
TGTR-33-326	244
TGTR-33-351	244
TGTR-33-376	244
TGTR-33-51	244
TGTR-33-76	244
TGTR-38-101	244
TGTR-38-1	244
TGTR-38-126	244
TGTR-38-151	244
TGTR-38-176	244
TGTR-38-201	244
TGTR-38-226	244
TGTR-38-251	244
TGTR-38-26	244
TGTR-38-276	244
TGTR-38-301	244
TGTR-38-326	244
TGTR-38-351	244
TGTR-38-376	244
TGTR-38-51	244
TGTR-38-76	244
TK0002BK-WH	73
TK0002WHBL	73
TK0003BK-WH	73
TK0003WHBL	73
TK0004BK-WH	74
TK0004WHBL	74
TK0005BK-WH	75
TK0005WHBL	75
TK0015BK-WH	73
TK0015WHBL	73
TK0016BK-WH	73
TK0016WHBL	73
TK0020BK-WH	73
TK0020WHBL	73
TK0021BK-WH	74
TK0021WHBL	74
TK0022BK-WH	72
TK0022WHBL	72
TK0023BK-WH	73
TK0023WHBL	73
TK0024BK-WH	73

Product Code	Page
TK0024WHBL	73
TK0030BK-WH	72
TK0030WHBL	72
TK0031BK-WH	72
TK0031WHBL	72
TK0110BSI	70
TK0110BSIPH	70
TK0120BSI	69
TK0120BSIPH	69
TK0122BSI	69
TK0122BSIPH	69
TK0201BSI	70
TK0201BSIPH	70
TK0230BK-WH	75
TK0230WHBL	75
TK0231BK-WH	75
TK0231WHBL	75
TK0232BK-WH	75
TK0232WHBL	75
TK0234BK-WH	72
TK0234WHBL	72
TK0235BK-WH	72
TK0235WHBL	72
TK0300BK-WH	74
TK0300WHBL	74
TK0301BK-WH	74
TK0301WHBL	74
TK0310BK-WH	75
TK0310WHBL	75
TK0311BK-WH	75
TK0311WHBL	75
TK0313BK-WH	72
TK0313WHBL	72
TK0314BK-WH	75
TK0314WHBL	75
TK0315BK-WH	75
TK0315WHBL	75
TK0316BK-WH	72
TK0316WHBL	72
TK0317BK-WH	72
TK0317WHBL	72
TK0318BK-WH	75

Product Code	Page
TK0318WHBL	75
TK0319BK-WH	75
TK0319WHBL	75
TK0352BK-WH	72
TK0352WHBL	72
TK0353BK-WH	72
TK0353WHBL	72
TK0400BK-WH	73
TK0400WHBL	73
TK0401BK-WH	73
TK0401WHBL	73
TK0450BK-WH	73
TK0450WHBL	73
TK0500BK-WH	72
TK0500BSI	69
TK0500BSIPH	69
TK0500WHBL	72
TK0501BK-WH	73
TK0501WHBL	73
TK0502BK-WH	73
TK0502WHBL	73
TK0520BSI	69
TK0520BSIPH	69
TK0521BSI	69
TK0521BSIPH	69
TK0522BSI	69
TK0522BSIPH	69
TK0523BSI	69
TK0523BSIPH	69
TK0524BSI	69
TK0524BSIPH	69
TK0525BSI	69
TK0525BSIPH	69
TK0526BSI	69
TK0526BSIPH	69
TK0527BSI	69
TK0527BSIPH	69
TK0530BSI	69
TK0530BSIPH	69
TK0531BSI	69
TK0531BSIPH	69
TK0532BSI	69
TK0532BSIPH	69
TK0533BSI	69
TK0533BSIPH	69
TK0534BSI	69

Product Code	Page
TK0534BSIPH	69
TK0535BSI	69
TK0535BSIPH	69
TK0536BSI	69
TK0536BSIPH	69
TK0537BSI	69
TK0537BSIPH	69
TK0538BSI	69
TK0538BSIPH	69
TK0600BSI	70
TK0601BSI	70
TK0650BSI	70
TK0651BSI	70
TK0653BSI	70
TK0700BSI	70
TK0700BSIPH	70
TK0701BSI	70
TK0701BSIPH	70
TK0800BSI	69
TK0800BSIPH	69
TK0900BSI	70
TK0900BSIPH	70
TK0901BSI	70
TK0901BSIPH	70
TK0902BSI	70
TK0902BSIPH	70
TK0903BSI	70
TK0903BSIPH	70
TK2000BK-WH	74
TK2000WHBL	74
TK2001BK-WH	74
TK2001WHBL	74
TK2002BK-WH	74
TK2002WHBL	74
TK2003BK-WH	74
TK2003WHBL	74
TK2004BK-WH	74
TK2004WHBL	74
TK2005BK-WH	74
TK2005WHBL	74
TK2006BK-WH	74
TK2006WHBL	74
TK2010BK-WH	74
TK2010WHBL	74
TK2011BK-WH	74
TK2011WHBL	74

Product Code	Page
TK2012BK-WH	74
TK2012WHBL	74
TK2030BK-WH	72
TK2030WHBL	72
TK2031BK-WH	75
TK2031WHBL	75
TK2032BK-WH	75
TK2032WHBL	75
TK2033BK-WH	72
TK2033WHBL	72
TK2036BK-WH	74
TK2036WHBL	74
TK2040BK-WH	74
TK2040WHBL	74
TK2041BK-WH	74
TK2041WHBL	74
TK2042BK-WH	74
TK2042WHBL	74
TK2100BK-WH	75
TK2100WHBL	75
TK2101BK-WH	75
TK2101WHBL	75
TK2102BK-WH	75
TK2102WHBL	75
TK2103BK-WH	75
TK2103WHBL	75
TK2104BK-WH	75
TK2104WHBL	75
TK2105BK-WH	75
TK2105WHBL	75
TK2106BK-WH	75
TK2106WHBL	75
TK2107BK-WH	75
TK2107WHBL	75
TK2108BK-WH	75
TK2108WHBL	75
TK2109BK-WH	75
TK2109WHBL	75
TK2200BK-WH	74
TK2200WHBL	74

Product Code	Page
TK2201BK-WH	74
TK2201WHBL	74
TK2202BK-WH	74
TK2202WHBL	74
TK2203BK-WH	74
TK2203WHBL	74
TK2204BK-WH	74
TK2204WHBL	74
TK2205BK-WH	74
TK2205WHBL	74
TK2206BK-WH	74
TK2206WHBL	74
TK2207BK-WH	75
TK2207WHBL	75
TK2208BK-WH	74
TK2208WHBL	74
TK2250BK-WH	75
TK2250WHBL	75
TK2251BK-WH	72
TK2251WHBL	72
TK2252BK-WH	75
TK2252WHBL	75
TK2253BK-WH	72
TK2253WHBL	72
TK2254BK-WH	72
TK2254WHBL	72
TK2255BK-WH	72
TK2255WHBL	72
TK2256BK-WH	72
TK2256WHBL	72
TK2257BK-WH	72
TK2257WHBL	72
TK2258BK-WH	72
TK2258WHBL	72
TK2270BK-WH	72
TK2270WHBL	72
TK2271BK-WH	72
TK2271WHBL	72
TK2272BK-WH	72
TK2272WHBL	72

Product Code	Page
TK2275BK-WH	73
TK2275WHBL	73
TK2276BK-WH	73
TK2276WHBL	73
TK2277BK-WH	73
TK2277WHBL	73
TK2400BK-WH	74
TK2400WHBL	74
TK2401BK-WH	74
TK2401WHBL	74
TK2402BK-WH	72
TK2402WHBL	72
TK2454BK-WH	73
TK2454WHBL	73
TK2473BK-WH	75
TK2473WHBL	75
TK2474BK-WH	75
TK2474WHBL	75
TK2475BK-WH	75
TK2475WHBL	75
TK2479BK-WH	73
TK2479WHBL	73
TK2486BK-WH	73
TK2486WHBL	73
TK2652BK-WH	73
TK2652WHBL	73
TK2653BK-WH	73
TK2653WHBL	73
TK2654BK-WH	75
TK2654WHBL	75
TK2655BK-WH	73
TK2655WHBL	73
TK2658BK-WH	73
TK2658WHBL	73
TK2701	75
TK3556BK-WH	75
TK3556WHBL	75
TK3710BK-WH	73
TK3710WHBL	73
TK3750BK-WH	73

Product Code	Page
TK3750WHBL	73
TK3751BK-WH	73
TK3751WHBL	73
TK3780BSI	69
TK3780BSIPH	69
TK3800BSI	70
TK3802BSI	70
TK3803BSI	70
TK3804BSI	70
TK3806BSI	70
TK3807BSI	70
TK5000BSI	71
TK5001BSI	71
TK5002BSI	71
TK5003BSI	71
TK5050BSI	71
TK5050BSIPH	71, 88
TK5051BSI	71
TK5051BSIPH	71, 88
TK5052BSI	71
TK5052BSIPH	71, 88
TK5053BSI	71
TK5053BSIPH	71
TK5054BSI	71
TK5054BSIPH	71
TK5055BSI	71
TK5055BSIPH	71
TK5056BSI	71
TK5056BSIPH	71
TK5057BSI	71
TK5057BSIPH	71
TK5100BSI	71
TK5101BSI	71
TK5102BSI	71
TK5103BSI	71
TM10P	272
TM11P	272
TM12P	272
WR20P	272

spectrum industrial

CONCEPT TO COMPLETION

WE'RE NOT JUST EXPERTS IN SAFETY SOLUTIONS



Whether it's hoarding for the development, way finding signage, site safety signage or signage for the completed building.

WE CAN PROVIDE COMPLETE SIGNAGE SOLUTIONS FOR THE LIFECYCLE OF A BUILDING.

spectrum industrial

Centurion House, Hunt Lane,
Doncaster DN5 9SH

T: 01302 800 273
F: 01302 390 004
E: sales@spectrum-industrial.co.uk

www.spectrum-industrial.co.uk

Ref: 062021